

# TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations  
Issue date:02/01/2022 Revision date:18/06/2021 Supersedes:03/12/2021 Version: 1.3  
SDS No: 00156-0499



### SECTION 1: Product identifier

#### 1.1. GHS Product identifier

Product form : Mixture  
Product name : TIP TOP FIXPASTE REMAREP ULTRA 10 PART B  
Product code : 525 3203, 525 3204, 525 3254, 525 3315

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Recommended use : Conveyor belt repair material

#### 1.4. Details of manufacturer or importer

##### Supplier

REMA TIP TOP AG  
65 Gruber Strasse  
Poing 85586  
Germany  
T +49 (0) 8121 / 707 - 100  
[info@tiptop.de](mailto:info@tiptop.de)

##### Importer

REMA TIP TOP Australia Pty Ltd.  
3/20 Worth Street  
Chullora NSW 2190  
Australia  
T +61 2 8755 8400  
[www.rema-tiptop.com.au](http://www.rema-tiptop.com.au)

E-mail address of competent person responsible for the SDS: [sds@gbk-ingelheim.de](mailto:sds@gbk-ingelheim.de)

#### 1.5. Emergency phone number

Emergency number : +61-280735031, Infotrac/GBK GmbH-ID: 93591

### SECTION 2: Hazard identification

#### 2.1. Classification of the hazardous chemical

##### Classification according to the model Work Health and Safety Regulations (WHS Regulations)

|   |      |
|---|------|
| Serious eye damage/eye irritation, Category 2A                    | H319 |
| Specific target organ toxicity – Repeated exposure, Category 2    | H373 |
| Hazardous to the aquatic environment – Chronic Hazard, Category 2 | H411 |

#### 2.2. GHS Label elements, including precautionary statements

Hazard pictograms (GHS AU) :



Exclamation mark    Health hazard    Environment

Signal word (GHS AU) :

Warning

Contains :

diethylmethylbenzenediamine (< 15 %); Other substances (not contributing to the classification of this product) (> 80 %)

Hazard statements (GHS AU) :

H319 - Causes serious eye irritation  
H373 - May cause damage to organs through prolonged or repeated exposure  
H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (GHS AU) :

P260 - Do not breathe vapours.  
P280 - Wear eye protection, face protection, protective gloves, protective clothing.  
P264 - Wash Skin thoroughly after handling.  
P273 - Avoid release to the environment.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P314 - Get medical attention if you feel unwell.

# TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations  
SDS No: 00156-0499

P337+P313 - If eye irritation persists: Get medical attention.  
P391 - Collect spillage.  
P501 - Dispose of contents and container to an approved waste disposal plant.

### 2.3. Other hazards which do not result in classification

No additional information available

## SECTION 3: Composition and information on ingredients

Comments : Mixture of the substances listed below with nonhazardous additives.

| Name  | CAS-No.    | %    | Classification according to the model Work Health and Safety Regulations (WHS Regulations)   |
|---|------------|------|--|
| diethylmethylbenzenediamine   | 68479-98-1 | < 15 | Acute Tox. 4 (Dermal), H312<br>Acute Tox. 4 (Oral), H302<br>STOT RE 2, H373<br>Eye Irrit. 2A, H319<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 |
| Other substances (not contributing to the classification of this product) | -          | 86   | -  |

## SECTION 4: First aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures general : Take off immediately all contaminated clothing. In the event of persistent symptoms receive medical treatment. Move the affected person away from the contaminated area.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a physician immediately.

First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Get medical advice if skin irritation persists.

First-aid measures after eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult an eye specialist.

First-aid measures after ingestion : Do not induce vomiting. Rinse mouth out with water. Never give anything by mouth to an unconscious person. Call a physician immediately. Do not induce vomiting without medical advice.

### 4.2. Symptoms caused by exposure

Symptoms/effects : May cause damage to organs through prolonged or repeated exposure.

Symptoms/effects after eye contact : Causes serious eye damage.

### 4.3. Medical attention and special treatment

Treatment : Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : high volume water jet.

# TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations  
SDS No: 00156-0499

### 5.2. Specific hazards arising from the chemical

- General measures : In case of vapour formation use adequate respirator. Ensure adequate air ventilation. Evacuate personnel to a safe area. Concerning personal protective equipment to use, see section 8.
- Hazardous decomposition products in case of fire : Carbon monoxide. Carbon dioxide. Nitrogen oxides.

### 5.3. Special protective equipment and precautions for fire-fighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
- Hazchem Code : \* 3Z
- Other information : Cool containers / tanks with spray water if possible. Do not release chemically contaminated water into drains, soil or surface waters. Sufficient measures must be taken to retain water used for extinguishing. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : In case of vapour formation use adequate respirator. Ensure adequate air ventilation. Evacuate personnel to a safe area. Concerning personal protective equipment to use, see section 8.

#### 6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

#### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

### 6.3. Methods and materials for containment and cleaning up

- Methods for cleaning up : Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Shovel or sweep up and put in a closed container for disposal. Container should not be closed gas-tight. Container can be pressurised by carbon dioxide due to reaction with humid air and/or water.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Keep container tightly closed. Vapours are heavier than air and may spread along floors. Avoid contact with skin and eyes. Do not breathe vapours. Keep away from heat and sources of ignition.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Pay attention to explosion protection guidelines.
- Storage conditions : Keep container tightly closed in a dry, cool and well-ventilated place.
- Incompatible materials : Acids. Bases. oxidizing materials.
- Storage temperature : 15 – 25 °C
- Information on mixed storage : Keep away from food, drink and animal feeding stuffs.

# TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations  
SDS No: 00156-0499

### SECTION 8: Exposure controls and personal protection

#### 8.1. Control parameters - exposure standards

No additional information available

#### 8.2. Biological Monitoring

No additional information available

#### 8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

#### 8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves. Pls. find examples in the protective gloves database under: <http://bestglove.com/site/chemrest/>

| Type                                   | Material   | Permeation        | Thickness (mm) | Penetration | Standard   |
|--|--|-------------------|----------------|-------------|------------|
| Chemically resistant protective gloves | Nitrile rubber, Nitrile/cotton, Butyl rubber, Neoprene | 6 (> 480 minutes) | ≥ 0,7          |             | EN ISO 374 |

Eye protection : Tightly fitting goggles (EN 166). Eyewash bottle with clean water (EN 15154)

Skin and body protection : Long sleeved protective clothing. EN ISO 6530

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

| Device  | Filter type | Condition | Standard |
|---|-------------|-----------|----------|
| Respiratory protective device with a gas filter | Type A      |           | EN 14387 |

Environmental exposure controls : Avoid release to the environment.

Other information : Do not inhale vapour. Avoid contact with skin and eyes. Wash hands before breaks and at the end of workday. Wash hands immediately after handling the product. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use.

### SECTION 9: Physical and chemical properties

Physical state : Liquid  
Appearance : No data available  
Colour : red Black  
Odour : Slight  
Odour threshold : No data available  
pH : No data available  
Relative evaporation rate (butylacetate=1) : No data available  
Melting point / Freezing point : No data available  
Boiling point : > 200 °C  
Flash point : > 200 °C  
Auto-ignition temperature : No data available  
Flammability (solid, gas) : No data available  
Vapour pressure : No data available  
Relative density : No data available  
Density : Density: 1.07 – 1.1 g/cm<sup>3</sup> (23 °C)  
Solubility : Water: Not miscible  
Log Pow : No data available  
Viscosity, dynamic : 1000 – 2000 mPa.s (25 °C)  
Explosive properties : No data available  
Explosive limits : No data available  
Minimum ignition energy : No data available  
VOC content : 0 %

# TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations  
SDS No: 00156-0499

Fat solubility : No data available  
Solvent content : 0 %  
Solvent separation test (%) : 0 %

### SECTION 10: Stability and reactivity

Reactivity : No decomposition if stored and applied as directed.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Reacts with: Acids. alkalis. oxidizing materials.  
Conditions to avoid : To avoid thermal decomposition, do not overheat.  
Incompatible materials : Acids. Bases. Oxidizing agent.  
Hazardous decomposition products : Carbon monoxide. Carbon dioxide. Nitrogen oxides.

### SECTION 11: Toxicological information

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

| <b>diethylmethylbenzenediamine (68479-98-1)</b> |              |
|---|--------------|
| LD50 oral rat                                   | 738 mg/kg    |
| LD50 dermal rat                                 | > 2000 mg/kg |

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Causes serious eye irritation.  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

| <b>diethylmethylbenzenediamine (68479-98-1)</b> |  |
|---|--|
| STOT-repeated exposure                          | May cause damage to organs through prolonged or repeated exposure. |

Aspiration hazard : Not classified  
Potential adverse human health effects and symptoms : At high concentrations, the vapours can be irritating to the respiratory system. Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product

### SECTION 12: Ecological information

#### 12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.  
Other information : Do not flush into surface water or sewer system.

#### 12.2. Persistence and degradability

| <b>TIP TOP FIXPASTE REMAREP ULTRA 10 PART B</b> |                      |
|---|----------------------|
| Persistence and degradability                   | No data available.   |
| Biodegradation                                  | 0 % 28 d, OECD 302 C |

# TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations  
SDS No: 00156-0499

### 12.3. Bioaccumulative potential

#### TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

|                           |                    |
|---------------------------|--------------------|
| Bioaccumulative potential | No data available. |
|---------------------------|--------------------|

### 12.4. Mobility in soil

#### TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

|                |                    |
|----------------|--------------------|
| Ecology - soil | No data available. |
|----------------|--------------------|

### 12.5. Other adverse effects

Ozone : Not classified  
Other adverse effects : Significantly hazardous to water.

#### TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

|                              |       |
|------------------------------|-------|
| Fluorinated greenhouse gases | False |
|------------------------------|-------|

#### diethylmethylbenzenediamine (68479-98-1)

|                              |       |
|------------------------------|-------|
| Fluorinated greenhouse gases | False |
|------------------------------|-------|

## SECTION 13: Disposal considerations

Waste treatment methods : Recycling is preferred to disposal or incineration. Can be incinerated according to local regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Packaging that cannot be cleaned should be disposed of like the product. Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Empty containers should be taken for local recycling, recovery or waste disposal.

## SECTION 14: Transport information

### 14.1. UN number

UN-No. (ADG) : 3082  
UN-No. (IMDG) : 3082  
UN-No. (IATA) : 3082

### 14.2. UN Proper Shipping Name

Proper Shipping Name (ADG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (diethylmethylbenzenediamine)  
Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (diethylmethylbenzenediamine)  
Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. (diethylmethylbenzenediamine)

### 14.3. Transport hazard class(es)

#### ADG

Transport hazard class(es) (ADG) : 9  
Danger labels (ADG) : 9



# TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations  
SDS No: 00156-0499

### IMDG

Transport hazard class(es) (IMDG) : 9  
Danger labels (IMDG) : 9



### IATA

Transport hazard class(es) (IATA) : 9  
Danger labels (IATA) : 9



### 14.4. Packing group

Packing group (ADG) : III - Substances presenting low danger  
Packing group (IMDG) : III  
Packing group (IATA) : III

### 14.5. Environmental hazards

Marine pollutant : Yes  
Dangerous for the environment : Yes  
Other information : No supplementary information available

### 14.6. Special precautions for user

Specific storage requirement : No data available  
Shock sensitivity : No data available

### 14.7. Additional information

Other information : No supplementary information available

### Transport by road and rail

UN-No. (ADG) : 3082  
Special provision (ADG) : 179, 274, 331, 335, 375, AU01  
Limited quantities (ADG) : 5I  
Packing instructions (ADG) : P001, IBC03, LP01  
Special packing provisions (ADG) : PP1  
Portable tank and bulk container instructions (ADG) : T4  
Portable tank and bulk container special provisions (ADG) : TP1, TP29

### Transport by sea

UN-No. (IMDG) : 3082  
Special provisions (IMDG) : 274, 335, 969  
Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : LP01, P001  
Special packing provisions (IMDG) : PP1  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T4  
Tank special provisions (IMDG) : TP1, TP29  
EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE  
EmS-No. (Spillage) : S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS  
Stowage category (IMDG) : A

# TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations  
SDS No: 00156-0499

### Air transport

UN-No. (IATA) : 3082  
PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y964  
PCA limited quantity max net quantity (IATA) : 30kgG  
PCA packing instructions (IATA) : 964  
PCA max net quantity (IATA) : 450L  
CAO packing instructions (IATA) : 964  
CAO max net quantity (IATA) : 450L  
Special provisions (IATA) : A97, A158, A197, A215  
ERG code (IATA) : 9L

### 14.8. Hazchem or Emergency Action Code

Hazchem Code : \* 3Z

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations specific for the product in question

#### Australian Industrial Chemicals Introduction Scheme (AICIS)

Australian Inventory of Industrial Chemicals (AICIS) : All the chemicals contained in this product are listed introductions  
Inventory) status

#### Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Relevant Poisons Schedule number : Labelling requirements for SUSMP do not apply to a poison that is packed and sold solely for industrial, laboratory or manufacturing use. However, this product is labelled in accordance with the Safe Work Australia "Code of Practice" for workplace substances.

### 15.2. International agreements

No additional information available

## SECTION 16: Other information

| Indication of changes |              |          |          |
|-----------------------|--------------|----------|----------|
| Section               | Changed item | Change   | Comments |
| 1.1                   | Product code | Modified |          |
| 9.1                   | Colour       | Modified |          |



# TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations  
SDS No: 00156-0499

|                            |  |
|----------------------------|--|
| Abbreviations and acronyms | : ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road<br>ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways<br>IATA - International Air Transport Association<br>IMDG - International Maritime Dangerous Goods<br>RID - Regulations concerning the International Carriage of Dangerous Goods by Rail<br>DOT - Department of Transport<br>TDG - Transportation of Dangerous Goods<br>REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006<br>GHS - Globally Harmonized System of Classification, Labelling and Packaging of Chemicals<br>IARC - International Agency for Research on Cancer<br>vPvB - Very Persistent and Very Bioaccumulative<br>PBT - Persistent Bioaccumulative Toxic<br>PNEC - Predicted No-Effect Concentration<br>CAS - CAS (Chemical Abstracts Service) number<br>IBC-Code - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk<br>ATE - Acute Toxicity Estimate<br>CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008<br>BCF - Bioconcentration factor<br>MARPOL 73/78 - MARPOL 73/78: International Convention for the Prevention of Pollution From Ships<br>ADG - Transport of Australian Dangerous Goods |
| Revision date              | : 18/06/2021   |
| Other information          | : Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.  |

| Classification    |      |
|-------------------|------|
| Eye Irrit. 2A     | H319 |
| STOT RE 2         | H373 |
| Aquatic Chronic 2 | H411 |

| Full text of H-statements |   |
|---------------------------|---|
| Acute Tox. 4 (Dermal)     | Acute toxicity (dermal), Category 4                               |
| Acute Tox. 4 (Oral)       | Acute toxicity (oral), Category 4                                 |
| Aquatic Acute 1           | Hazardous to the aquatic environment – Acute Hazard, Category 1   |
| Aquatic Chronic 1         | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Aquatic Chronic 2         | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Eye Irrit. 2A             | Serious eye damage/eye irritation, Category 2A                    |
| STOT RE 2                 | Specific target organ toxicity – Repeated exposure, Category 2    |
| H302                      | Harmful if swallowed  |
| H312                      | Harmful in contact with skin                                      |
| H319                      | Causes serious eye irritation                                     |
| H373                      | May cause damage to organs through prolonged or repeated exposure |
| H400                      | Very toxic to aquatic life  |

# TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations  
SDS No: 00156-0499

| Full text of H-statements |  |
|---------------------------|--|
| H410                      | Very toxic to aquatic life with long lasting effects |
| H411                      | Toxic to aquatic life with long lasting effects      |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore not be construed as guaranteeing any specific property of the product.