Safety Data Sheet

according to the WHS Regulations Issue date:18/04/2023 Version: 1.0 SDS No: 00156-0520



SECTION 1: Product identifier				
1.1. GHS Product identifier				
Product form Product name Product code	 Mixture TIP TOP SOLUTION MTR-NF 516 1054, 516 1055, 516 1056, 516 1061, 516 1062, 516 1071, 516 1157, 516 1213, 516 1214 			
1.2. Other means of identification				
No additional information available				
1.3. Recommended use of the chemical and	d restrictions on use			
Recommended use	: Adhesives			
1.4. Details of manufacturer or importer				
Supplier REMA TIP TOP AG 65 Gruber Strasse Poing 85586 Germany T +49 (0) 8121 / 707 - 100 info@tiptop.de E-mail address of competent person responsible for	Importer REMA TIP TOP Australia Pty Ltd. 3/20 Worth Street Chullora NSW 2190 Australia T +61 2 8755 8400 www.rema-tiptop.com.au the SDS: sds@gbk-ingelheim.de			
1.5. Emergency phone number				
Emergency number	: +61-280735031, Infotrac/GBK GmbH-ID: 93591			

SECTION 2: Hazard identification

2.1. Classification of the hazardous chemical

Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2A	H319
Skin sensitisation, Category 1	H317
Germ cell mutagenicity, Category 2	H341
Carcinogenicity, Category 1B	H350
Specific target organ toxicity – Single exposure, Category 3, Narcosis	H336
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412

2.2. GHS Label elements, including precautionary statements

· · · · · · · · · · · · · · · · · · ·	
Hazard pictograms (GHS AU)	
	Exclamation Health hazard
	mark
Signal word (GHS AU)	: Danger
Contains	: Trichloroethylene (< 90 %)
Hazard statements (GHS AU)	: H315 - Causes skin irritation
	H317 - May cause an allergic skin reaction
	H319 - Causes serious eye irritation
	H336 - May cause drowsiness or dizziness

Safety Data Sheet

according to the WHS Regulations SDS No: 00156-0520

Precautionary statements (GHS AU)	 H350 - May cause cancer H412 - Harmful to aquatic life with long lasting effects P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P261 - Avoid breathing vapours. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P302+P352 - IF ON SKIN: Wash with plenty of water. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTER, a doctor if you feel unwell. P333+P313 - If skin irritation persists: Get medical attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. P501 - Dispose of contents and container to hazardous or special waste collection point, in
	•

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition and information on ingredients

Comments

: Preparation based on : Trichloroethylene.

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Trichloroethylene	79-01-6	< 90	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350 STOT SE 3, H336 Aquatic Chronic 3, H412
Other substances (not contributing to the classification of this product)	-	< 10	Not classified
Zinc oxide	1314-13-2	< 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Zinc bis(N-ethyl-N-phenyldithiocarbamate)	14634-93-6	< 1	Not classified
N-Cyclohexyl-N-ethylamine	5459-93-8	< 1	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Aquatic Chronic 3, H412

Safety Data Sheet

according to the WHS Regulations SDS No: 00156-0520

SECTION 4: First aid measures

4.1. Description of necessary first-aid me	esures
First-aid measures general	: Take off immediately all contaminated clothing. Move the affected person away from the contaminated area. IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a physician immediately.
First-aid measures after skin contact	: Wash off immediately with soap and plenty of water. Get medical advice if skin irritation persists. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water, also under the eyelids. Consult an eye specialist. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately. Do not induce vomiting without medical advice.
4.2. Symptoms caused by exposure	
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion Chronic symptoms	 May cause drowsiness or dizziness. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Aspiration hazard. May cause cancer. Suspected of causing genetic defects.
4.3. Medical attention and special treatme	ent
Treatment	: Treat symptomatically.
SECTION 5: Fire-fighting measures	

SECTION 5. The-fighting measures						
5.1. Extinguishing media						
Suitable extinguishing media Unsuitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide. : high volume water jet.					
5.2. Specific hazards arising from the cher	nical					
Fire hazard Explosion hazard General measures Hazardous decomposition products in case of fire	 Non flammable. Product is not explosive. In case of vapour formation use adequate respirator. Explosion free apparatus have to be used. Ensure adequate air ventilation. Evacuate personnel to a safe area. Concerning personal protective equipment to use, see section 8. Remove ignition sources. Carbon monoxide. Carbon dioxide. Chlorine. Phosgene. Hydrogen chloride. 					
5.3. Special protective equipment and pred						
	•					
Firefighting instructions Protection during firefighting	 Fight fire from safe distance and protected location. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. 					
Hazchem Code	: 2Z					
Other information	: Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.					

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

 General measures
 : In case of vapour formation use adequate respirator. Explosion free apparatus have to be used. Ensure adequate air ventilation. Evacuate personnel to a safe area. Concerning personal protective equipment to use, see section 8. Remove ignition sources.

Safety Data Sheet

according to the WHS Regulations SDS No: 00156-0520

SDS No: 00156-0520	
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene. Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and materials for containment and cleaning up			
 Dike and contain spill. Take up liquid spill into absorbent material. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Shovel or sweep up and put in a closed container for disposal. Notify authorities if product enters sewers or public waters. 			
i			

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Keep containers dry and tightly closed to avoid moisture absorption and contamination. Ensure good ventilation of the work station. Avoid contact with skin, eyes and clothing. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Do not inhale vapour. Apply emollient cream. Avoid contact with skin, eyes and clothing. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after
	handling the product.
7.2. Conditions for safe storage, including an	ny incompatibilities
Technical measures Storage conditions Incompatible materials Information on mixed storage	 Keep in a cool, well-ventilated place away from heat. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool. oxidizing materials. Aluminium. Metallic powders. alkali metals. alkaline earth metals. Keep away from food, drink and animal feeding stuffs.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards

Zinc oxide (1314-13-2)				
Australia - Occupational Exposure Limits				
Local name	Zinc oxide			
OES TWA [1]	5 mg/m³ fume 10 mg/m³ dust			
OES STEL	10 mg/m³ fume			
Remark (AU)	Dust: (a) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.			
Regulatory reference	Workplace exposure standards for airborne contaminants (2022)			

Safety Data Sheet

according to the WHS Regulations SDS No: 00156-0520

Carbon (7440-44-0)								
Australia - Occupation	al Exposure Limits							
OES TWA [1]			4 mg/m ³					
Remark (AU)			(respirable dust)					
8.2. Biological Moni	toring							
Monitoring methods		:	A specific exposure sar	npling m	ethod is not ava	ilable.		
8.3. Engineering cor	ntrols							
Appropriate engineering	controls	:	Ensure good ventilation	of the w	ork station.			
8.4. Individual prote	ction measures, sucl	h as p	ersonal protective e	quipm	ent (PPE)			
Hand protection :		Do not inhale vapours. Splash protection. This recommendation refers exclusively to the chemical compatibility an the lab test conforming to EN 374 carried out under lab conditions. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves						
Туре	Material		Permeation	Thickn	iess (mm)	Penetration		Standard
protective gloves	Viton		6 (> 480 minutes)	0,7				EN ISO 374
Eye protection	- I	:	Eyewash bottle with cle	an water	r (EN 15154)			
Туре		Field of application		Characteristics		Standard		
Protective goggles (EN	166)		Liquid splashes may occur				EN 166	
Skin and body protectior	1	:	I					
Туре		Standard						
Long sleeved protective clothing		EN ISO 6530						
Respiratory protection		:	In case of insufficient ve	entilation	, wear suitable i	espiratory equip	oment	
Device		Filter type		Condition		Standard		
Device			The type					ard

SECTION 9: Physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Colour	: Black
Odour	: Sweet
Odour threshold	: No data available
рН	: No data available
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: Melting point: -86.4 °C Trichloroethylene
Boiling point	: 87 °C Trichloroethylene
Flash point	 Not applicable According to PTB instructions, trichloroethylene has no flashpoint; however, vapour and air mixtures are flammable under a stronger energy influx.
Auto-ignition temperature	: 410 Trichloroethylene
Flammability (solid, gas)	: No data available
Vapour pressure	: Vapour pressure: 77 hPa Trichloroethylene
Relative density	: Relative vapour density at 20°C: 4.54 Trichloroethylene
Density	: Density: 1.42 g/cm ³ @ 20 °C
Solubility	: Water: Not miscible

Safety Data Sheet

according to the WHS Regulations SDS No: 00156-0520

Log Pow	: No data available
Viscosity, dynamic	: 3500 mPa·s
Explosive properties	: No data available
Explosive limits	: No data available
Minimum ignition energy	: No data available
Miscibility	: Not miscible
VOC content	: < 90 %
Fat solubility	: No data available
Additional information	: Ignition temperature : 410 °C

SECTION 10: Stability and reactivity

Reactivity	: No decomposition if stored normally.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Reacts with oxidants. alkali metals. alkaline earth metals.
Conditions to avoid	: To avoid thermal decomposition, do not overheat. Vapour/air-mixtures are explosive at
	intense warming. Heating can release vapours which can be ignited.
Incompatible materials	: Strong oxidizing agent. alkali metals. Aluminium. Metallic powders.
Hazardous decomposition products	: Thermal decomposition generates : Hydrogen chloride. Carbon monoxide. Carbon dioxide.
	Phosgene.

SECTION 11: Toxicological information

Not classified		
Not classified		
Not classified		
> 5000 mg/kg (OECD 401 method)		
5000 mg/kg		
> 2000 mg/kg bodyweight (OECD 402 method)		
5000 mg/kg		
> 5.7 mg/l/4h		
5.7 mg/l/4h		
Trichloroethylene (79-01-6)		
5400 mg/kg		
> 2000 mg/kg		
12500 ppm/4h		
5400 mg/kg bodyweight		
12500 mg/l/4h		
12500 mg/l/4h		
N-Cyclohexyl-N-ethylamine (5459-93-8)		
500 mg/kg bodyweight		
300 mg/kg bodyweight		
4500 ppmv/4h		
11 mg/l/4h		
1.5 mg/l/4h		
Causes skin irritation.		
Causes serious eye irritation.		

Safety Data Sheet

according to the WHS Regulations SDS No: 00156-0520

	•• • • • • •	
Respiratory or skin sensitisation :	May cause an allergic skin reaction.	
Germ cell mutagenicity :	Suspected of causing genetic defects.	
Carcinogenicity	May cause cancer.	
Reproductive toxicity :	Not classified	
STOT-single exposure :	May cause drowsiness or dizziness.	
Trichloroethylene (79-01-6)		
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure :	Not classified	
Aspiration hazard	Not classified	
Zinc oxide (1314-13-2)		
Animal studies and expert judgment for classification	False	
Trichloroethylene (79-01-6)		
Animal studies and expert judgment for classification	False	
Zinc bis(N-ethyl-N-phenyldithiocarbamate) (14634-93-6)		
Animal studies and expert judgment for classification	False	
N-Cyclohexyl-N-ethylamine (5459-93-8)		
Animal studies and expert judgment for classification	False	
Other substances (not contributing to the classification of this product)		
Animal studies and expert judgment for classification	False	
Potential adverse human health effects and :	Irritation of mucous membranes. High concentration of vapours may induce: headache,	
symptoms	nausea, dizziness	

SECTION 12: Ecological information

12.1. Ecotoxicity

	Not classified	
(acute) Hazardous to the aquatic environment, long-term (chronic)	Harmful to aquatic life with long lasting effects.	
	Do not discharge into surface water. Prevent product from entering drains.	
Trichloroethylene (79-01-6)		
LC50 fish 1	42.4 mg/l (96 h), Pimephales promelas	
EC50 Daphnia 1	47 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Log Pow	2.53	

12.2. Persistence and degradability

TIP TOP SOLUTION MTR-NF	
Persistence and degradability	No data available.
Zinc oxide (1314-13-2)	
Not rapidly degradable	
Trichloroethylene (79-01-6)	
Persistence and degradability	Not readily biodegradable.
Biodegradation	2.4 % (14 d) (OECD 301C method)

Safety Data Sheet

according to the WHS Regulations SDS No: 00156-0520

12.3. Bioaccumulative potential	
TIP TOP SOLUTION MTR-NF	
Bioaccumulative potential	No data available.
Trichloroethylene (79-01-6)	
Log Pow	2.53
Bioaccumulative potential	Low bio-accumulation can be estimated because of low log Po/w.
12.4. Mobility in soil	
TIP TOP SOLUTION MTR-NF	
Ecology - soil	No data available.
Trichloroethylene (79-01-6)	
Ecology - soil	Expected to be highly mobile in soil.
Log Pow	2.53
12.5. Other adverse effects	
Ozone :	Not classified
Other adverse effects :	No additional information available
TIP TOP SOLUTION MTR-NF	
Fluorinated greenhouse gases	False
Zinc oxide (1314-13-2)	
Fluorinated greenhouse gases	False
Trichloroethylene (79-01-6)	
Fluorinated greenhouse gases	False
Zinc bis(N-ethyl-N-phenyldithiocarbamate) (14634-93-6)	
Fluorinated greenhouse gases	False
N-Cyclohexyl-N-ethylamine (5459-93-8)	
Elucrineted groephouse geoge	Falsa

Fluorinated greenhouse gases	False	
Other substances (not contributing to the classification of this product)		
Fluorinated greenhouse gases	False	

SECTION 13: Disposal considerations	
Waste treatment methods	: Recycling is preferred to disposal or incineration. Can be incinerated according to local regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Empty containers should be taken for local recycling, recovery or waste disposal. Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of like the product.

Safety Data Sheet

according to the WHS Regulations SDS No: 00156-0520

SDS N0: 00156-0520	
SECTION 14: Transport information	
14.1. UN number	
UN-No. (ADG) UN-No. (IMDG) UN-No. (IATA)	: 1710 : 1710 : 1710
14.2. UN Proper Shipping Name	
Proper Shipping Name (ADG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	: TRICHLOROETHYLENE (SOLUTION) : TRICHLOROETHYLENE (SOLUTION) : Trichloroethylene (SOLUTION)
14.3. Transport hazard class(es)	
ADG Transport hazard class(es) (ADG) Danger labels (ADG)	: 6.1 : 6.1 :
IMDG Transport hazard class(es) (IMDG) Danger labels (IMDG)	: 6.1 : 6.1 : 6
IATA Transport hazard class(es) (IATA) Danger labels (IATA)	: 6.1 : 6.1 :
14.4. Packing group	
Packing group (ADG) Packing group (IMDG) Packing group (IATA)	: III - Substances presenting low danger : III : III
14.5. Environmental hazards	
Marine pollutant Dangerous for the environment Other information	NoNoNo supplementary information available
14.6. Special precautions for user	
Specific storage requirement Shock sensitivity	No data availableNo data available
14.7. Additional information	
Other information	: No supplementary information available
Transport by road and rail UN-No. (ADG)	: 1710

Safety Data Sheet

according to the WHS Regulations SDS No: 00156-0520

Limited quantities (ADG)	: 51
Excepted quantities (ADG)	: E1
Packing instructions (ADG)	: P001, IBC03, LP01
Portable tank and bulk container instructions (ADG)	: T4
Portable tank and bulk container special provisions	: TP1
(ADG)	
Transport by sea	
UN-No. (IMDG)	: 1710
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-A - SPILLAGE SCHEDULE Alfa - TOXIC SUBSTANCES
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW2
Segregation (IMDG)	: SGG10
Air transport	
UN-No. (IATA)	: 1710
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y642
PCA limited quantity max net quantity (IATA)	: 2L
PCA packing instructions (IATA)	: 655
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 663
CAO max net quantity (IATA)	: 220L
ERG code (IATA)	: 6A
14.8. Hazchem or Emergency Action Code	
Hazchem Code	: 2Z

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

Australian Industrial Chemicals Introduction Scheme (AICIS)

Australian Inventory of Industrial Chemicals (AICIS : All components of this mixture are listed on or exempted from AICIS Inventory) status

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Relevant Poisons Schedule number

: Labelling requirements for SUSMP do not apply to a poison that is packed and sold solely for industrial, laboratory or manufacturing use. However, this product is labelled in accordance with the Safe Work Australia "Code of Practice" for workplace substances.

15.2. International agreements

No additional information available

Safety Data Sheet

according to the WHS Regulations SDS No: 00156-0520

SECTION 16: Other information

Abbreviations and acronyms	: ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road
	ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
	IATA - International Air Transport Association
	IMDG - International Maritime Dangerous Goods
	RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
	DOT - Department of Transport
	TDG - Transportation of Dangerous Goods
	REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
	GHS - Globally Harmonized System of Classification, Labelling and Packaging of Chemicals IARC - International Agency for Research on Cancer
	vPvB - Very Persistent and Very Bioaccumulative
	PBT - Persistent Bioaccumulative Toxic
	PNEC - Predicted No-Effect Concentration
	CAS - CAS (Chemical Abstracts Service) number
	IBC-Code - International Code for the Construction and Equipment of Ships carrying
	Dangerous Chemicals in Bulk
	ATE - Acute Toxicity Estimate
	CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 BCF - Bioconcentration factor
	MARPOL 73/78 - MARPOL 73/78: International Convention for the Prevention of Pollution From Ships
	ADG - Transport of Australian Dangerous Goods
Other information	: Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the

Classification	
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
Skin Sens. 1	H317
Muta. 2	H341
Carc. 1B	H350
STOT SE 3	H336
Aquatic Chronic 3	H412

Full text of H-statements	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Carc. 1B	Carcinogenicity, Category 1B

Г

Safety Data Sheet

according to the WHS Regulations SDS No: 00156-0520

Full text of H-statements	
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Liq. 3	Flammable liquids, Category 3
Muta. 2	Germ cell mutagenicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H341	Suspected of causing genetic defects
H350	May cause cancer
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects