

TIP TOP SOLVENT CF-R2

Safety Data Sheet

according to the WHS Regulations
Issue date: 17/04/2023 Version: 1.0
SDS No: 00156-0519



SECTION 1: Product identifier

1.1. GHS Product identifier

Product form : Mixture
Product name : TIP TOP SOLVENT CF-R2
Product code : 595 9023, 595 9025, 595 9027, 595 9061, 595 9078, 595 9083, 595 9085, 595 9092, 600 0092, 900 0092

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Cleaning agent

1.4. Details of manufacturer or importer

Supplier

REMA TIP TOP AG
65 Gruber Strasse
Poing 85586
Germany
T +49 (0) 8121 / 707 - 100
info@tiptop.de

Supplier

REMA TIP TOP Australia Pty Ltd.
3/20 Worth Street
Chullora NSW 2190
Australia
T +61 2 8755 8400
www.rema-tiptop.com.au

E-mail address of competent person responsible for the SDS: sds@gbk-ingelheim.de

1.5. Emergency phone number

Emergency number : +61-280735031, Infotrac/GBK GmbH-ID: 93591

SECTION 2: Hazard identification

2.1. Classification of the hazardous chemical

Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2A	H319
Skin sensitisation, Category 1	H317
Germ cell mutagenicity, Category 2	H341
Carcinogenicity, Category 1B	H350
Specific target organ toxicity – Single exposure, Category 3, Narcosis	H336
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412

2.2. GHS Label elements, including precautionary statements

Hazard pictograms (GHS AU) :



Exclamation mark Health hazard

Signal word (GHS AU) :

Danger

Contains :

Trichloroethylene (> 90 %)

Hazard statements (GHS AU) :

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H341 - Suspected of causing genetic defects

TIP TOP SOLVENT CF-R2

Safety Data Sheet

according to the WHS Regulations
SDS No: 00156-0519

Precautionary statements (GHS AU)

- H350 - May cause cancer
H412 - Harmful to aquatic life with long lasting effects
- : P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P261 - Avoid breathing vapours.
P264 - Wash hands, forearms and face thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 - Call a POISON CENTER, a doctor if you feel unwell.
P333+P313 - If skin irritation or rash occurs: Get medical attention.
P337+P313 - If eye irritation persists: Get medical attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.
P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition and information on ingredients

Comments : Preparation based on :
Trichloroethylene.

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Trichloroethylene	79-01-6	> 90	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350 STOT SE 3, H336 Aquatic Chronic 3, H412
Other substances (not contributing to the classification of this product)	-	< 10	Not classified

SECTION 4: First aid measures

4.1. Description of necessary first-aid measures

- First-aid measures general : Take off immediately all contaminated clothing. Move the affected person away from the contaminated area. IF exposed or concerned: Get medical advice/attention.
- First-aid measures after inhalation : Move to fresh air in case of accidental inhalation of vapours or decomposition products. Call a physician immediately.
- First-aid measures after skin contact : Wash off immediately with soap and plenty of water. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult an eye specialist.

TIP TOP SOLVENT CF-R2

Safety Data Sheet

according to the WHS Regulations
SDS No: 00156-0519

First-aid measures after ingestion : Do not induce vomiting. Give a slurry of activated charcoal in water to drink. Attention. Beware, danger of aspiration. Call a physician immediately. Do not induce vomiting without medical advice.

4.2. Symptoms caused by exposure

Symptoms/effects : May cause drowsiness or dizziness.
Symptoms/effects after skin contact : Causes skin irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact : Causes serious eye irritation.
Symptoms/effects after ingestion : Aspiration hazard.
Chronic symptoms : Suspected of causing genetic defects. May cause cancer.

4.3. Medical attention and special treatment

Treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : high volume water jet.

5.2. Specific hazards arising from the chemical

Fire hazard : Non flammable.
Explosion hazard : Product is not explosive.
General measures : In case of vapour formation use adequate respirator. Use personal protective clothing. Ensure adequate air ventilation.
Hazardous decomposition products in case of fire : Carbon monoxide. Carbon dioxide. Chlorine. Phosgene. Hydrogen chloride.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Hazchem Code : 2Z
Other information : Collect contaminated firefighting water separately, must not be discharged into the drains. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations. Remove all sources of ignition.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : In case of vapour formation use adequate respirator. Use personal protective clothing. Ensure adequate air ventilation.

6.1.1. For non-emergency personnel

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and materials for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Take up liquid spill into absorbent material, e.g.: sand, earth, vermiculite. Shovel or sweep up and put in a closed container for disposal.

TIP TOP SOLVENT CF-R2

Safety Data Sheet

according to the WHS Regulations
SDS No: 00156-0519

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat and sources of ignition. Avoid contact with skin, eyes and clothing. Ensure good ventilation of the work station. Vapours are heavier than air and may spread along floors. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
Incompatible materials : oxidizing materials. aluminium powder (stabilised). alkali metals. alkaline earth metals.
Information on mixed storage : Keep away from food, drink and animal feeding stuffs.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards

No additional information available

8.2. Biological Monitoring

Monitoring methods : A specific exposure sampling method is not available.

8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemically resistant protective gloves	Viton	6 (> 480 minutes)	≥0.7		EN ISO 374

Eye protection : Eyewash bottle with clean water (EN 15154)

Type	Field of application	Characteristics	Standard
Protective goggles (EN 166)			EN 166

Skin and body protection :

Type	Standard
Long sleeved protective clothing	EN ISO 6530

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

Device	Filter type	Condition	Standard
Respiratory protective device with a gas filter	Type A - High-boiling (>65 °C) organic compounds		EN 14387

Environmental exposure controls : Avoid release to the environment.

Other information : Do not inhale vapour. Avoid contact with skin and eyes. Wash hands before breaks and at the end of workday. Wash hands immediately after handling the product. Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

Physical state : Liquid

TIP TOP SOLVENT CF-R2

Safety Data Sheet

according to the WHS Regulations
SDS No: 00156-0519

Appearance	: Liquid.
Colour	: Colourless
Odour	: Sweet
Odour threshold	: No data available
pH	: No data available
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: Melting point: -86.4 °C Trichloroethylene
Boiling point	: 87 °C Trichloroethylene
Flash point	: Not applicable According to PTB instructions, trichloroethylene has no flashpoint; however, vapour and air mixtures are flammable under a stronger energy influx.
Auto-ignition temperature	: 410 °C Trichloroethylene
Flammability (solid, gas)	: No data available
Vapour pressure	: Vapour pressure: 77 hPa @20°C, Trichloroethylene
Relative density	: Relative vapour density at 20°C: 4.54 Trichloroethylene
Density	: Density: 1.46 g/cm ³ @ 20 °C
Solubility	: Water: immiscible
Log Pow	: No data available
Viscosity, dynamic	: 0.58 mPa·s
Explosive properties	: Product is not explosive.
Oxidising properties	: Not oxidising
Explosive limits	: No data available
Minimum ignition energy	: No data available
VOC content	: > 90 %
Fat solubility	: No data available

SECTION 10: Stability and reactivity

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Reacts with oxidants. alkali metals. alkaline earth metals.
Conditions to avoid	: Above 120°C, a thermic decomposition may take place.
Incompatible materials	: Oxidizing agent. Bases. alkaline earth metals. alkali metals. aluminium powder (stabilised).
Hazardous decomposition products	: Thermal decomposition generates : Hydrogen chloride. Carbon monoxide. Carbon dioxide. Phosgene.

SECTION 11: Toxicological information

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Trichloroethylene (79-01-6)	
LD50 oral rat	5400 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	12500 ppm/4h
ATE AU (oral)	5400 mg/kg bodyweight
ATE AU (vapours)	12500 mg/l/4h
ATE AU (dust,mist)	12500 mg/l/4h

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: May cause cancer.
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.

TIP TOP SOLVENT CF-R2

Safety Data Sheet

according to the WHS Regulations
SDS No: 00156-0519

Trichloroethylene (79-01-6)	
STOT-single exposure	May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Trichloroethylene (79-01-6)	
Animal studies and expert judgment for classification	False

Other substances (not contributing to the classification of this product)	
Animal studies and expert judgment for classification	False

Potential adverse human health effects and symptoms : Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product. Components of the product may be absorbed into the body through the skin. High concentration of vapours may induce: headache, nausea, dizziness. Risk of lungs oedema. Skin contact or inhalation of solvents contained in this product may cause. Irritation to eyes and skin. Irritation of mucous membranes

SECTION 12: Ecological information

12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

Other information : Do not flush into surface water or sewer system.

Trichloroethylene (79-01-6)	
LC50 fish 1	42.4 mg/l (96 h), Pimephales promelas
EC50 Daphnia 1	47 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Log Pow	2.53

12.2. Persistence and degradability

TIP TOP SOLVENT CF-R2	
Persistence and degradability	No data available.

Trichloroethylene (79-01-6)	
Persistence and degradability	Not readily biodegradable.
Biodegradation	2.4 % (14 d) (OECD 301C method)

12.3. Bioaccumulative potential

TIP TOP SOLVENT CF-R2	
Bioaccumulative potential	No data available.

Trichloroethylene (79-01-6)	
Log Pow	2.53
Bioaccumulative potential	Low bio-accumulation can be estimated because of low log Po/w.

12.4. Mobility in soil

TIP TOP SOLVENT CF-R2	
Ecology - soil	No data available.

TIP TOP SOLVENT CF-R2

Safety Data Sheet

according to the WHS Regulations
SDS No: 00156-0519

Trichloroethylene (79-01-6)	
Ecology - soil	Expected to be highly mobile in soil.
Log Pow	2.53

12.5. Other adverse effects

Ozone : Not classified
Other adverse effects : Significantly hazardous to water.

TIP TOP SOLVENT CF-R2	
Fluorinated greenhouse gases	False
Trichloroethylene (79-01-6)	
Fluorinated greenhouse gases	False
Other substances (not contributing to the classification of this product)	
Fluorinated greenhouse gases	False

SECTION 13: Disposal considerations

Waste treatment methods : Recycling is preferred to disposal or incineration. Can be incinerated according to local regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Empty containers should be taken for local recycling, recovery or waste disposal. Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

14.1. UN number

UN-No. (ADG) : 1710
UN-No. (IMDG) : 1710
UN-No. (IATA) : 1710

14.2. UN Proper Shipping Name

Proper Shipping Name (ADG) : TRICHLOROETHYLENE (Solution)
Proper Shipping Name (IMDG) : TRICHLOROETHYLENE (SOLUTION)
Proper Shipping Name (IATA) : Trichloroethylene (SOLUTION)

14.3. Transport hazard class(es)

ADG

Transport hazard class(es) (ADG) : 6.1
Danger labels (ADG) : 6.1



IMDG

Transport hazard class(es) (IMDG) : 6.1
Danger labels (IMDG) : 6.1

TIP TOP SOLVENT CF-R2

Safety Data Sheet

according to the WHS Regulations
SDS No: 00156-0519



IATA

Transport hazard class(es) (IATA) : 6.1
Danger labels (IATA) : 6.1



14.4. Packing group

Packing group (ADG) : III - Substances presenting low danger
Packing group (IMDG) : III
Packing group (IATA) : III

14.5. Environmental hazards

Marine pollutant : No
Dangerous for the environment : No
Other information : No supplementary information available

14.6. Special precautions for user

Specific storage requirement : No data available
Shock sensitivity : No data available

14.7. Additional information

Other information : No supplementary information available

Transport by road and rail

UN-No. (ADG) : 1710
Limited quantities (ADG) : 5L
Excepted quantities (ADG) : E1
Packing instructions (ADG) : P001, IBC03, LP01
Portable tank and bulk container instructions (ADG) : T4
Portable tank and bulk container special provisions (ADG) : TP1

Transport by sea

UN-No. (IMDG) : 1710
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP1
EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage) : S-A - SPILLAGE SCHEDULE Alfa - TOXIC SUBSTANCES
Stowage category (IMDG) : A
Stowage and handling (IMDG) : SW2
Segregation (IMDG) : SGG10

Air transport

UN-No. (IATA) : 1710
PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y642
PCA limited quantity max net quantity (IATA) : 2L
PCA packing instructions (IATA) : 655

TIP TOP SOLVENT CF-R2

Safety Data Sheet

according to the WHS Regulations
SDS No: 00156-0519

PCA max net quantity (IATA) : 60L
CAO packing instructions (IATA) : 663
CAO max net quantity (IATA) : 220L
ERG code (IATA) : 6A

14.8. Hazchem or Emergency Action Code

Hazchem Code : 2Z

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

Australian Industrial Chemicals Introduction Scheme (AICIS)

Australian Inventory of Industrial Chemicals (AICIS Inventory) status : All components of this mixture are listed on or exempted from AICIS

15.2. International agreements

No additional information available

SECTION 16: Other information

Abbreviations and acronyms : ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
IATA - International Air Transport Association
IMDG - International Maritime Dangerous Goods
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
DOT - Department of Transport
TDG - Transportation of Dangerous Goods
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
GHS - Globally Harmonized System of Classification, Labelling and Packaging of Chemicals
IARC - International Agency for Research on Cancer
vPvB - Very Persistent and Very Bioaccumulative
PBT - Persistent Bioaccumulative Toxic
PNEC - Predicted No-Effect Concentration
CAS - CAS (Chemical Abstracts Service) number
IBC-Code - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ATE - Acute Toxicity Estimate
CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
BCF - Bioconcentration factor
MARPOL 73/78 - MARPOL 73/78: International Convention for the Prevention of Pollution From Ships
ADG - Transport of Australian Dangerous Goods

Other information : Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

Classification	
Skin Irrit. 2	H315
Eye Irrit. 2A	H319

TIP TOP SOLVENT CF-R2

Safety Data Sheet

according to the WHS Regulations
SDS No: 00156-0519

Classification	
Skin Sens. 1	H317
Muta. 2	H341
Carc. 1B	H350
STOT SE 3	H336
Aquatic Chronic 3	H412

Full text of H-statements	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Carc. 1B	Carcinogenicity, Category 1B
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Muta. 2	Germ cell mutagenicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H341	Suspected of causing genetic defects
H350	May cause cancer
H412	Harmful to aquatic life with long lasting effects