

Safety Data Sheet

according to UK REACH Regulation

Asplit® Cleaner N

Revision date: 14.02.2024

Product code: 00359-1196

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Asplit® Cleaner N

Art.-No.

592 0920

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaning agent

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: TIP TOP Oberflaechenschutz Elbe GmbH
Street: Heuweg 4
Place: D-06886 Wittenberg
Telephone: +49(0)3491/635-50 Telefax: +49(0)3491/635-552
Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

Supplier

Company name: REMA TIP TOP INDUSTRY UK LTD
Street: Plumtree Industrial Estate, Harworth
Place: Doncaster, DN11 8EW, South Yorkshire
Telephone: +44 (0)1302 711233
Internet: www.rema-tiptop.co.uk

1.4. Emergency telephone number:

INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)
In England and Wales: NHS 111 In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Met. Corr. 1; H290
Skin Corr. 1A; H314
Eye Dam. 1; H318
STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Sodium hydroxide
Disodium metasilicate

Signal word: Danger

Pictograms:



Hazard statements

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.



Safety Data Sheet

according to UK REACH Regulation

Asplit® Cleaner N

Revision date: 14.02.2024

Product code: 00359-1196

Page 2 of 12

Precautionary statements

P260	Do not breathe dust.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture containing following substances with additives

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	GHS Classification			
1310-73-2	Sodium hydroxide			< 40 %
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318			
497-19-8	Sodium carbonate			< 50 %
	207-838-8	011-005-00-2	01-2119485498-19	
	Eye Irrit. 2; H319			
6834-92-0	Disodium metasilicate			< 25 %
	229-912-9	014-010-00-8	01-2119449811-37	
	Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H290 H314 H318 H335			
7722-88-5	Tetrasodium pyrophosphate			< 5 %
	231-767-1		01-2119489794-17	
	Acute Tox. 4, Eye Dam. 1; H302 H318			
68213-23-0	Fattyalcoholethoxylate C12-18			< 5 %
	500-201-8			
	Acute Tox. 4, Eye Dam. 1, Aquatic Chronic 3; H302 H318 H412			
68188-18-1	Paraffin oils, sulfochlorinated, saponified			< 1 %
	269-144-1		01-2119517577-32	
	Repr. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 3; H361d H302 H315 H319 H412			

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to UK REACH Regulation

Asplit® Cleaner N

Revision date: 14.02.2024

Product code: 00359-1196

Page 3 of 12

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
1310-73-2	215-185-5	Sodium hydroxide	< 40 %
		Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2	
497-19-8	207-838-8	Sodium carbonate	< 50 %
		oral: LD50 = > 4900 mg/kg	
6834-92-0	229-912-9	Disodium metasilicate	< 25 %
		oral: LD50 = 600 - 1350 mg/kg	
7722-88-5	231-767-1	Tetrasodium pyrophosphate	< 5 %
		oral: ATE = 500 mg/kg	
68213-23-0	500-201-8	Fattyalcoholethoxylate C12-18	< 5 %
		oral: ATE = 500 mg/kg	
68188-18-1	269-144-1	Paraffin oils, sulfochlorinated, saponified	< 1 %
		dermal: LD50 = > 5000 mg/kg; oral: LD50 = 1271 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.
Call a physician immediately.

After inhalation

Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.
If patient is not breathing, apply artificial respiration.
Call a physician immediately.

After contact with skin

In case of contact with skin wash off immediately with soap and water.
Consult a physician.

After contact with eyes

Remove contact lens.
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Consult (eye) doctor immediately.

After ingestion

Do not induce vomiting.
Rinse out mouth and give plenty of water to drink.
Never give anything by mouth to an unconscious person.
Summon a doctor immediately.
Induce vomiting only upon the advice of a physician.

4.2. Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage.
May cause respiratory irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.



Safety Data Sheet

according to UK REACH Regulation

Asplit® Cleaner N

Revision date: 14.02.2024

Product code: 00359-1196

Page 4 of 12

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Fire may produce:

Carbon monoxide and carbon dioxide

Phosphorus oxides (e.g. P₂O₅)

Water forms corrosive alkaline solutions.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

Additional information

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid dust formation.

Keep away noninvolved persons.

For non-emergency personnel

Avoid contact with skin, eyes and clothing.

Do not breathe dust.

For emergency responders

Use personal protective clothing.

Respirator must be worn if exposed to dust.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

Clean contaminated surface thoroughly.

6.3. Methods and material for containment and cleaning up

For containment

Avoid dust formation.

For cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

Do not use metal containers.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid the formation and deposition of dust.

Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

Avoid contact with skin, eyes and clothing.

Advice on protection against fire and explosion

No special protective measures against fire required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep only in original container.

**Safety Data Sheet**

according to UK REACH Regulation

Asplit® Cleaner N

Revision date: 14.02.2024

Product code: 00359-1196

Page 5 of 12

Keep container tightly closed in a dry, cool and well-ventilated place.

Do not use metal containers.

Hints on joint storage

Incompatible with acids.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Cleaning agent

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL
7722-88-5	Tetrasodium pyrophosphate	-	5		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
1310-73-2	Sodium hydroxide			
Worker DNEL, long-term		inhalation	local	1 mg/m ³
Worker DNEL, long-term		inhalation	systemic	2,1 mg/m ³
68188-18-1	Paraffin oils, sulfochlorinated, saponified			
Worker DNEL, long-term		inhalation	local	10 mg/m ³
Worker DNEL, long-term		dermal	systemic	17 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	10 mg/kg bw/day

PNEC values

CAS No	Substance	Value
68188-18-1	Paraffin oils, sulfochlorinated, saponified	
Freshwater		0,02 mg/l
Marine water		0,002 mg/l
Freshwater sediment		0,17 mg/kg
Marine sediment		0,017 mg/kg
Micro-organisms in sewage treatment plants (STP)		8,1 mg/l
Soil		0,02 mg/kg

Additional advice on limit values

Obey TLV for common dust, if applicable.

Obey TLV for common dust, if applicable.

8.2. Exposure controls**Appropriate engineering controls**

Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

Protective and hygiene measures

Do not breathe dust.

**Safety Data Sheet**

according to UK REACH Regulation

Asplit® Cleaner N

Revision date: 14.02.2024

Product code: 00359-1196

Page 6 of 12

Wash hands before breaks and immediately after handling the product.

When using do not eat, drink or smoke.

Remove and wash contaminated clothes before re-use.

Avoid contact with eyes, skin or mucous membrane.

Eye/face protection

Tightly fitting goggles (EN 166).

Eye wash bottle with pure water (EN 15154).

Hand protection

Protective gloves resistant to chemicals made off natural-rubber latex, minimum coat thickness 0.6 mm, permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove <Lapren 706> made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Pls. find examples in the protective gloves database under: <http://bestglove.com/site/chemrest/>

Skin protection

Long sleeved clothing (DIN EN ISO 6530)

Respiratory protection

No personal respiratory protective equipment normally required.

Breathing apparatus (particle filter) only if dust is formed.

Dust mask (EN 149)

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	Solid	
Colour:	White	
Odour:	Odourless	
pH-Value (at 20 °C):		12,8 - 13,6

Changes in the physical state

Melting point/freezing point:	n.d.
Boiling point or initial boiling point and boiling range:	n.d.
Sublimation point:	n.a.
Softening point:	n.d.
Flash point:	n.a.

Flammability

Solid/liquid:	Not combustible
---------------	-----------------

Explosive properties

The product is not explosive.

Lower explosion limits:	n.d.
Upper explosion limits:	n.d.
Auto-ignition temperature:	n.d.

Self-ignition temperature

Solid:	The product is not self-igniting
Gas:	n.a.
Decomposition temperature:	n.d.

**Safety Data Sheet**

according to UK REACH Regulation

Asplit® Cleaner N

Revision date: 14.02.2024

Product code: 00359-1196

Page 7 of 12

Oxidizing properties

Not oxidising.

Vapour pressure: n.a.
(at 20 °C)Density (at 20 °C): 1,02 g/cm³Bulk density: 990 - 1210 kg/m³Water solubility: Completely soluble
(at 20 °C)**Solubility in other solvents**

n.d.

Partition coefficient n-octanol/water: n.d.

Viscosity / dynamic: n.a.

Viscosity / kinematic: n.a.

Flow time: n.a.

Relative vapour density: n.a.

Evaporation rate: n.a.

Solvent separation test: 0 %

Solvent content: 0 %

9.2. Other information

Solid content: 100 %

SECTION 10: Stability and reactivity**10.1. Reactivity**

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acids., Water

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

Fire may produce:

Carbon monoxide and carbon dioxide

Phosphorus oxides (e.g. P₂O₅)**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.

No toxicological data available.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



Safety Data Sheet

according to UK REACH Regulation

Asplit® Cleaner N

Revision date: 14.02.2024

Product code: 00359-1196

Page 8 of 12

Irritation and corrosivity

Causes severe skin burns and eye damage.
Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (Disodium metasilicate)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

Ingestion may cause nausea, vomiting, sore throat, stomach-ache and eventually lead to a perforation of the intestine.

Danger of perforation of the gullet and of the stomach.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

12.2. Persistence and degradability

Methods for the determination of biodegradability are not applicable to inorganic substances.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Low hazard to waters.

Further information

Do not flush into surface water or sanitary sewer system.

The product is an alkaline solution. Neutralization is normally necessary before a waste water is discharged into sewage treatment plants.

SECTION 13: Disposal considerations

Safety Data Sheet

according to UK REACH Regulation

Asplit® Cleaner N

Revision date: 14.02.2024

Product code: 00359-1196

Page 9 of 12

13.1. Waste treatment methods

Disposal recommendations

Where possible recycling is preferred to disposal.
Can be incinerated, when in compliance with local regulations.

List of Wastes Code - residues/unused products


080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

Contaminated packaging


Contaminated packagings are to be treated like the product itself.
Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.
Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	UN 3262
14.2. UN proper shipping name:	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide, Disodium metasilicate)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
	
Classification code:	C6
Limited quantity:	1 kg / 30 kg
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E

Inland waterways transport (ADN)

14.1. UN number:	UN 3262
14.2. UN proper shipping name:	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide, Disodium metasilicate)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
	
Classification code:	C6
Limited quantity:	1 kg / 30 kg
Excepted quantity:	E2

Marine transport (IMDG)

14.1. UN number:	UN 3262
-------------------------	---------

Safety Data Sheet

according to UK REACH Regulation

Asplit® Cleaner N

Revision date: 14.02.2024

Product code: 00359-1196

Page 10 of 12

14.2. UN proper shipping name: CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide, sodium metasilicate)

14.3. Transport hazard class(es): 8

14.4. Packing group: II

Hazard label: 8



Limited quantity: 1 kg / 30 kg

Excepted quantity: E2

EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3262

14.2. UN proper shipping name: CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide, sodium metasilicate)

14.3. Transport hazard class(es): 8

14.4. Packing group: II

Hazard label: 8



Limited quantity Passenger: 5 kg

Passenger LQ: Y844

Excepted quantity: E2

IATA-packing instructions - Passenger: 859

IATA-max. quantity - Passenger: 15 kg

IATA-packing instructions - Cargo: 863

IATA-max. quantity - Cargo: 50 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

14.7. Maritime transport in bulk according to IMO instruments

The transport takes place only in approved and appropriate packaging.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Directive 2004/42/EC on VOC in paints and varnishes: 0 %

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information



Safety Data Sheet

according to UK REACH Regulation

Asplit® Cleaner N

Revision date: 14.02.2024

Product code: 00359-1196

Page 11 of 12

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,6,7,9,11,12.

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
IMDG = International Maritime Code for Dangerous Goods
IATA/ICAO = International Air Transport Association / International Civil Aviation Organization
MARPOL = International Convention for the Prevention of Pollution from Ships
IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals
REACH = Registration, Evaluation, Authorization and Restriction of Chemicals
CAS = Chemical Abstract Service
EN = European norm
ISO = International Organization for Standardization
DIN = Deutsche Industrie Norm
PBT = Persistent Bioaccumulative and Toxic
vPvB = Very Persistent and very Bio-accumulative
LD = Lethal dose
LC = Lethal concentration
EC = Effect concentration
IC = Median immobilisation concentration or median inhibitory concentration

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method
STOT SE 3; H335	Calculation method

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H361d Suspected of damaging the unborn child.
H412 Harmful to aquatic life with long lasting effects.

**Safety Data Sheet**

according to UK REACH Regulation

Asplit® Cleaner N

Revision date: 14.02.2024

Product code: 00359-1196

Page 12 of 12

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)