

## Safety Data Sheet

according to UK REACH Regulation

### Asplit® CN 916 Powder

Revision date: 06.12.2023

Product code: 00359-1163

Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Asplit® CN 916 Powder

**Art.-No.**

592 0030

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of the substance/mixture**

filler

### 1.3. Details of the supplier of the safety data sheet

**Manufacturer**

Company name: TIP TOP Oberflächenschutz Elbe GmbH  
Street: Heuweg 4  
Place: D-06886 Wittenberg  
Telephone: +49(0)3491/635-50  
Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

Telefax:

**Supplier**

Company name: REMA TIP TOP INDUSTRY UK LTD  
Street: Plumtree Industrial Estate, Harworth  
Place: Doncaster, DN11 8EW, South Yorkshire  
Telephone: +44 (0)1302 711233  
Internet: www.rema-tiptop.co.uk

### 1.4. Emergency telephone number:

INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)  
In England and Wales: NHS 111 In Scotland: NHS 24 - dial 111

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

**GB CLP Regulation**

Skin Irrit. 2; H315  
Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

**GB CLP Regulation****Hazard components for labelling**

4-Hydroxybenzenesulphonic acid  
Sodium hydrogensulphate

**Signal word:** Danger**Pictograms:****Hazard statements**

H315 Causes skin irritation.  
H318 Causes serious eye damage.

**Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 IF ON SKIN: Wash with plenty of water.



## Safety Data Sheet

according to UK REACH Regulation

### Asplit® CN 916 Powder

Revision date: 06.12.2023

Product code: 00359-1163

Page 2 of 9

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

#### 2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605

Dust may form explosive mixture in air.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixture of the following substances with non-hazardous admixtures

#### Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	GHS Classification			
98-67-9	4-Hydroxybenzenesulphonic acid			< 5 %
	202-691-6		01-2119538813-35	
	Met. Corr. 1, Skin Corr. 1B; H290 H314			
7681-38-1	Sodium hydrogensulphate			< 5 %
	231-665-7	016-046-00-X	01-2119552465-36	
	Eye Dam. 1; H318			

Full text of H and EUH statements: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove and wash contaminated clothing before re-use.

#### After inhalation

Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.

In the event of symptoms refer for medical treatment.

#### After contact with skin

In case of contact with skin wash off immediately with plenty of water.

Consult a doctor if skin irritation persists.

#### After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Seek medical treatment by eye specialist.

#### After ingestion

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

Never give anything by mouth to an unconscious person.

Call a physician immediately.

Induce vomiting only upon the advice of a physician.



## Safety Data Sheet

according to UK REACH Regulation

### Asplit® CN 916 Powder

Revision date: 06.12.2023

Product code: 00359-1163

Page 3 of 9

#### **4.2. Most important symptoms and effects, both acute and delayed**

- Causes serious eye damage.
- Causes skin irritation.
- Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

- Treat symptoms.

### SECTION 5: Firefighting measures

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

- Fire-extinguishing activities according to surrounding.

##### **Unsuitable extinguishing media**

- Full water jet

#### **5.2. Special hazards arising from the substance or mixture**

- Dust may form explosive mixture in air.
- Fire may produce:  
Carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>) and sulphur oxides (SO<sub>x</sub>)

#### **5.3. Advice for firefighters**

- In case of fire, wear suitable respiratory equipment with positive air supply.
- Protective suit.

#### **Additional information**

- Cool containers at risk with water spray jet.
- Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

- Avoid the formation and deposition of dust.
- Ensure adequate ventilation.
- Keep away noninvolved persons.

##### **For non-emergency personnel**

- Do not breathe dust.
- Avoid contact with skin, eyes and clothing.

##### **For emergency responders**

- In case of respirable dust, use a self-contained breathing apparatus.
- Use personal protective clothing.

#### **6.2. Environmental precautions**

- Do not discharge into the drains/surface waters/ground water.

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

- Avoid the formation and deposition of dust.

##### **For cleaning up**

- Pick up mechanically, avoiding dust, and provide disposal in suitable recipients.
- Where possible recycling is preferred to disposal.

#### **6.4. Reference to other sections**

- Observe protective instructions (see Sections 7 and 8).
- Information for disposal see section 13.

### SECTION 7: Handling and storage



## Safety Data Sheet

according to UK REACH Regulation

### Asplit® CN 916 Powder

Revision date: 06.12.2023

Product code: 00359-1163

Page 4 of 9

#### 7.1. Precautions for safe handling

##### **Advice on safe handling**

- Keep container tightly closed.
- Avoid the formation and deposition of dust.
- Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

##### **Advice on protection against fire and explosion**

- Dust may form explosive mixture in air.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### **Requirements for storage rooms and vessels**

- Keep container tightly closed in a dry, cool and well-ventilated place.

##### **Hints on joint storage**

- No materials to be especially mentioned.

##### **Further information on storage conditions**

- Keep away from food, drink and animal feeding stuffs.

#### 7.3. Specific end use(s)

- filler

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### **Additional advice on limit values**

- Obey TLV for common dust, if applicable.

#### 8.2. Exposure controls

##### **Appropriate engineering controls**

- Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

##### **Protective and hygiene measures**

- Do not breathe dust.
- Wash hands before breaks and at the end of workday.
- When using do not eat, drink or smoke.
- Remove and wash contaminated clothing before re-use.

##### **Eye/face protection**

- Safety goggles with side protection (EN 166).
- Eye wash bottle with pure water (EN 15154).

##### **Hand protection**

- Chemical protective gloves made of nitrile, nitrile/cotton, butyl or neoprene, with a minimum thickness of 0.7 mm, permeation time of approx. 480 minutes.
- This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.
- Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.
- Pls. find examples in the protective gloves database under: <http://bestglove.com/site/chemrest/>

##### **Skin protection**

- Long sleeved clothing (DIN EN ISO 6530)

##### **Respiratory protection**

- Dust mask (EN 149)

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state: Powder

**Safety Data Sheet**

according to UK REACH Regulation

**Asplit® CN 916 Powder**

Revision date: 06.12.2023

Product code: 00359-1163

Page 5 of 9

Colour: Black  
Odour: Odourless  
pH-Value: n.a.

**Changes in the physical state**

Melting point/freezing point: n.d.  
Boiling point or initial boiling point and boiling range: n.d.  
Sublimation point: n.a.  
Softening point: n.d.  
Flash point: n.a.

**Flammability**

Solid/liquid: n.d.

**Explosive properties**

The product is considered non-explosive; nevertheless explosive dust/air mixture can be generated

Lower explosion limits: n.d.  
Upper explosion limits: n.d.  
Auto-ignition temperature: n.d.

**Self-ignition temperature**

Solid: n.a.  
Gas: n.a.

Decomposition temperature: n.d.

**Oxidizing properties**

Not oxidising.

Vapour pressure: n.d.

Density (at 20 °C): ~ 1,79 g/cm<sup>3</sup>

Bulk density: n.d.

Water solubility: (at 20 °C) More or less insoluble

**Solubility in other solvents**

n.d.

Partition coefficient n-octanol/water: n.a.

Viscosity / dynamic: n.a.

Viscosity / kinematic: n.a.

Flow time: n.a.

Relative vapour density: n.a.

Evaporation rate: n.a.

Solvent separation test: n.a.

Solvent content: n.a.

**9.2. Other information**

Solid content: 100 %

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No decomposition if stored and applied as directed.

**10.2. Chemical stability**

**Safety Data Sheet**

according to UK REACH Regulation

**Asplit® CN 916 Powder**

Revision date: 06.12.2023

Product code: 00359-1163

Page 6 of 9

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

No hazardous reactions known.

**10.4. Conditions to avoid**

Avoid the formation and deposition of dust.  
Dust may form explosive mixture in air.

**10.5. Incompatible materials**

No materials to be especially mentioned.

**10.6. Hazardous decomposition products**

No hazardous decomposition products known.  
Fire may produce:  
Carbon monoxide, carbon dioxide, sulphur oxides.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.  
No toxicological data available.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

**Irritation and corrosivity**

Causes skin irritation.  
Causes serious eye damage.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Additional information on tests**

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

**11.2. Information on other hazards****Endocrine disrupting properties**

No data available

**Other information**

Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.

**SECTION 12: Ecological information****12.1. Toxicity**

Ecological data are not available.

**12.2. Persistence and degradability**

No data available

**12.3. Bioaccumulative potential**



## Safety Data Sheet

according to UK REACH Regulation

### Asplit® CN 916 Powder

Revision date: 06.12.2023

Product code: 00359-1163

Page 7 of 9

No data available

#### **12.4. Mobility in soil**

No data available

#### **12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### **12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### **12.7. Other adverse effects**

Low hazard to waters.

#### **Further information**

Do not flush into surface water or sanitary sewer system.

### SECTION 13: Disposal considerations

#### **13.1. Waste treatment methods**

##### **Disposal recommendations**

It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations.  
Where possible recycling is preferred to disposal.

##### **List of Wastes Code - residues/unused products**

080299 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of other coatings (including ceramic materials); wastes not otherwise specified

##### **Contaminated packaging**

Empty containers should be taken for local recycling, recovery or waste disposal.  
Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.  
Packaging that cannot be cleaned should be disposed of like the product.

### SECTION 14: Transport information

#### **Land transport (ADR/RID)**

<b><u>14.1. UN number:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.2. UN proper shipping name:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.3. Transport hazard class(es):</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.4. Packing group:</u></b>	No dangerous good in sense of this transport regulation.

#### **Inland waterways transport (ADN)**

<b><u>14.1. UN number:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.2. UN proper shipping name:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.3. Transport hazard class(es):</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.4. Packing group:</u></b>	No dangerous good in sense of this transport regulation.

#### **Marine transport (IMDG)**

<b><u>14.1. UN number:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.2. UN proper shipping name:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.3. Transport hazard class(es):</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.4. Packing group:</u></b>	No dangerous good in sense of this transport regulation.

#### **Air transport (ICAO-TI/IATA-DGR)**

<b><u>14.1. UN number:</u></b>	No dangerous good in sense of this transport regulation.
--------------------------------	--



## Safety Data Sheet

according to UK REACH Regulation

### Asplit® CN 916 Powder

Revision date: 06.12.2023

Product code: 00359-1163

Page 8 of 9

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Directive 2004/42/EC on VOC in paints and varnishes: 0 %

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

#### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### Changes

This data sheet contains changes from the previous version in section(s): 2,6,7,9,11,12.

### Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk



**Safety Data Sheet**

according to UK REACH Regulation

**Asplit® CN 916 Powder**

Revision date: 06.12.2023

Product code: 00359-1163

Page 9 of 9

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

**Classification for mixtures and used evaluation method according to GB CLP Regulation**

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method

**Relevant H and EUH statements (number and full text)**

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.

**Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*