

according to UK REACH Regulation

## TIP TOP CHEMOLINE 4A, 4B, 4CN, 4G, 4V, 5B

Revision date: 22.09.2023

Product code: 00359-1338

Page 1 of 9

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

TIP TOP CHEMOLINE 4A, 4B, 4CN, 4G, 4V, 5B

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Lining for corrosion protection

## 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Company name: Street: Place: Telephone:	TIP TOP Oberflaechenschutz Elbe Heuweg 4 D-06886 Wittenberg +49(0)3491/635-50	GmbH Telefax: +49(0)3491/635-552
Responsible Department:	Responsible for the safety data sheet: sds@gbk-ingelheim.de	
<b>Supplier</b> Company name: Street: Place:	REMA TIP TOP INDUSTRY UK LT Plumtree Industrial Estate, Harwort Doncaster, DN11 8EW, South Yor	- h
Telephone: Internet:	+44 (0)1302 711233 www.rema-tiptop.co.uk	
1.4. Emergency telephone number:	INTERNATIONAL: +49 - (0) 6132 - In England and Wales: NHS 111 In	84463, GBK GmbH (24h - 7d/w - 365d/a) Scotland: NHS 24 - dial 111

### Further Information

EC-SDS applicable for following products: CHEMOLINE 4A, CHEMOLINE 4B, CHEMOLINE 4CN, CHEMOLINE 4G, CHEMOLINE 4V, CHEMOLINE 5B

### **SECTION 2: Hazards identification**

#### 2.2. Label elements

### Additional advice on labelling

As an article the product does not need to be labelled in accordance with EC-regulations or respective national laws.

#### 2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### Chemical characterization

Vulcanized product of rubber and other additives



according to UK REACH Regulation

## TIP TOP CHEMOLINE 4A, 4B, 4CN, 4G, 4V, 5B

Revision date: 22.09.2023

Product code: 00359-1338

Page 2 of 9

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
1314-41-6	Lead tetroxide			< 5 %
	215-235-6		01-2119517589-27	
	Carc. 2, Repr. 1A, Acute Tox. 4, / H351 H360Df H332 H302 H372 H		Aquatic Acute 1, Aquatic Chronic 1;	
96-45-7	Ethylene thiourea			< 1 %
	202-506-9	613-039-00-9	01-2119541697-28	
	Repr. 1B, Acute Tox. 4; H360D H	302		

### Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
1314-41-6	215-235-6	Lead tetroxide	< 5 %
	inhalation: ATE 10000 mg/kg	E = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = >	
96-45-7	202-506-9	Ethylene thiourea	< 1 %
	oral: ATE = 50	0 mg/kg	

#### **Further Information**

SVHC substance [Regulation (EC) No 1907/2006, Article 57]: Lead tetroxide, Ethylene thiourea

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

No hazards which require special first aid measures.

### After inhalation

Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

#### After contact with skin

Wash with water and soap as a precaution.

#### After ingestion

Ingestion is not considered a potential route of exposure.

#### 4.2. Most important symptoms and effects, both acute and delayed

May cause sensitization of susceptible persons by skin contact.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

### Suitable extinguishing media

Any extinguishing means and measures are acceptable. Fire-extinguishing activities according to surrounding.

#### Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

Fire may produce:



according to UK REACH Regulation

## TIP TOP CHEMOLINE 4A, 4B, 4CN, 4G, 4V, 5B

Revision date: 22.09.2023

Product code: 00359-1338

Page 3 of 9

Carbon monoxide (CO), carbon dioxide (CO2) and sulphur oxides (SOx) Hydrogen bromide (HBr)

### 5.3. Advice for firefighters

Use breathing apparatus with independent air supply. Protective suit.

### Additional information

Collect contaminated firefighting water separately, must not be discharged into the drains.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Ensure adequate ventilation. Keep away noninvolved persons.

# For non-emergency personnel

Avoid contact with skin, eyes and clothing.

#### For emergency responders

In case of vapour formation use respirator.

Use personal protective clothing.

### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

No special measures required.

#### For cleaning up

Take up mechanically and collect in suitable container for disposal. Where possible recycling is preferred to disposal.

### 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8). Information for disposal see section 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Do not breath vapours that may be evolved during processing.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. The product is flammable but not readily ignited.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep in a dry, cool place.

# Hints on joint storage

Incompatible with: Nitrous acid and other nitrosating agents.

## Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

# 7.3. Specific end use(s)

Lining for corrosion protection

### **SECTION 8: Exposure controls/personal protection**



according to UK REACH Regulation

## TIP TOP CHEMOLINE 4A, 4B, 4CN, 4G, 4V, 5B

Revision date: 22.09.2023

Product code: 00359-1338

Page 4 of 9

### 8.1. Control parameters

### Additional advice on limit values

This product does not contain any substances for which a Workplace Exposure Limit has been set in concentrations above the limits.

### 8.2. Exposure controls

### Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

#### Protective and hygiene measures

Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke.

### Hand protection

Protective gloves resistant to chemicals made off natural-rubber latex, minimum coat thickness 0.6 mm, permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove <Lapren 706> made by www.kcl.de.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

### Skin protection

Long sleeved clothing (DIN EN ISO 6530)

## **Respiratory protection**

In case of respirable dust and/or fumes, use a self-contained breathing apparatus.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:	Plates	
Colour:	Black	
pH-Value:		n.a.
Changes in the physical state		
Melting point/freezing point:		n.a.
Boiling point or initial boiling point and boiling range:		n.a.
Sublimation point:		n.a.
Softening point:		n.d.
Flash point:		n.a.
Flammability Solid/liquid:		n.d.
Explosive properties The product is not explosive.		
Lower explosion limits:		n.a.
Upper explosion limits:		n.a.
Auto-ignition temperature:		n.a.
Self-ignition temperature		
Solid:		n.a.
Gas:		n.a.
Decomposition temperature:		n.d.
Oxidizing properties Not oxidising.		

#### Protein No. 4.0. Dealers and 4.4



### according to UK REACH Regulation

TIP TOP CHEMOLINE 4A, 4B, 4CN, 4G, 4V, 5B		
Revision date: 22.09.2023	Product code: 00359-1338	Page 5 of 9
Vapour pressure:	n.a.	
Density (at 20 °C):	1,20 - 1,40 g/cm³	
Bulk density:	n.a.	
Water solubility: (at 20 °C)	insoluble	
Solubility in other solvents n.d.		
Partition coefficient n-octanol/water:	n.a.	
Viscosity / dynamic:	n.a.	
Viscosity / kinematic:	n.a.	
Flow time:	n.a.	
Relative vapour density:	n.a.	
Evaporation rate:	n.a.	
Solvent separation test:	n.a.	
Solvent content:	0 %	
9.2. Other information		
Solid content:	100 %	

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No decomposition if stored and applied as directed.

### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Reacts with:

Nitrous acid and other nitrosating agents.

### 10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

### 10.5. Incompatible materials

Nitrous acid and other nitrosating agents.

## 10.6. Hazardous decomposition products

An inappropriate handling, for instance major amounts of product combined with strong heat and nitrosating agents, renders possible a cleavage of nitrosamines in traces. Fire may produce: Carbon monoxide, carbon dioxide, sulphur oxides. Hydrogen bromide

#### riyarogen bronnae

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in GB CLP Regulation

### Acute toxicity

Based on available data, the classification criteria are not met. No toxicological data available.

### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to UK REACH Regulation

### TIP TOP CHEMOLINE 4A, 4B, 4CN, 4G, 4V, 5B

Revision date: 22.09.2023

Product code: 00359-1338

Page 6 of 9

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

## 11.2. Information on other hazards

#### Endocrine disrupting properties

No data available

### Further information

May cause sensitization of susceptible persons by skin contact.

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

Product contains low quantities of cancerogenic and mutagenic components. Nevertheless it is not hazardous to health if inhaled, swallowed or in case of contact with skin under this form.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecological data are not available.

Because of the low solubility a toxicity to aquatic organisms is not to be expected.

### 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

No data available

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No data available

### Further information

Do not flush into surface water or sanitary sewer system. Ecological injuries are not known or expected under normal use.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods



according to UK REACH Regulation

### TIP TOP CHEMOLINE 4A, 4B, 4CN, 4G, 4V, 5B

Revision date: 22.09.2023

Product code: 00359-1338

Page 7 of 9

## **Disposal recommendations**

Where possible recycling is preferred to disposal. Can be incinerated, when in compliance with local regulations.

### List of Wastes Code - residues/unused products

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

### Contaminated packaging

Land transport (ADR/RID)

Empty containers should be taken for local recycling, recovery or waste disposal.

## **SECTION 14: Transport information**

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
14.6. Special precautions for user	
No dangerous good in sense of this transport regulation.	
14.7. Maritime transport in bulk according to IMO instruments	
No dangerous good in sense of this tra	nsport regulation.
SECTION 15: Regulatory information	

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Authorisations (REACH, annex XIV): Substances of very high concern, SVHC (REACH, article 59): Lead tetroxide; Ethylene thiourea



### according to UK REACH Regulation

### TIP TOP CHEMOLINE 4A, 4B, 4CN, 4G, 4V, 5B

Revision date: 22.09.2023

Product code: 00359-1338

Page 8 of 9

Restrictions on use (REACH, annex XVII):

Entry 30, Entry 63, Entry 75 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

# National regulatory information

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 1,8,9,11.

0%

#### Abbreviations and acronyms

- ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
- RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
- ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
- IMDG = International Maritime Code for Dangerous Goods
- IATA/ICAO = International Air Transport Association / International Civil Aviation Organization
- MARPOL = International Convention for the Prevention of Pollution from Ships
- IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

- REACH = Registration, Evaluation, Authorization and Restriction of Chemicals
- CAS = Chemical Abstract Service
- EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

- LC = Lethal concentration
- EC = Effect concentration
- IC = Median immobilisation concentration or median inhibitory concentration

### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H360D	May damage the unborn child.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

## **Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.



according to UK REACH Regulation

## TIP TOP CHEMOLINE 4A, 4B, 4CN, 4G, 4V, 5B

Revision date: 22.09.2023

Product code: 00359-1338

Page 9 of 9

The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations. (n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)