

according to UK REACH Regulation

TIP TOP CHEMOLINE 55 unv.

Revision date: 11.04.2025

Product code: 00359-1369

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

TIP TOP CHEMOLINE 55 unv.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Corrosion protection rubber

1.3. Details of the supplier of the safety data sheet

| Manufacturer | | |
|--------------------------|---------------------------------------|--------------------------------------|
| Company name: | TIP TOP Oberflaechenschutz Elbe Gr | mbH |
| Street: | Heuweg 4 | |
| Place: | D-06886 Wittenberg | |
| Telephone: | +49(0)3491/635-50 | Telefax:+49(0)3491/635-552 |
| Responsible Department: | Responsible for the safety data sheet | :: sds@gbk-ingelheim.de |
| Supplier | | |
| Company name: | REMA TIP TOP INDUSTRY UK LTD | |
| Street: | Plumtree Industrial Estate, Harworth | |
| Place: | Doncaster, DN11 8EW, South Yorks | hire |
| Telephone: | +44 (0)1302 711233 | |
| Internet: | www.rema-tiptop.co.uk | |
| 1.4. Emergency telephone | INTERNATIONAL: +49 - (0) 6132 - 84 | 1463, GBK GmbH (24h - 7d/w - 365d/a) |
| number: | In England and Wales: NHS 111 In So | cotland: NHS 24 - dial 111 |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Repr. 1B; H360FD Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine Danger

Signal word:

Pictograms:

Hazard statements

H360FD H411

May damage fertility. May damage the unborn child. Toxic to aquatic life with long lasting effects.

Precautionary statements

| P202 | Do not handle until all safety precautions have been read and understood. |
|-----------|---|
| P280 | Wear protective gloves. |
| P308+P313 | IF exposed or concerned: Get medical advice/attention. |
| P273 | Avoid release to the environment. |
| P391 | Collect spillage. |
| | |



according to UK REACH Regulation

TIP TOP CHEMOLINE 55 unv.

Revision date: 11.04.2025

Product code: 00359-1369

Page 2 of 10

Special labelling of certain mixtures

EUH208

Contains Di(benzothiazol-2-yl) disulphide,

N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine. May produce an allergic reaction.

Additional advice on labelling

According to Regulation (EC) No 1272/2008 Annex I section 1.3.4 [Metals in massive form, alloys, mixtures containing polymers, mixtures containing elastomers] this product is not subject to labelling. As an article the product does not need to be labelled in accordance with EC-regulations or respective national laws.

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Crude rubber with antioxidant and accelerator

Hazardous components

| CAS No | Chemical name | | | Quantity |
|-----------|---|----------------------|------------------|----------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP Re | egulation) | · | |
| 1314-13-2 | zinc oxide | | | < 5 % |
| | 215-222-5 | 030-013-00-7 | 01-2119463881-32 | |
| | Aquatic Acute 1, Aquatic 0 | Chronic 1; H400 H410 | | |
| 120-78-5 | Di(benzothiazol-2-yl) disul | phide | | < 1 % |
| | 204-424-9 | 613-135-00-0 | 01-2119489366-24 | |
| | Skin Sens. 1, Aquatic Acu | | | |
| 793-24-8 | N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine | | | < 1 % |
| | 212-344-0 | | 01-2119485839-15 | |
| | Repr. 1B, Acute Tox. 4, Sk H400 H410 | | | |
| 102-06-7 | N,N-Diphenylguanidine | | | < 1 % |
| | 203-002-1 | 612-149-00-4 | 01-2119519144-47 | |
| | Repr. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, Aquatic Chronic 2; H361f H302 H315 H319 H335 H411 | | | |

Full text of H and EUH statements: see section 16.



according to UK REACH Regulation

TIP TOP CHEMOLINE 55 unv.

Revision date: 11.04.2025

Product code: 00359-1369

Page 3 of 10

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-----------|--|--|----------|
| | Specific Conc | Specific Conc. Limits, M-factors and ATE | |
| 1314-13-2 | 215-222-5 | zinc oxide | < 5 % |
| | | e 1; H400: M=1 nic 1; H410: M=1 | |
| 120-78-5 | 204-424-9 | Di(benzothiazol-2-yl) disulphide | < 1 % |
| | | e 1; H400: M=1 nic 1; H410: M=1 | |
| 793-24-8 | 212-344-0 | N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine | < 1 % |
| | dermal: LD50 = > 7940 mg/kg; oral: LD50 = 893 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10 | | |
| 102-06-7 | 203-002-1 | N,N-Diphenylguanidine | < 1 % |
| | oral: ATE = 5 | 00 mg/kg | |

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No hazards which require special first aid measures.

After inhalation

Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

After contact with skin

Wash with water and soap as a precaution.

After ingestion

Ingestion is not considered a potential route of exposure.

4.2. Most important symptoms and effects, both acute and delayed

May cause sensitization of susceptible persons by skin contact.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable. Fire-extinguishing activities according to surrounding.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Fire may produce: Carbon monoxide, c

Carbon monoxide, carbon dioxide, sulphur oxides and nitrogen oxides (NOx). Bromine compounds Chlorine compounds

5.3. Advice for firefighters

Use breathing apparatus with independent air supply. Protective suit.

Additional information

Collect contaminated firefighting water separately, must not be discharged into the drains. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures



according to UK REACH Regulation

TIP TOP CHEMOLINE 55 unv.

Revision date: 11.04.2025

Product code: 00359-1369

Page 4 of 10

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Ensure adequate ventilation. Keep away noninvolved persons.

For non-emergency personnel

Avoid contact with skin, eyes and clothing.

For emergency responders

Use personal protection equipment.

In case of vapour formation use respirator.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

For containment

No special measures required.

For cleaning up

Take up mechanically and collect in suitable container for disposal. Where possible recycling is preferred to disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8). Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe vapours. Avoid contact with the skin and the eyes.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. The product is flammable but not readily ignited.

Advice on general occupational hygiene

Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a dry, cool place.

Hints on joint storage

Incompatible with: Nitrous acid and other nitrosating agents.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Corrosion protection rubber

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to UK REACH Regulation

TIP TOP CHEMOLINE 55 unv.

Revision date: 11.04.2025

Product code: 00359-1369

Page 5 of 10

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|-----------|--------------|-----|-------|-----------|---------------|--------|
| 1333-86-4 | Carbon black | - | 3.5 | | TWA (8 h) | WEL |
| | | - | 7 | | STEL (15 min) | WEL |

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Hand protection

Protective gloves

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Skin protection

Long sleeved clothing (DIN EN ISO 6530)

Respiratory protection

In case of respirable dust and/or fumes, use a self-contained breathing apparatus.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | Solid | |
|--|----------------|------|
| Colour: | Various | |
| Odour: | Characteristic | |
| Changes in the physical state | | |
| Melting point/freezing point: | | n.a. |
| Boiling point or initial boiling point and | | n.a. |
| boiling range: | | |
| Sublimation point: | | n.a. |
| Softening point: | | n.d. |
| Flash point: | | n.a. |
| Flammability | | |
| Solid/liquid: | | n.a. |
| Explosive properties | | |
| The product is not explosive. | | |
| Lower explosion limits: | | n.a. |
| Upper explosion limits: | | n.a. |
| Auto-ignition temperature: | | n.a. |
| Self-ignition temperature | | |
| Solid: | | n.a. |
| Gas: | | n.a. |
| Decomposition temperature: | | n.d. |
| pH-Value: | | n.a. |
| Viscosity / dynamic: | | n.a. |
| Viscosity / kinematic: | | n.a. |
| Flow time: | | n.a. |
| | | |



according to UK REACH Regulation

| TIP TOP CHEMOLINE 55 unv. | | | |
|---|--------------------------|-------------|--|
| Revision date: 11.04.2025 | Product code: 00359-1369 | Page 6 of 1 | |
| Water solubility: | insoluble | | |
| (at 20 °C) | | | |
| Solubility in other solvents n.d. | | | |
| Partition coefficient n-octanol/water: | n.a. | | |
| Vapour pressure: | n.a. | | |
| Density (at 23 °C): | 1,09 - 1,13 g/cm³ | | |
| Bulk density: | n.d. | | |
| Relative vapour density: | n.a. | | |
| 9.2. Other information | | | |
| Information with regard to physical hazard | classes | | |
| Oxidizing properties Not oxidising. | | | |
| Other safety characteristics | | | |
| Solvent separation test: | 0 % | | |
| Solvent content: | 0 % | | |
| Solid content: | 100 % | | |
| Evaporation rate: | n.a. | | |
| SECTION 10: Stability and reactivity | | | |
| 10.1. Reactivity | | | |
| No decomposition if stored and applied a | s directed. | | |
| 10.2. Chemical stability | | | |
| Stable under normal conditions. | | | |
| 10.3. Possibility of hazardous reactions | | | |
| Reacts with: Nitrous acid and other nitrosating agents. | | | |
| 10.4. Conditions to avoid To avoid thermal decomposition, do not o | verheat. | | |
| 10.5. Incompatible materials Nitrous acid and other nitrosating agents. | | | |
| 10.6. Hazardous decomposition products No hazardous decomposition products kr Fire may produce: | | | |

Carbon monoxide, carbon dioxide, sulphur oxides, and nitrogen oxides (NOx).

- bromine compounds
- chlorine compounds

An inappropriate handling, for instance major amounts of product combined with strong heat and nitrosating agents, renders possible a cleavage of nitrosamines in traces.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met. No toxicological data available.



according to UK REACH Regulation

TIP TOP CHEMOLINE 55 unv.

Revision date: 11.04.2025

Product code: 00359-1369

Page 7 of 10

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains Di(benzothiazol-2-yl) disulphide, N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine. May produce an allergic reaction.

May cause sensitization of susceptible persons by skin contact.

Carcinogenic/mutagenic/toxic effects for reproduction

May damage fertility. May damage the unborn child. (N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine) Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Further information

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

Product contains low quantities of components with the classification "toxic for reproduction". Nevertheless it is not hazardous to health if inhaled, swallowed or in case of contact with skin under this form.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

Because of the low solubility a toxicity to aquatic organisms is not to be expected.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available



according to UK REACH Regulation

TIP TOP CHEMOLINE 55 unv.

Revision date: 11.04.2025

Product code: 00359-1369

Page 8 of 10

Further information

Do not flush into surface water or sanitary sewer system. Ecological injuries are not known or expected under normal use.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Can be incinerated, when in compliance with local regulations. Where possible recycling is preferred to disposal.

List of Wastes Code - residues/unused products

WASTES FROM WASTE MANAGEMENT FACILITIES. OFF-SITE WASTE WATER TREATMENT 191204 PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE; wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified; plastic and rubber

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

SECTION 14: Transport information

Land transport (ADR/RID)

| <u>14.1. UN number or ID number:</u> |
|--|
| 14.2. UN proper shipping name: |
| 14.3. Transport hazard class(es): |
| 14.4. Packing group: |
| Inland waterways transport (ADN) |
| 14.1. UN number or ID number: |
| 14.2. UN proper shipping name: |
| 14.3. Transport hazard class(es): |
| 14.4. Packing group: |
| Marine transport (IMDG) |
| 14.1. UN number or ID number: |
| 14.2. UN proper shipping name: |
| <u>14.3. Transport hazard class(es):</u> |
| 14.4. Packing group: |
| Air transport (ICAO-TI/IATA-DGR) |
| <u>14.1. UN number or ID number:</u> |
| 14.2. UN proper shipping name: |
| <u>14.3. Transport hazard class(es):</u> |
| 14.4. Packing group: |
| 14.5. Environmental hazards |
| ENVIRONMENTALLY HAZARDOUS: |
| 14.6. Special precautions for user |
| No dengerous good in conce of this |

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

> No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

> No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

> No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information



according to UK REACH Regulation

| | TIP TOP CHEMOLINE 55 unv. | |
|---|---|--------------|
| Revision date: 11.04.2025 | Product code: 00359-1369 | Page 9 of 10 |
| Restrictions on use (REACH, annex XVII): Entry 75 | | |
| Directive 2004/42/EC on VOC in paints and varnishes: Information according to Directive | 0 % Not subject to 2012/18/EU (SEVESO III) | |
| 2012/18/EU (SEVESO III): | | |
| National regulatory information | | |
| Water hazard class (D): | non-hazardous to water | |
| 15.2. Chemical safety assessment For this substance a chemical | safety assessment has not been carried out. | |
| SECTION 16: Other information | | |
| RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure IMDG = International Maritime Code for Dangerous Goods IATA/ICAO = International Air Transport Association / International Civil Aviation Organization MARPOL = International Convention for the Prevention of Pollution from Ships IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk | | |
| GHS = Globally Harmonized System of Classification and Labelling of Chemicals REACH = Registration, Evaluation, Authorization and Restriction of Chemicals CAS = Chemical Abstract Service EN = European norm ISO = International Organization for Standardization DIN = Deutsche Industrie Norm PBT = Persistent Bioaccumulative and Toxic vPvB = Very Persistent and very Bio-accumulative | | |
| LD = Lethal dose LC = Lethal concentration EC = Effect concentration IC = Median immobilisation concentration or median inhibitory concentration | | |
| Classification for mixtures and used evaluation method according to GB CLP Regulation | | |
| Classification | Classification procedure | |
| Repr. 1B; H360FD Calculation method | | |
| Aquatic Chronic 2; H411 | Calculation method | |

Relevant H and EUH statements (number and full text)

| H302 | Harmful if swallowed. |
|--------|---|
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H360FD | May damage fertility. May damage the unborn child. |
| H361f | Suspected of damaging fertility. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| EUH031 | Contact with acids liberates toxic gas. |
| | |



according to UK REACH Regulation

TIP TOP CHEMOLINE 55 unv.

Revision date: 11.04.2025

Product code: 00359-1369

Page 10 of 10

EUH208

Contains Di(benzothiazol-2-yl) disulphide,

N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine. May produce an allergic reaction.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)