

according to UK REACH Regulation

TIP TOP CHEMOLINE 5B unv.

Revision date: 30.10.2023

Product code: 00156-0532

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

TIP TOP CHEMOLINE 5B unv.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Corrosion protection rubber

1.3. Details of the supplier of the safety data sheet

Manufacturer	
Company name:	REMA TIP TOP AG
Street:	Gruber Strasse 65
Place:	D-85586 Poing
Telephone:	+49 (0) 8121 / 707 - 100
Responsible Department:	Responsible for the safety data sheet: sds@gbk-ingelheim.de
Supplier	
Company name:	REMA TIP TOP INDUSTRY UK LTD
Street:	Plumtree Industrial Estate, Harworth
Place:	Doncaster, DN11 8EW, South Yorkshire
Telephone:	+44 (0)1302 711233
Internet:	www.rema-tiptop.co.uk
1.4. Emergency telephone	INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)
number:	In England and Wales: NHS 111 In Scotland: NHS 24 - dial 111

Further Information

EC-SDS applicable for following products: CHEMOLINE 5B (unvulcanized)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Sens. 1; H317 Carc. 2; H351 Repr. 1A; H360Df STOT RE 2; H373 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Lead tetroxide Rosin, colophony Di(benzothiazol-2-yl) disulphide Thiram

Signal word:

Pictograms:





according to UK REACH Regulation

TIP TOP CHEMOLINE 5B unv.

Revision date: 30.10.2023

Product code: 00156-0532

Page 2 of 11

Hazard statements

H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

Do not handle until all safety precautions have been read and understood.
Wear protective gloves/protective clothing/eye protection/face protection.
IF exposed or concerned: Get medical advice/attention.
Avoid release to the environment.

Special labelling of certain mixtures

Restricted to professional users.

Additional advice on labelling

According to Regulation (EC) No 1272/2008 Annex I section 1.3.4 [Metals in massive form, alloys, mixtures containing polymers, mixtures containing elastomers] this product is not subject to labelling. As an article the product does not need to be labelled in accordance with EC-regulations or respective national laws.

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Crude rubber with antioxidant and accelerator



according to UK REACH Regulation

TIP TOP CHEMOLINE 5B unv.

Revision date: 30.10.2023

Product code: 00156-0532

Page 3 of 11

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification	·	·	
1314-41-6	Lead tetroxide			< 5 %
	215-235-6		01-2119517589-27	
	Carc. 2, Repr. 1A, Acute H351 H360Df H332 H302		Aquatic Acute 1, Aquatic Chronic 1;	
8050-09-7	Rosin, colophony			< 5 %
	232-475-7	650-015-00-7	01-2119480418-32	
	Skin Sens. 1; H317			
120-78-5	Di(benzothiazol-2-yl) disulphide			< 1 %
	204-424-9	613-135-00-0	01-2119489366-24	
	Skin Sens. 1, Aquatic Act	ite 1, Aquatic Chronic 1; H317 H40	0 H410 EUH031	
137-26-8	Thiram			< 1 %
	205-286-2	006-005-00-4	01-2119492301-45	
		4, Skin Irrit. 2, Eye Irrit. 2, Skin Ser H302 H315 H319 H317 H373 H400	s. 1, STOT RE 2, Aquatic Acute 1,) H410	
96-45-7	Ethylene thiourea			< 1 %
	202-506-9	613-039-00-9	01-2119541697-28	
	Repr. 1B, Acute Tox. 4; H	360D H302		

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	Limits, M-factors and ATE	
1314-41-6	215-235-6	Lead tetroxide	< 5 %
	inhalation: ATE 10000 mg/kg	= 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = >	
120-78-5	204-424-9	Di(benzothiazol-2-yl) disulphide	< 1 %
	Aquatic Acute 1 Aquatic Chronic		
137-26-8	205-286-2	Thiram	< 1 %
	LD50 = > 2000	E = 11 mg/l (vapours); inhalation: LC50 = 3460 mg/l (dusts or mists); dermal: mg/kg; oral: LD50 = 1800 mg/kg Aquatic Acute 1; H400: M=10 c 1; H410: M=10	
96-45-7	202-506-9	Ethylene thiourea	< 1 %
	oral: ATE = 500	O mg/kg	

Further Information

This product contains (a) substance(s) included on the candidate list according to article 59 (1,10) of regulation EC No. 1907/2006 ("REACH") in a concentration =/> 0,1 %: Lead tetroxide Ethylene thiourea

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No hazards which require special first aid measures.



according to UK REACH Regulation

TIP TOP CHEMOLINE 5B unv.

Revision date: 30.10.2023

Product code: 00156-0532

Page 4 of 11

After inhalation

Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

After contact with skin

Wash with water and soap as a precaution.

After ingestion

Ingestion is not considered a potential route of exposure.

4.2. Most important symptoms and effects, both acute and delayed

May cause sensitization of susceptible persons by skin contact.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable. Fire-extinguishing activities according to surrounding.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Fire may produce: Carbon monoxide, carbon dioxide, sulphur oxides and nitrogen oxides (NOx). Bromine compounds Chlorine compounds

5.3. Advice for firefighters

Use breathing apparatus with independent air supply. Protective suit.

Additional information

Collect contaminated firefighting water separately, must not be discharged into the drains. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Ensure adequate ventilation.

Keep away noninvolved persons.

For non-emergency personnel

Avoid contact with skin, eyes and clothing.

For emergency responders

In case of vapour formation use respirator. Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

For containment

No special measures required.

For cleaning up

Take up mechanically and collect in suitable container for disposal. Where possible recycling is preferred to disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).



according to UK REACH Regulation

TIP TOP CHEMOLINE 5B unv.

Revision date: 30.10.2023

Product code: 00156-0532

Page 5 of 11

Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe vapours. Avoid contact with the skin and the eyes.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. The product is flammable but not readily ignited.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a dry, cool place.

Hints on joint storage

Incompatible with: Nitrous acid and other nitrosating agents.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Corrosion protection rubber

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1333-86-4	Carbon black	-	3.5		TWA (8 h)	WEL
		-	7		STEL (15 min)	WEL
8050-09-7	Rosin-based solder flux fume	-	0.05		TWA (8 h)	WEL
		-	0.15		STEL (15 min)	WEL

Additional advice on limit values

This product does not contain any substances for which a Workplace Exposure Limit has been set in concentrations above the limits.

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke.

Hand protection

Protective gloves Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the

recommendations given by the manufacturer of protective gloves.

Skin protection

Long sleeved clothing (DIN EN ISO 6530)



according to UK REACH Regulation

TIP TOP CHEMOLINE 5B unv.

Revision date: 30.10.2023

Product code: 00156-0532

Page 6 of 11

Respiratory protection

In case of respirable dust and/or fumes, use a self-contained breathing apparatus.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state: Solid Colour: Black Odour: Characteristic pH-Value: n.a. Changes in the physical state Melting point/freezing point: n.d. Boiling point or initial boiling point and n.a. boiling range: Sublimation point: n.a. Softening point: n.d. Pour point: n.d. Flash point: n.a. Flammability Solid/liquid: n.d. **Explosive properties** The product is not explosive. Lower explosion limits: n.a. Upper explosion limits: n.a. Auto-ignition temperature: n.a. Self-ignition temperature Solid: n.d. Gas: n.a. Decomposition temperature: n.d. **Oxidizing properties** Not fire-promoting. Vapour pressure: n.a. Density (at 23 °C): 1,23 - 1,34 g/cm3 Bulk density: n.d. Water solubility: insoluble (at 20 °C) Solubility in other solvents n.d. Partition coefficient n-octanol/water: n.d. Viscosity / dynamic: n.d. Viscosity / kinematic: n.d. Flow time: n.d. Relative vapour density: n.d. Evaporation rate: n.d. Solvent separation test: n.a. Solvent content: n.a.



according to UK REACH Regulation

TIP TOP CHEMOLINE 5B unv.

Revision date: 30.10.2023

Product code: 00156-0532

Page 7 of 11

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts with:

Nitrous acid and other nitrosating agents.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

Nitrous acid and other nitrosating agents.

10.6. Hazardous decomposition products

An inappropriate handling, for instance major amounts of product combined with strong heat and nitrosating agents, renders possible a cleavage of nitrosamines in traces. Fire may produce: Carbon monoxide, carbon dioxide, sulphur oxides, and nitrogen oxides (NOx). bromine compounds chlorine compounds

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

No toxicological data available.

ATEmix calculated

ATE (oral) 11639 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 256,1 mg/l; ATE (inhalation dust/mist) 34,92 mg/l

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (Rosin, colophony; Di(benzothiazol-2-yl) disulphide; Thiram) May cause sensitization of susceptible persons by skin contact.

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (Lead tetroxide) May damage the unborn child. Suspected of damaging fertility. (Lead tetroxide) Germ cell mutagenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (Lead tetroxide)

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.



according to UK REACH Regulation

TIP TOP CHEMOLINE 5B unv.

Revision date: 30.10.2023

Product code: 00156-0532

Page 8 of 11

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Further information

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

Product contains low quantities of components with the classification "toxic for reproduction". Nevertheless it is not hazardous to health if inhaled, swallowed or in case of contact with skin under this form.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

Because of the low solubility a toxicity to aquatic organisms is not to be expected.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

Further information

191204

Do not flush into surface water or sanitary sewer system. Ecological injuries are not known or expected under normal use.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Can be incinerated, when in compliance with local regulations. Where possible recycling is preferred to disposal.

List of Wastes Code - residues/unused products

WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE; wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified; plastic and rubber

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.



according to UK REACH Regulation

	TIP TOP CHEMOLINE 5B unv.	
Revision date: 30.10.2023	Product code: 00156-0532	Page 9 of 11
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Inland waterways transport (ADN)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
No dangerous good in sense of this t	ransport regulation.	
14.7. Maritime transport in bulk according	to IMO instruments	
No dangerous good in sense of this t	ransport regulation.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture	
EU regulatory information		
Authorisations (REACH, annex XIV):		
Cubatanana af yam (binh as nam. C)	(UC (DEACLL article 50))	

Substances of very high concern, SVHC (REACH, article 59): Lead tetroxide; Ethylene thiourea

 Restrictions on use (REACH, annex XVII): Entry 30, Entry 63, Entry 75

 2004/42/EC (VOC):
 0 %

 Information according to 2012/18/EU
 Not subject to 2012/18/EU (SEVESO III)

 (SEVESO III):
 0 %

National regulatory information

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information



according to UK REACH Regulation

TIP TOP CHEMOLINE 5B unv.

Revision date: 30.10.2023

Product code: 00156-0532

Page 10 of 11

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

- RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
- ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation
 - intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

- MARPOL = International Convention for the Prevention of Pollution from Ships
- IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Carc. 2; H351	Calculation method
Repr. 1A; H360Df	Calculation method
STOT RE 2; H373	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H360D	May damage the unborn child.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH031	Contact with acids liberates toxic gas.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.



according to UK REACH Regulation

TIP TOP CHEMOLINE 5B unv.

Revision date: 30.10.2023

Product code: 00156-0532

Page 11 of 11

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations. (n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)