

Safety Data Sheet

according to UK REACH Regulation

TIP TOP COROPUR NON ABRASIVE WITH ACTIVATOR A-1949 (MV 10:1)

Revision date: 29.06.2022

Product code: 00359-1243

Page 2 of 15

Pictograms:**Hazard statements**

| | |
|------|--|
| H226 | Flammable liquid and vapour. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H317 | May cause an allergic skin reaction. |
| H351 | Suspected of causing cancer. |
| H335 | May cause respiratory irritation. |

Precautionary statements

| | |
|----------------|--|
| P202 | Do not handle until all safety precautions have been read and understood. |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P243 | Take action to prevent static discharges. |
| P260 | Do not breathe vapour. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P284 | Wear respiratory protection. |
| P302+P352 | IF ON SKIN: Wash with plenty of soap and water. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308+P313 | IF exposed or concerned: Get medical advice/attention. |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| P342+P311 | If experiencing respiratory symptoms: Call a POISON CENTER/doctor. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |
| P501 | Dispose of contents/container to in accordance with local and national regulations. |

Special labelling of certain mixtures

| | |
|--------|--|
| EUH204 | Contains isocyanates. May produce an allergic reaction. As from 24 August 2023 adequate training is required before industrial or professional use. |
|--------|--|

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Vapours may form explosive mixture with air.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Aromatic polyisocyanate

**Safety Data Sheet**

according to UK REACH Regulation

TIP TOP COROPUR NON ABRASIVE WITH ACTIVATOR A-1949 (MV 10:1)

Revision date: 29.06.2022

Product code: 00359-1243

Page 3 of 15

Hazardous components

| CAS No | Chemical name | Quantity | | |
|-------------|---|--------------|------------------|-----------|
| | EC No | Index No | REACH No | |
| | GHS Classification | | | |
| 1330-20-7 | Xylene (mixed isomers) | | | 5 - 10 % |
| | 215-535-7 | 601-022-00-9 | 01-2119488216-32 | |
| | Flam. Liq. 3, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, STOT RE 2, Asp. Tox. 1, Aquatic Chronic 3; H226 H332 H312 H315 H319 H335 H373 H304 H412 | | | |
| 28182-81-2 | Hexamethylene-1,6-diisocyanate, homopolymer | | | 5 - 10 % |
| | 500-060-2 | | 01-2119488934-20 | |
| | Acute Tox. 4, Skin Sens. 1, STOT SE 3; H332 H317 H335 | | | |
| 25686-28-6 | 4,4'-Methylenediphenyl diisocyanate, oligomers | | | 5 - 10 % |
| | 500-040-3 | | 01-2119457013-49 | |
| | Carc. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT SE 3, STOT RE 2; H351 H332 H315 H319 H334 H317 H335 H373 | | | |
| 123-86-4 | n-Butyl acetate | | | 5 - 10 % |
| | 204-658-1 | 607-025-00-1 | 01-2119485493-29 | |
| | Flam. Liq. 3, STOT SE 3; H226 H336 EUH066 | | | |
| 53317-61-6 | Aromatic polyisocyanate | | | 5 - 10 % |
| | 500-120-8 | | | |
| | Eye Irrit. 2, Skin Sens. 1; H319 H317 | | | |
| 103051-64-5 | Aromatic polyisocyanate | | | 2,5 - 5 % |
| | | | | |
| | Skin Sens. 1; H317 | | | |
| 147993-65-5 | Aromatic polyisocyanate | | | 2,5 - 5 % |
| | | | | |
| | Resp. Sens. 1, Skin Sens. 1; H334 H317 | | | |
| 100-41-4 | Ethyl benzene | | | 1 - 2,5 % |
| | 202-849-4 | 601-023-00-4 | 01-2119489370-35 | |
| | Flam. Liq. 2, Acute Tox. 4, STOT RE 2, Asp. Tox. 1, Aquatic Chronic 3; H225 H332 H373 H304 H412 | | | |
| 4083-64-1 | 4-isocyanatosulphonyltoluene | | | 1 - 2,5 % |
| | 223-810-8 | 615-012-00-7 | 01-2119980050-47 | |
| | Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, STOT SE 3; H315 H319 H334 H335 EUH014 | | | |
| 101-68-8 | Diphenylmethane-4,4'-diisocyanate | | | 1 - 2,5 % |
| | 202-966-0 | 615-005-00-9 | 01-2119457014-47 | |
| | Carc. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT SE 3, STOT RE 2; H351 H332 H315 H319 H334 H317 H335 H373 | | | |
| 5873-54-1 | Diphenylmethane-2,4'-diisocyanate | | | 1 - 2,5 % |
| | 227-534-9 | 615-005-00-9 | 01-2119480143-45 | |
| | Carc. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT SE 3, STOT RE 2; H351 H332 H315 H319 H334 H317 H335 H373 | | | |
| 872-50-4 | N-methyl-2-pyrrolidone | | | < 0,3 % |
| | 212-828-1 | 606-021-00-7 | 01-2119472430-46 | |
| | Repr. 1B, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H360D H315 H319 H335 | | | |
| 162627-17-0 | Fatty acids, C18-unsaturated, dimers, reaction products with N, N-dimethyl-1,3-propanediamine and 1,3-propanediamine | | | < 0,5 % |

**Safety Data Sheet**

according to UK REACH Regulation

TIP TOP COROPUR NON ABRASIVE WITH ACTIVATOR A-1949 (MV 10:1)

Revision date: 29.06.2022

Product code: 00359-1243

Page 4 of 15

| | |
|---------------------|------------------|
| 605-296-0 | 01-2119970640-38 |
| Skin Sens. 1A; H317 | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|--|-----------|--|-----------|
| Specific Conc. Limits, M-factors and ATE | | | |
| 1330-20-7 | 215-535-7 | Xylene (mixed isomers) | 5 - 10 % |
| inhalation: ATE = 11 mg/l (vapours); dermal: ATE = 1100 mg/kg | | | |
| 28182-81-2 | 500-060-2 | Hexamethylene-1,6-diisocyanate, homopolymer | 5 - 10 % |
| inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists) | | | |
| 25686-28-6 | 500-040-3 | 4,4'-Methylenediphenyl diisocyanate, oligomers | 5 - 10 % |
| inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists) | | | |
| 100-41-4 | 202-849-4 | Ethyl benzene | 1 - 2,5 % |
| inhalation: ATE = 11 mg/l (vapours) | | | |
| 4083-64-1 | 223-810-8 | 4-isocyanatosulphonyltoluene | 1 - 2,5 % |
| Skin Irrit. 2; H315: >= 5 - 100 Eye Irrit. 2; H319: >= 5 - 100 STOT SE 3; H335: >= 5 - 100 | | | |
| 101-68-8 | 202-966-0 | Diphenylmethane-4,4'-diisocyanate | 1 - 2,5 % |
| inhalation: ATE = 11 mg/l (vapours); inhalation: LC50 = 0,368 mg/l (dusts or mists); dermal: LD50 = > 9400 mg/kg; oral: LD50 = > 2000 mg/kg Skin Irrit. 2; H315: >= 5 - 100 Eye Irrit. 2; H319: >= 5 - 100 Resp. Sens. 1; H334: >= 0,1 - 100 STOT SE 3; H335: >= 5 - 100 | | | |
| 5873-54-1 | 227-534-9 | Diphenylmethane-2,4'-diisocyanate | 1 - 2,5 % |
| inhalation: ATE = 11 mg/l (vapours); inhalation: LC50 = 0,387 mg/l (dusts or mists); dermal: LD50 = > 9400 mg/kg; oral: LD50 = > 2000 mg/kg Skin Irrit. 2; H315: >= 5 - 100 Eye Irrit. 2; H319: >= 5 - 100 Resp. Sens. 1; H334: >= 0,1 - 100 STOT SE 3; H335: >= 5 - 100 | | | |
| 872-50-4 | 212-828-1 | N-methyl-2-pyrrolidone | < 0,3 % |
| inhalation: LC50 = 5000 mg/l (dusts or mists); dermal: LD50 = > 5,1 mg/kg; oral: LD50 = 4150 mg/kg STOT SE 3; H335: >= 10 - 100 | | | |

Further Information

SVHC substance [Regulation (EC) No 1907/2006, Article 57]

N-methyl-2-pyrrolidone

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Remove contaminated soaked clothing immediately.

If you feel unwell, seek medical advice.

Take away from danger area and lay down affected person.

In case of the person being unconscious put him/her in a stable side position.

After inhalation

Move to fresh air in case of accidental inhalation of vapours or decomposition products.

Refer for medical treatment.

If patient is not breathing, apply artificial respiration.

After contact with skin

Wash off with soap and plenty of water.

Consult a doctor if skin irritation persists.

Do not use solvents or thinners.

After contact with eyes

Remove contact lens.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Seek medical treatment by eye specialist.



Safety Data Sheet

according to UK REACH Regulation

TIP TOP COROPUR NON ABRASIVE WITH ACTIVATOR A-1949 (MV 10:1)

Revision date: 29.06.2022

Product code: 00359-1243

Page 5 of 15

After ingestion

- Do not induce vomiting.
- Rinse out mouth and give plenty of water to drink.
- Never give anything by mouth to an unconscious person.
- Summon a doctor immediately.
- Induce vomiting only upon the advice of a physician.

4.2. Most important symptoms and effects, both acute and delayed

- Causes skin irritation.
- May cause an allergic skin reaction.
- Causes serious eye irritation.
- May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- May cause respiratory irritation.
- Suspected of causing cancer.
- Attention. Beware, danger of aspiration.

4.3. Indication of any immediate medical attention and special treatment needed

- Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

- Alcohol-resistant foam, dry chemical, carbon dioxide (CO₂), water-spray.

Unsuitable extinguishing media

- Full water jet

5.2. Special hazards arising from the substance or mixture

- Fire may produce:
carbon monoxide (CO), carbon dioxide (CO₂) and nitrogen oxides (NO_x)

5.3. Advice for firefighters

- Wear self-contained breathing apparatus and protective suit.

Additional information

- Cool containers at risk with water spray jet.
- The vapour/air mixture is explosive, even in empty, uncleaned receptacles.
- Vapours are heavier than air and spread along ground.
- Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

- Use only explosion-proof equipment.
- Ensure adequate ventilation.
- Keep away sources of ignition.
- Keep away noninvolved persons.

For non-emergency personnel

- Do not breathe vapours.
- Avoid contact with skin, eyes and clothing.

For emergency responders

- In case of vapour formation use respirator.
- Use personal protective clothing.

6.2. Environmental precautions

- Do not discharge into the drains/surface waters/ground water.
- Inform competent authority about release into the sewage, ground or into waters.



Safety Data Sheet

according to UK REACH Regulation

TIP TOP COROPUR NON ABRASIVE WITH ACTIVATOR A-1949 (MV 10:1)

Revision date: 29.06.2022

Product code: 00359-1243

Page 6 of 15

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

Container can be pressurized by carbon dioxide due to reaction with humid air and/or water.

Container should not be gas-tight closed.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed.

Keep a good ventilation and air-exhaust at the place of work.

Vapours are heavier than air and spread along ground.

Avoid contact with the skin and the eyes.

When using do not eat, drink or smoke.

Do not empty container under pressure. No pressure tank!

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Do not smoke.

Take precautionary measures against static discharges.

Use only explosion-proof equipment.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

Pay attention to anti-explosion protection rules.

Protect from heat and direct solar radiation.

Storage temperature between 15°C to 30°C

Hints on joint storage

Incompatible with:

Oxidizing agents

Acids and bases.

Water, amines, alcohols

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Coating component

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

**Safety Data Sheet**

according to UK REACH Regulation

TIP TOP COROPUR NON ABRASIVE WITH ACTIVATOR A-1949 (MV 10:1)

Revision date: 29.06.2022

Product code: 00359-1243

Page 7 of 15

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|-----------|---|-----|-------------------|-----------|---------------|--------|
| 872-50-4 | 1-Methyl-2-pyrrolidone | 10 | 40 | | TWA (8 h) | WEL |
| | | 20 | 80 | | STEL (15 min) | WEL |
| 123-86-4 | Butyl acetate | 150 | 724 | | TWA (8 h) | WEL |
| | | 200 | 966 | | STEL (15 min) | WEL |
| 100-41-4 | Ethylbenzene | 100 | 441 | | TWA (8 h) | WEL |
| | | 125 | 552 | | STEL (15 min) | WEL |
| - | Isocyanates, all (as -NCO) Except methyl isocyanate | - | 0.02 | | TWA (8 h) | WEL |
| | | - | 0.07 | | STEL (15 min) | WEL |
| 1330-20-7 | Xylene: mixed isomers | 50 | 220 | | TWA (8 h) | WEL |
| | | 100 | 441 | | STEL (15 min) | WEL |

Biological Monitoring Guidance Values (EH40)

| CAS No | Substance | Parameter | Value | Test material | Sampling time |
|-----------|-------------------------------------|-----------------------------------|--------------|---------------|---------------|
| 1330-20-7 | Xylene, o-, m-, p- or mixed isomers | methyl hippuric acid (creatinine) | 650 mmol/mol | urine | Post shift |

DNEL/DMEL values

| CAS No | Substance | DNEL type | Exposure route | Effect | Value |
|----------|------------------------|------------------------|----------------|----------|------------------------|
| 872-50-4 | N-methyl-2-pyrrolidone | Worker DNEL, long-term | inhalation | systemic | 14,4 mg/m ³ |
| | | Worker DNEL, long-term | inhalation | local | 40 mg/m ³ |
| | | Worker DNEL, long-term | dermal | systemic | 4,8 mg/kg bw/day |
| | | Worker DNEL, acute | dermal | systemic | 208 mg/kg bw/day |
| | | Worker DNEL, acute | inhalation | systemic | 80 mg/m ³ |

PNEC values

| CAS No | Substance | Environmental compartment | Value |
|----------|------------------------|--|------------|
| 872-50-4 | N-methyl-2-pyrrolidone | Freshwater | 0,25 mg/l |
| | | Freshwater (intermittent releases) | 5 mg/l |
| | | Marine water | 0,025 mg/l |
| | | Freshwater sediment | 1,09 mg/l |
| | | Marine sediment | 0,109 mg/l |
| | | Micro-organisms in sewage treatment plants (STP) | 10 mg/l |
| | | Soil | 0,07 mg/l |

8.2. Exposure controls**Appropriate engineering controls**

Ensure adequate ventilation, especially in confined areas.

**Safety Data Sheet**

according to UK REACH Regulation

TIP TOP COROPUR NON ABRASIVE WITH ACTIVATOR A-1949 (MV 10:1)

Revision date: 29.06.2022

Product code: 00359-1243

Page 8 of 15

Protective and hygiene measures

- Do not inhale vapours.
- Wash hands before breaks and immediately after handling the product.
- When using do not eat, drink or smoke.
- Treat subsequently with skin cream.
- Remove and wash contaminated clothing before re-use.

Eye/face protection

- Tightly fitting goggles (EN 166).
- Eye wash bottle with pure water (EN 15154).

Hand protection

- Protective gloves resistant to chemicals made of nitrile, minimum coat thickness 0.4 mm, permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove <Camatril Velours 730> made by www.kcl.de.
- This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.
- Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Skin protection

- Long sleeved clothing (DIN EN ISO 6530)

Respiratory protection

- In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | |
|-----------------|----------------|
| Physical state: | Liquid |
| Colour: | Various |
| Odour: | Characteristic |

| | |
|-----------|--------------------|
| | Test method |
| pH-Value: | n.d. |

Changes in the physical state

| | |
|---|-----------------------|
| Melting point/freezing point: | n.d. |
| Boiling point or initial boiling point and boiling range: | 126 °C *) |
| Sublimation point: | n.a. |
| Softening point: | n.d. |
| Flash point: | 28 °C DIN 53213 |
| Sustaining combustion: | Sustaining combustion |

Flammability

| | |
|---------------|------|
| Solid/liquid: | n.a. |
| Gas: | n.a. |

Explosive properties

The product is considered non-explosive; nevertheless explosive vapour/air mixture can be generated.

| | |
|----------------------------|------------------|
| Lower explosion limits: | 2,27 vol. % (**) |
| Upper explosion limits: | 8,1 vol. % (**) |
| Auto-ignition temperature: | 180 °C |

Self-ignition temperature

| | |
|--------|------|
| Solid: | n.a. |
| Gas: | n.a. |

**Safety Data Sheet**

according to UK REACH Regulation

TIP TOP COROPUR NON ABRASIVE WITH ACTIVATOR A-1949 (MV 10:1)

Revision date: 29.06.2022

Product code: 00359-1243

Page 9 of 15

| | |
|--|---------------------------|
| Decomposition temperature: | n.d. |
| Oxidizing properties | |
| Not oxidising. | |
| Vapour pressure: (at 20 °C) | 1,55 hPa |
| Density (at 20 °C): | 1,32 g/cm ³ |
| Bulk density: | n.a. |
| Water solubility: (at 20 °C) | Immiscible |
| Solubility in other solvents | |
| n.d. | |
| Partition coefficient n-octanol/water: | n.d. |
| Viscosity / dynamic: | n.d. |
| Viscosity / kinematic: (at 40 °C) | > 20,5 mm ² /s |
| Flow time: (at 20 °C) | 300 s 4 DIN EN ISO 2431 |
| Relative vapour density: | n.d. |
| Solvent separation test: | < 3 % |
| Solvent content: | 21 % |
| 9.2. Other information | |
| Solid content: | 79 % |
| (*) n-Butyl acetate | |
| (**) Ethyl benzene | |

SECTION 10: Stability and reactivity**10.1. Reactivity**

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents

Reacts with: Water, amines, alcohols

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

Heating can release vapours which can be ignited.

Vapour/air-mixtures are explosive at intense warming.

10.5. Incompatible materials

Strong oxidizing agents

Strong acids and strong bases

Water, amines, alcohols

10.6. Hazardous decomposition products

No hazardous decomposition products known.

Fire may produce:

Carbon monoxide (CO), carbon dioxide (CO₂) and nitrogen oxides (NO_x)

Hydrogen cyanide gas, Isocyanates

Safety Data Sheet

according to UK REACH Regulation

TIP TOP COROPUR NON ABRASIVE WITH ACTIVATOR A-1949 (MV 10:1)

Revision date: 29.06.2022

Product code: 00359-1243

Page 10 of 15

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.
No toxicological data available.

ATEmix calculated

ATE (dermal) 11111,1 mg/kg; ATE (inhalation vapour) 30,26 mg/l; ATE (inhalation dust/mist) 6,250 mg/l

Irritation and corrosivity

Causes skin irritation.
Causes serious eye irritation.
Skin irritation: Not classified.

Sensitising effects

Contains isocyanates. May produce an allergic reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. (4,4'-Methylenediphenyl diisocyanate, oligomers; Aromatic polyisocyanate; 4-isocyanatosulphonyltoluene; Diphenylmethane-4,4'-diisocyanate; Diphenylmethane-2,4'-diisocyanate) May cause an allergic skin reaction. (Hexamethylene-1,6-diisocyanate, homopolymer; 4,4'-Methylenediphenyl diisocyanate, oligomers; Aromatic polyisocyanate; Aromatic polyisocyanate; Aromatic polyisocyanate; Diphenylmethane-4,4'-diisocyanate; Diphenylmethane-2,4'-diisocyanate; Fatty acids, C18-unsaturated, dimers, reaction products with N, N-dimethyl-1,3-propanediamine and 1,3-propanediamine)

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (4,4'-Methylenediphenyl diisocyanate, oligomers; Diphenylmethane-4,4'-diisocyanate; Diphenylmethane-2,4'-diisocyanate)
Germ cell mutagenicity: Based on available data, the classification criteria are not met.
Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
Inhalation of high concentrations may cause injuries to liver, kidneys and central nervous system.
A longer or repeated contact may lead to irritation of eyes and mucous membranes.
Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.
With hypersensitive people, reactions as cough or difficulty of breathing may appear even with tiny concentrations of isocyanates; therefore keep room aerated and ventilated.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.
Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

Safety Data Sheet

according to UK REACH Regulation

TIP TOP COROPUR NON ABRASIVE WITH ACTIVATOR A-1949 (MV 10:1)

Revision date: 29.06.2022

Product code: 00359-1243

Page 11 of 15

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Low hazard to waters.

Further information

Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Can be incinerated, when in compliance with local regulations.
Where possible recycling is preferred to disposal.

List of Wastes Code - residues/unused products

080111 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish containing organic solvents or other hazardous substances; hazardous waste

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.
Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.
Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 1263

14.2. UN proper shipping name: Paint

14.3. Transport hazard class(es): 3

14.4. Packing group: III

Hazard label: 3



Classification code: F1
Limited quantity: 5 L / 30 kg
Excepted quantity: E1
Transport category: 3
Hazard No: 30
Tunnel restriction code: D/E

Safety Data Sheet

according to UK REACH Regulation

TIP TOP COROPUR NON ABRASIVE WITH ACTIVATOR A-1949 (MV 10:1)

Revision date: 29.06.2022

Product code: 00359-1243

Page 12 of 15

Other applicable information (land transport)

Viscous substance - excepted quantity if in containers with a capacity up to 450 l (subsection 2.2.3.1.5 ADR).

Inland waterways transport (ADN)

14.1. UN number: UN 1263
14.2. UN proper shipping name: Paint
14.3. Transport hazard class(es): 3
14.4. Packing group: III
Hazard label: 3



Classification code: F1
Limited quantity: 5 L / 30 kg
Excepted quantity: E1

Other applicable information (inland waterways transport)

Viscous substance - excepted quantity if in containers with a capacity up to 450 l (subsection 2.2.3.1.5 ADN).

Marine transport (IMDG)

14.1. UN number: UN 1263
14.2. UN proper shipping name: Paint
14.3. Transport hazard class(es): 3
14.4. Packing group: III
Hazard label: 3



Marine pollutant: No
Limited quantity: 5 L / 30 kg
Excepted quantity: E1
EmS: F-E, S-E

Other applicable information (marine transport)

Viscous substance - excepted quantity if in containers with a capacity up to 30 l (subsection 2.3.2.5 IMDG Code).

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1263
14.2. UN proper shipping name: Paint
14.3. Transport hazard class(es): 3
14.4. Packing group: III
Hazard label: 3



Limited quantity Passenger: 10 L
Passenger LQ: Y344
Excepted quantity: E1
IATA-packing instructions - Passenger: 355
IATA-max. quantity - Passenger: 60 L
IATA-packing instructions - Cargo: 366



Safety Data Sheet

according to UK REACH Regulation

TIP TOP COROPUR NON ABRASIVE WITH ACTIVATOR A-1949 (MV 10:1)

Revision date: 29.06.2022

Product code: 00359-1243

Page 13 of 15

IATA-max. quantity - Cargo: 220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Handle in accordance with good industrial hygiene and safety practices.

14.7. Maritime transport in bulk according to IMO instruments

The transport takes place only in approved and appropriate packaging.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):

N-methyl-2-pyrrolidone

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 30, Entry 40, Entry 56, Entry 75

2010/75/EU (VOC): 267 g/l

Information according to 2012/18/EU P5c FLAMMABLE LIQUIDS

(SEVESO III):

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,6,7,8,9,10,11,12,13,14,15.

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

**Safety Data Sheet**

according to UK REACH Regulation

TIP TOP COROPUR NON ABRASIVE WITH ACTIVATOR A-1949 (MV 10:1)

Revision date: 29.06.2022

Product code: 00359-1243

Page 14 of 15

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|---------------------|--------------------------|
| Flam. Liq. 3; H226 | On basis of test data |
| Skin Irrit. 2; H315 | Calculation method |
| Eye Irrit. 2; H319 | Calculation method |
| Resp. Sens. 1; H334 | Calculation method |
| Skin Sens. 1; H317 | Calculation method |
| Carc. 2; H351 | Calculation method |
| STOT SE 3; H335 | Calculation method |

Relevant H and EUH statements (number and full text)

| | |
|--------|--|
| H225 | Highly flammable liquid and vapour. |
| H226 | Flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H312 | Harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H335 | May cause respiratory irritation. |
| H336 | May cause drowsiness or dizziness. |
| H351 | Suspected of causing cancer. |
| H360D | May damage the unborn child. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH014 | Reacts violently with water. |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |
| EUH204 | Contains isocyanates. May produce an allergic reaction. |

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)



Safety Data Sheet

according to UK REACH Regulation

TIP TOP COROPUR NON ABRASIVE WITH ACTIVATOR A-1949 (MV 10:1)

Revision date: 29.06.2022

Product code: 00359-1243

Page 15 of 15

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)