

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**ESKANOL PO CONCRETE**

Revision date: 14.04.2021

Product code: 00359-1315

Page 1 of 8

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

ESKANOL PO CONCRETE

**Art.-No.**

10389

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

filler

**1.3. Details of the supplier of the safety data sheet**

Company name: TIP TOP Oberflächenschutz Elbe GmbH

Street: Heuweg 4

Place: D-06886 Wittenberg

Telephone: +49(0)3491/635-50

Telefax: +49(0)3491/635-552

Contact person: Laborleiter

Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

**1.4. Emergency telephone number:**INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)  
In England and Wales: NHS 111 In Scotland: NHS 24 - dial 111**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

**2.2. Label elements****Additional advice on labelling**

The product does not require a hazard warning label in accordance with EC directives/the relevant national laws.

**2.3. Other hazards**

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

Long-term and/or strong inhalation of respirable quartz fine dust can lead to pneumoconiosis, also known as silicosis.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Mixture of quartz

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Remove and wash contaminated clothing before re-use.

**After inhalation**

Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.

In the event of symptoms refer for medical treatment.

**After contact with skin**

No specific precautions required.



# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## ESKANOL PO CONCRETE

Revision date: 14.04.2021

Product code: 00359-1315

Page 2 of 8

### After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
If eye irritation persists, consult a specialist.

### After ingestion

In the event of symptoms refer for medical treatment.

### 4.2. Most important symptoms and effects, both acute and delayed

Product dust may be irritating to eyes, skin and respiratory system.  
Inhalation of dust may cause irritations of mucous membranes, cough and shortness of breath.  
Long-term and/or strong inhalation of respirable quartz fine dust can lead to pneumoconiosis, also known as silicosis.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.

#### Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

Not known.

### 5.3. Advice for firefighters

In case of fire, wear suitable respiratory equipment with positive air supply.  
Protective suit.

### Additional information

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General measures

Avoid the formation and deposition of dust.  
Ensure adequate ventilation.

#### For non-emergency personnel

Do not breathe dust.

#### For emergency responders

In case of respirable dust, use a self-contained breathing apparatus.  
Use personal protective clothing.

### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

### 6.3. Methods and material for containment and cleaning up

#### For containment

No special measures required.

#### For cleaning up

Pick up mechanically, avoiding dust, and provide disposal in suitable recipients.  
Where possible recycling is preferred to disposal.

### 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).  
Information for disposal see section 13.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**ESKANOL PO CONCRETE**

Revision date: 14.04.2021

Product code: 00359-1315

Page 3 of 8

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

- Keep container tightly closed.
- Avoid the formation and deposition of dust.
- Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

**Advice on protection against fire and explosion**

- No special protective measures against fire required.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

- Keep container tightly closed in a dry, cool and well-ventilated place.

**Hints on joint storage**

- No materials to be especially mentioned.

**Further information on storage conditions**

- Keep away from food, drink and animal feeding stuffs.

**7.3. Specific end use(s)**

filler

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Additional advice on limit values**

- Obey TLV for common dust, if applicable.

**8.2. Exposure controls****Appropriate engineering controls**

- Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

**Protective and hygiene measures**

- Do not breathe dust.
- Wash hands before breaks and at the end of workday.
- When using do not eat, drink or smoke.
- Remove and wash contaminated clothing before re-use.

**Eye/face protection**

- Safety goggles with side protection (EN 166).

**Hand protection**

Chemical protective gloves made of nitrile, nitrile/cotton, butyl or neoprene, with a minimum thickness of 0.7 mm, permeation time of approx. 480 minutes.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Pls. find examples in the protective gloves database under: <http://bestglove.com/site/chemrest/>

**Skin protection**

- Long sleeved clothing (DIN EN ISO 6530)

**Respiratory protection**

- Breathing apparatus (particle filter) only if dust is formed.
- Half mask with a particle filter P2 (European Norm EN 143 = former DIN 3181).

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**ESKANOL PO CONCRETE**

Revision date: 14.04.2021

Product code: 00359-1315

Page 4 of 8

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state: Powder  
Colour: Grey / White  
Odour: Odourless

**Test method**

pH-Value (at 20 °C): 5 - 8 40%

**Changes in the physical state**

Melting point: approx. 1710 °C  
Sublimation point: n.a.  
Softening point: n.a.  
Flash point: n.a.  
Sustaining combustion: Not sustaining combustion

**Flammability**

Solid/liquid: Not flammable.  
Gas: n.a.

**Explosive properties**

The product is not explosive.

Lower explosion limits: n.a.  
Upper explosion limits: n.a.  
Auto-ignition temperature: n.a.

**Self-ignition temperature**

Solid: n.a.  
Gas: n.a.

Decomposition temperature: ~ 2000 °C

**Oxidizing properties**

Not oxidising.

Vapour pressure: n.a.  
(at 20 °C)

Density (at 20 °C): 2,65 g/cm<sup>3</sup>

Bulk density: n.d.

Water solubility: More or less insoluble  
(at 20 °C)

Viscosity / dynamic: n.a.

Viscosity / kinematic: n.a.

Flow time: n.a.

Relative vapour density: n.a.

Evaporation rate: n.a.

Solvent separation test: 0 %

Solvent content: 0 %

**9.2. Other information**

Solid content: 100 %

**SECTION 10: Stability and reactivity**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**ESKANOL PO CONCRETE**

Revision date: 14.04.2021

Product code: 00359-1315

Page 5 of 8

**10.1. Reactivity**

No decomposition if stored and applied as directed.

**10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

No hazardous reactions known.

**10.4. Conditions to avoid**

Not known.

**10.5. Incompatible materials**

No materials to be especially mentioned.

**10.6. Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**Based on available data, the classification criteria are not met.  
No toxicological data available.**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Additional information on tests**

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

**11.2. Information on other hazards****Endocrine disrupting properties**

No data available

**Other information**Product dust may be irritating to eyes, skin and respiratory system.  
Inhalation of dust may cause irritations of mucous membranes, cough and shortness of breath.  
Long-term and/or strong inhalation of respirable quartz fine dust can lead to pneumoconiosis, also known as silicosis.**SECTION 12: Ecological information****12.1. Toxicity**

Ecological data are not available.

**12.2. Persistence and degradability**

No data available

**12.3. Bioaccumulative potential**

No data available

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**ESKANOL PO CONCRETE**

Revision date: 14.04.2021

Product code: 00359-1315

Page 6 of 8

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

**12.6. Endocrine disrupting properties**

No data available

**12.7. Other adverse effects**

No data available

**Further information**

Do not flush into surface water or sanitary sewer system.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations. Where possible recycling is preferred to disposal.

**List of Wastes Code - residues/unused products**

080299 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of other coatings (including ceramic materials); wastes not otherwise specified

**Contaminated packaging**

Empty containers should be taken for local recycling, recovery or waste disposal. Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of like the product.

**SECTION 14: Transport information****Land transport (ADR/RID)**

- 14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Inland waterways transport (ADN)**

- 14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)**

- 14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Air transport (ICAO-TI/IATA-DGR)**

- 14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**ESKANOL PO CONCRETE**

Revision date: 14.04.2021

Product code: 00359-1315

Page 7 of 8

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

No dangerous good in sense of this transport regulation.

**14.7. Maritime transport in bulk according to IMO instruments**

No dangerous good in sense of this transport regulation.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2004/42/EC (VOC): 0 %

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

Water hazard class (D): - - non-hazardous to water

**15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1,2,3,4,6,7,9,11,12,15.

**Abbreviations and acronyms**

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**ESKANOL PO CONCRETE**

Revision date: 14.04.2021

Product code: 00359-1315

Page 8 of 8

**Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*