



# Safety Data Sheet

according to UK REACH Regulation

## TIP TOP HARDENER No. 1 CLEAR / TIP TOP HARDENER No. 1 RED

Revision date: 22.01.2021

Product code: 00359-1065

Page 2 of 11

### GB CLP Regulation

#### Hazard components for labelling

Dimethylbenzyl hydroperoxide  
Cumene  
acetophenone

**Signal word:** Danger

**Pictograms:**



#### Hazard statements

H242 Heating may cause a fire.  
H331 Toxic if inhaled.  
H302+H312 Harmful if swallowed or in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H335 May cause respiratory irritation.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H304 May be fatal if swallowed and enters airways.  
H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260 Do not breathe vapour.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P405 Store locked up.  
P273 Avoid release to the environment.

### 2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.  
Vapours may form explosive mixture with air.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixture containing following substances with additives

**Safety Data Sheet**

according to UK REACH Regulation

**TIP TOP HARDENER No. 1 CLEAR / TIP TOP HARDENER No. 1 RED**

Revision date: 22.01.2021

Product code: 00359-1065

Page 3 of 11

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
80-15-9	Dimethylbenzyl hydroperoxide			80 - 90 %
	201-254-7	617-002-00-8	01-2119475796-19	
	Org. Perox. E, Acute Tox. 3, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, STOT RE 2, Aquatic Chronic 2; H242 H331 H312 H302 H314 H373 H411			
98-82-8	Cumene			10 - 20 %
	202-704-5	601-024-00-X	01-2119473983-24	
	Flam. Liq. 3, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H226 H335 H304 H411			
1330-20-7	Xylene (mixed isomers)			5 - 10 %
	215-535-7	601-022-00-9	01-2119488216-32	
	Flam. Liq. 3, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, STOT RE 2, Asp. Tox. 1, Aquatic Chronic 3; H226 H332 H312 H315 H319 H335 H373 H304 H412			
98-86-2	acetophenone			0,1 - 1 %
	202-708-7	606-042-00-1	01-2119533169-37	
	Acute Tox. 4, Eye Irrit. 2; H302 H319			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Remove contaminated soaked clothing immediately.  
Adhere to personal protective measures when giving first aid.  
Symptoms of poisoning may not appear for several hours. Keep under medical supervision for at least 48 hours.

**After inhalation**

Supply fresh air, if required oxygen, consult a physician.  
If patient is not breathing, apply artificial respiration.  
Remove the casualty into fresh air and keep him immobile.  
In case of the person being unconscious put him/her in a stable side position.

**After contact with skin**

Wash off immediately with soap and plenty of water.  
Consult a doctor if skin irritation persists.

**After contact with eyes**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Seek medical treatment by eye specialist.

**After ingestion**

Summon a doctor immediately.  
Rinse out mouth and give plenty of water to drink.  
Never give anything by mouth to an unconscious person.  
Induce vomiting only upon the advice of a physician.

**4.2. Most important symptoms and effects, both acute and delayed**

Toxic if inhaled.  
Harmful if swallowed or in contact with skin.  
May be fatal if swallowed and enters airways.  
Causes severe skin burns and eye damage.



# Safety Data Sheet

according to UK REACH Regulation

## TIP TOP HARDENER No. 1 CLEAR / TIP TOP HARDENER No. 1 RED

Revision date: 22.01.2021

Product code: 00359-1065

Page 4 of 11

May cause respiratory irritation.  
May cause damage to organs through prolonged or repeated exposure.

### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptoms.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Alcohol-resistant foam, dry chemical, carbon dioxide (CO<sub>2</sub>), water-spray.

#### **Unsuitable extinguishing media**

Full water jet

### **5.2. Special hazards arising from the substance or mixture**

Fire may produce:  
carbon monoxide and carbon dioxide  
Hydrocarbons

### **5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective suit.

#### **Additional information**

Cool containers at risk with water spray jet.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

In case of vapour formation use respirator.  
Ensure adequate ventilation.  
Use personal protective clothing.  
Keep away sources of ignition.

### **6.2. Environmental precautions**

Do not discharge into the drains/surface waters/ground water.

### **6.3. Methods and material for containment and cleaning up**

Shovel into suitable container for disposal.  
Soak up with inert absorbent material (e.g. vermiculite, clean sand).  
Dilute larger quantities of desensitization agent (e.g. fuel oil) to < 10% before disposal.

### **6.4. Reference to other sections**

Observe protective instructions (see Sections 7 and 8).  
Information for disposal see section 13.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

#### **Advice on safe handling**

Wash hands before breaks and at the end of workday.  
Provide appropriate ventilation and exhaust ventilation at the workplaces.  
Use only in thoroughly ventilated areas.  
When using do not eat, drink or smoke.  
Product may only come into contact with suitable materials, such as e.g. polyethylene or high-grade steel.  
Keep away from soil, rust, chemicals, strong acids and bases and accelerators.

#### **Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking.  
Keep away from open flames, hot surfaces and sources of ignition.  
Use explosion-proof equipment / fittings and non-sparking tools.



# Safety Data Sheet

according to UK REACH Regulation

## TIP TOP HARDENER No. 1 CLEAR / TIP TOP HARDENER No. 1 RED

Revision date: 22.01.2021

Product code: 00359-1065

Page 5 of 11

Vapours can form an explosive mixture with air.  
Avoid impact and friction.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.  
Keep only in original container.  
Storage temperature between 0°C to 30°C (=32°F to 86°F).

#### Hints on joint storage

Storage together with other hazardous substances is not allowed.

#### Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

### 7.3. Specific end use(s)

Hardener

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
98-82-8	Cumene	25	125		TWA (8 h)	WEL
		50	250		STEL (15 min)	WEL
1330-20-7	Xylene: mixed isomers	50	220		TWA (8 h)	WEL
		100	441		STEL (15 min)	WEL

#### Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
1330-20-7	Xylene, o-, m-, p- or mixed isomers	methyl hippuric acid (creatinine)	650 mmol/mol	urine	Post shift

### 8.2. Exposure controls

#### Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

#### Protective and hygiene measures

Avoid contact with eyes and skin.  
Wash hands before breaks and immediately after handling the product.  
Treat subsequently with skin cream.  
When using do not eat, drink or smoke.  
Remove and wash contaminated clothing before re-use.

#### Eye/face protection

Tightly fitting goggles (EN 166).  
Eye wash bottle with pure water (EN 15154).

#### Hand protection

Chemical protective gloves made of nitrile, nitrile/cotton, butyl or neoprene, with a minimum thickness of 0.7 mm, permeation time of approx. 480 minutes.  
This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.  
Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.



# Safety Data Sheet

according to UK REACH Regulation

## TIP TOP HARDENER No. 1 CLEAR / TIP TOP HARDENER No. 1 RED

Revision date: 22.01.2021

Product code: 00359-1065

Page 6 of 11

Pls. find examples in the protective gloves database under: <http://bestglove.com/site/chemrest/>

### Skin protection

Long sleeved clothing (DIN EN ISO 6530)  
Apron (EN 467).

### Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Clear or red
Odour:	Characteristic

#### Test method

pH-Value:	n.d.
-----------	------

### Changes in the physical state

Melting point/freezing point:	n.a.
Boiling point or initial boiling point and boiling range:	n.a.
Sublimation point:	n.a.
Softening point:	n.a.
Flash point:	64 °C

### Flammability

Solid:	n.a.
Gas:	n.a.

### Explosive properties

The product is considered non-explosive; nevertheless explosive vapour/air mixture can be generated.

Lower explosion limits:	n.d.
Upper explosion limits:	n.d.
Auto-ignition temperature:	n.d.

### Self-ignition temperature

Solid:	n.a.
Gas:	n.a.

Decomposition temperature:	+80 °C (SADT)
----------------------------	---------------

### Oxidizing properties

Oxidizing

Vapour pressure: (at 20 °C)	n.d.
Density (at 20 °C):	1,04 g/cm <sup>3</sup>
Water solubility: (at 20 °C)	n.d.
Partition coefficient n-octanol/water:	n.d.
Viscosity / dynamic: (at 20 °C)	15 mPa·s
Viscosity / kinematic:	n.d.
Relative vapour density:	n.d.
Evaporation rate:	n.d.



# Safety Data Sheet

according to UK REACH Regulation

## TIP TOP HARDENER No. 1 CLEAR / TIP TOP HARDENER No. 1 RED

Revision date: 22.01.2021

Product code: 00359-1065

Page 7 of 11

Solvent content:

&lt; 20 %

### **9.2. Other information**

Active oxygen: 8,3 - 8,7%

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**

No decomposition if stored normally.

### **10.2. Chemical stability**

Stable under normal conditions.

### **10.3. Possibility of hazardous reactions**

Reacts with:

Soil, rust, chemicals, strong acids and bases and accelerators (heavy metal salts, amines).

### **10.4. Conditions to avoid**

To avoid thermal decomposition, do not overheat.

Self-Accelerating decomposition temperature (SADT) 80°C.

### **10.5. Incompatible materials**

Soil, rust, chemicals, strong acids and bases and accelerators (heavy metal salts, amines).

### **10.6. Hazardous decomposition products**

No hazardous decomposition products known.

Fire may produce:

Carbon monoxide and carbon dioxide

Hydrocarbons

## **SECTION 11: Toxicological information**

### **11.1. Information on toxicological effects**

#### **Acute toxicity**

Toxic if inhaled.

Harmful if swallowed.

Harmful in contact with skin.

No toxicological data available.

#### **Irritation and corrosivity**

Causes severe skin burns and eye damage.

#### **Sensitising effects**

Based on available data, the classification criteria are not met.

#### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

#### **STOT-single exposure**

May cause respiratory irritation. (Dimethylbenzyl hydroperoxide; Cumene)

#### **STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure. (Dimethylbenzyl hydroperoxide)

#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

#### **Additional information on tests**

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

#### **Practical experience**

#### **Other observations**

Danger of perforation of the gullet and of the stomach.

## Safety Data Sheet

according to UK REACH Regulation

### TIP TOP HARDENER No. 1 CLEAR / TIP TOP HARDENER No. 1 RED

Revision date: 22.01.2021

Product code: 00359-1065

Page 8 of 11

#### SECTION 12: Ecological information

##### 12.1. Toxicity

Ecological data are not available.  
Toxic to aquatic life with long lasting effects.  
Dimethylbenzyl hydroperoxide  
LC50/Leuciscus idus = 10 - 100 mg/l

##### 12.2. Persistence and degradability

No data available

##### 12.3. Bioaccumulative potential

No data available

##### 12.4. Mobility in soil

No data available

##### 12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

##### 12.6. Other adverse effects

Hazardous water pollutant.  
Risk of drinking water contamination even when low quantities are released into the ground.

##### Further information

Do not flush into surface water or sanitary sewer system.

#### SECTION 13: Disposal considerations

##### 13.1. Waste treatment methods

###### **Disposal recommendations**

In compliance with regulations by local authorities this can be subjected to a special treatment (e.g. thermal utilization) after dilution with an inert inflammable solvent (e.g. fuel oil) to 10%.  
Where possible recycling is preferred to disposal.

###### **Contaminated packaging**

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.  
Packaging that cannot be cleaned should be disposed of like the product.

#### SECTION 14: Transport information

##### **Land transport (ADR/RID)**

<b>14.1. UN number:</b>	UN 3109
<b>14.2. UN proper shipping name:</b>	ORGANIC PEROXIDE TYPE F, LIQUID (Dimethylbenzyl hydroperoxide)
<b>14.3. Transport hazard class(es):</b>	5.2
<b>14.4. Packing group:</b>	-
Hazard label:	5.2+8



Classification code:	P1
Limited quantity:	125 mL / 30 kg
Excepted quantity:	E0
Transport category:	2
Hazard No:	539



# Safety Data Sheet

according to UK REACH Regulation

## TIP TOP HARDENER No. 1 CLEAR / TIP TOP HARDENER No. 1 RED

Revision date: 22.01.2021

Product code: 00359-1065

Page 9 of 11

Tunnel restriction code: D

### Inland waterways transport (ADN)

**14.1. UN number:** UN 3109  
**14.2. UN proper shipping name:** ORGANIC PEROXIDE TYPE F, LIQUID (Dimethylbenzyl hydroperoxide)  
**14.3. Transport hazard class(es):** 5.2  
**14.4. Packing group:** -  
Hazard label: 5.2+8



Classification code: P1  
Limited quantity: 125 mL / 30 kg  
Excepted quantity: E0

### Marine transport (IMDG)

**14.1. UN number:** UN 3109  
**14.2. UN proper shipping name:** ORGANIC PEROXIDE TYPE F, LIQUID (cumyl hydroperoxide)  
**14.3. Transport hazard class(es):** 5.2  
**14.4. Packing group:** -  
Hazard label: 5.2+8



Marine pollutant: Yes  
Limited quantity: 125 mL  
Excepted quantity: E0  
EmS: F-J, S-R

### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 3109  
**14.2. UN proper shipping name:** ORGANIC PEROXIDE TYPE F, LIQUID (cumyl hydroperoxide)  
**14.3. Transport hazard class(es):** 5.2  
**14.4. Packing group:** -  
Hazard label: 5.2+8



Limited quantity Passenger: Forbidden  
Passenger LQ: Forbidden  
Excepted quantity: E0  
IATA-packing instructions - Passenger: 570  
IATA-max. quantity - Passenger: 10 L  
IATA-packing instructions - Cargo: 570  
IATA-max. quantity - Cargo: 25 L

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes





# Safety Data Sheet

according to UK REACH Regulation

## TIP TOP HARDENER No. 1 CLEAR / TIP TOP HARDENER No. 1 RED

Revision date: 22.01.2021

Product code: 00359-1065

Page 10 of 11

### 14.6. Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

The transport takes place only in approved and appropriate packaging.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2004/42/EC (VOC):

20 %

Information according to 2012/18/EU (SEVESO III):

P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES

Additional information:

E2

#### National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### Additional information

Consider Chemical prohibition regulation.

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,7,8,9,10,14,15.

### Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation int er

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

### Relevant H and EUH statements (number and full text)

H226

Flammable liquid and vapour.

**Safety Data Sheet**

according to UK REACH Regulation

**TIP TOP HARDENER No. 1 CLEAR / TIP TOP HARDENER No. 1 RED**

Revision date: 22.01.2021

Product code: 00359-1065

Page 11 of 11

H242	Heating may cause a fire.
H302	Harmful if swallowed.
H302+H312	Harmful if swallowed or in contact with skin.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

---

*The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*