

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## REMAFIX 111 COMP. B

Revision date: 11.05.2021

Product code: 00359-1277

Page 1 of 13

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

REMAFIX 111 COMP. B

##### Art.-No.

525 1220, 525 1221, 525 1240

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Leveling compound

#### 1.3. Details of the supplier of the safety data sheet

Company name: TIP TOP Oberflächenschutz Elbe GmbH

Street: Heuweg 4

Place: D-06886 Wittenberg

Telephone: +49(0)3491/635-50

Telefax: +49(0)3491/635-552

Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

#### 1.4. Emergency telephone number:

INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)  
In England and Wales: NHS 111 In Scotland: NHS 24 - dial 111

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1B

Serious eye damage/eye irritation: Eye Dam. 1

Respiratory or skin sensitisation: Skin Sens. 1

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Causes severe skin burns and eye damage.

Causes serious eye damage.

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Regulation (EC) No. 1272/2008

##### Hazard components for labelling

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine (\*)

Xylylenediamine

salicylic acid

Fatty acids, C18 unsaturated, trimers, reaction products with triethylenetetramine

Signal word: Danger

Pictograms:



##### Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**REMAFIX 111 COMP. B**

Revision date: 11.05.2021

Product code: 00359-1277

Page 2 of 13

**Precautionary statements**

- P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P273 Avoid release to the environment.

**Special labelling of certain mixtures**

- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

**2.3. Other hazards**

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Mixture containing following substances with additives

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### REMAFIX 111 COMP. B

Revision date: 11.05.2021

Product code: 00359-1277

Page 3 of 13

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
100-51-6	Benzyl alcohol			< 15 %
	202-859-9	603-057-00-5	01-2119492630-38	
	Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2; H332 H302 H319			
38294-64-3	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine			< 25 %
	500-101-4		01-2119965165-33	
	Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1, Aquatic Chronic 3; H314 H318 H317 H412			
1477-55-0	Xylylenediamine			< 5 %
	216-032-5		01-2119480150-50	
	Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1, Aquatic Chronic 3; H332 H302 H314 H318 H317 H412 EUH071			
69-72-7	salicylic acid			< 3 %
	200-712-3	607-732-00-5	01-2119486984-17	
	Repr. 2, Acute Tox. 4, Eye Dam. 1; H361d H302 H318			
13463-67-7	Titanium dioxide			< 5 %
	236-675-5	022-006-00-2	01-2119489379-17	
	Carc. 2; H351			
162627-18-1	Fatty acids, C18 unsaturated, trimers, reaction products with triethylenetetramine			< 5 %
	605-297-6			
	Skin Sens. 1B, Aquatic Acute 1, Aquatic Chronic 1; H317 H400 H410			
108-65-6	2-Methoxy-1-methylethyl acetate			< 5 %
	203-603-9	607-195-00-7	01-2119475791-29	
	Flam. Liq. 3, STOT SE 3; H226 H336			
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol			< 5 %
	202-013-9	603-069-00-0	01-2119560597-27	
	Acute Tox. 4, Skin Corr. 1C, Eye Dam. 1; H302 H314 H318			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
100-51-6	202-859-9	Benzyl alcohol	< 15 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = 1230 mg/kg	
1477-55-0	216-032-5	Xylylenediamine	< 5 %
		inhalation: LC50 = 2,4 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = ~ 2000 mg/kg; oral: LD50 = 930 mg/kg	
69-72-7	200-712-3	salicylic acid	< 3 %
		oral: ATE = 500 mg/kg	
108-65-6	203-603-9	2-Methoxy-1-methylethyl acetate	< 5 %
		dermal: LD50 = > 5000 mg/kg; oral: LD50 = 5155 mg/kg	
90-72-2	202-013-9	2,4,6-tris(dimethylaminomethyl)phenol	< 5 %
		dermal: LD50 = 1242 mg/kg; oral: LD50 = 1670 mg/kg	



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

**REMAFIX 111 COMP. B**

Revision date: 11.05.2021

Product code: 00359-1277

Page 4 of 13

**Further Information**

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ .

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Remove contaminated soaked clothing immediately.  
Call a physician immediately.

**After inhalation**

Move to fresh air in case of accidental inhalation of vapours.  
If patient is not breathing, apply artificial respiration. In case of breathing difficulties give oxygen.  
In the event of symptoms refer for medical treatment.

**After contact with skin**

In case of contact with skin wash off immediately with plenty of water.  
Seek medical treatment immediately.

**After contact with eyes**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lens.  
Seek medical treatment by eye specialist.

**After ingestion**

Do not induce vomiting.  
Rinse out mouth and give plenty of water to drink.  
Never give anything by mouth to an unconscious person.  
Summon a doctor immediately.  
Induce vomiting only upon the advice of a physician.  
Attention. Beware, danger of aspiration.

**4.2. Most important symptoms and effects, both acute and delayed**

Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptoms.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Alcohol-resistant foam, dry chemical, carbon dioxide (CO<sub>2</sub>), water-spray.

**Unsuitable extinguishing media**

Full water jet

**5.2. Special hazards arising from the substance or mixture**

Fire may produce:  
carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>) and nitrogen oxides (NO<sub>x</sub>)

**5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective suit.

**Additional information**

Cool containers at risk with water spray jet.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

**SECTION 6: Accidental release measures**



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### REMAFIX 111 COMP. B

Revision date: 11.05.2021

Product code: 00359-1277

Page 5 of 13

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General measures**

Ensure adequate ventilation.  
Keep away noninvolved persons.

##### **For non-emergency personnel**

Do not breathe vapours.  
Avoid contact with skin, eyes and clothing.

##### **For emergency responders**

In case of vapour formation use respirator.  
Use personal protective clothing.

#### **6.2. Environmental precautions**

Do not discharge into the drains/surface waters/ground water.

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers).

##### **For cleaning up**

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).  
Shovel into suitable container for disposal.  
Clean contaminated surface thoroughly.

#### **6.4. Reference to other sections**

Observe protective instructions (see Sections 7 and 8).  
Information for disposal see section 13.

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Keep container tightly closed.  
Handle and open container with care.  
Use only in thoroughly ventilated areas.  
Avoid contact with skin, eyes and clothing.

##### **Advice on protection against fire and explosion**

No special protective measures against fire required.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep container tightly closed in a dry, cool and well-ventilated place.  
Do not use zinc, aluminium or copper containers.

##### **Hints on joint storage**

Incompatible with:  
Oxidizing agents, Amines, Acids and bases.

##### **Further information on storage conditions**

Keep away from food, drink and animal feeding stuffs.

#### **7.3. Specific end use(s)**

Leveling compound

### **SECTION 8: Exposure controls/personal protection**

#### **8.1. Control parameters**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### REMAFIX 111 COMP. B

Revision date: 11.05.2021

Product code: 00359-1277

Page 6 of 13

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
108-65-6	1-Methoxypropyl acetate	50	274		TWA (8 h)	WEL
		100	548		STEL (15 min)	WEL
1344-28-1	Aluminium oxides, inhalable dust	-	10		TWA (8 h)	WEL
7727-43-7	Barium sulphate, respirable dust	-	4		TWA (8 h)	WEL
13463-67-7	Titanium dioxide, respirable	-	4		TWA (8 h)	WEL

#### DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
100-51-6	Benzyl alcohol			
	Worker DNEL, long-term	inhalation	systemic	22 mg/m <sup>3</sup>
	Worker DNEL, acute	inhalation	systemic	110 mg/m <sup>3</sup>
	Worker DNEL, long-term	dermal	systemic	8 mg/kg bw/day
	Worker DNEL, acute	dermal	systemic	40 mg/kg bw/day

#### PNEC values

CAS No	Substance	Value
	Environmental compartment	
100-51-6	Benzyl alcohol	
	Freshwater	1 mg/l
	Marine water	0,1 mg/l
	Freshwater sediment	5,27 mg/kg
	Marine sediment	0,527 mg/kg
	Soil	0,456 mg/kg

#### 8.2. Exposure controls

##### Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

##### Protective and hygiene measures

Wash hands before breaks and immediately after handling the product.

When using do not eat, drink or smoke.

Avoid contact with skin, eyes and clothing.

Remove and wash contaminated clothes before re-use.

##### Eye/face protection

Tightly fitting goggles (EN 166).

Eye wash bottle with pure water (EN 15154).

##### Hand protection

Chemical protective gloves made of nitrile, nitrile/cotton, butyl or neoprene, with a minimum thickness of 0.7 mm, permeation time of approx. 480 minutes.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Pls. find examples in the protective gloves database under: <http://bestglove.com/site/chemrest/>

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**REMAFIX 111 COMP. B**

Revision date: 11.05.2021

Product code: 00359-1277

Page 7 of 13

**Skin protection**

Long sleeved clothing (DIN EN ISO 6530)

**Respiratory protection**

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Pasty	
Colour:	White	
Odour:	Characteristic	
pH-Value:		n.d.

**Changes in the physical state**

Melting point:		n.d.
Boiling point or initial boiling point and boiling range:		n.d.
Sublimation point:		n.d.
Softening point:		n.d.
Pour point:		n.d.
Flash point:	> 100 °C	

**Flammability**

Solid/liquid:		n.a.
Gas:		n.a.

**Explosive properties**

The product is not explosive.

Lower explosion limits:		n.d.
Upper explosion limits:		n.d.
Auto-ignition temperature:		n.d.

**Self-ignition temperature**

Solid:		n.a.
Gas:		n.a.

Decomposition temperature:		n.d.
----------------------------	--	------

**Oxidizing properties**

Not oxidising.

Vapour pressure:		n.d.
Density (at 20 °C):	1,90 g/cm <sup>3</sup>	
Bulk density:		n.a.
Water solubility: (at 20 °C)		Immiscible

**Solubility in other solvents**

n.d.

Partition coefficient n-octanol/water:		n.d.
Viscosity / dynamic:		Pasty
Viscosity / kinematic:		n.d.
Flow time:		n.d.
Relative vapour density:		n.d.



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

**REMAFIX 111 COMP. B**

Revision date: 11.05.2021

Product code: 00359-1277

Page 8 of 13

Evaporation rate:	n.d.
Solvent separation test:	n.d.
Solvent content:	n.d.

**9.2. Other information**

No data available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No decomposition if stored and applied as directed.

**10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

Reactions with acids, alkalies and oxidizing agents

**10.4. Conditions to avoid**To avoid thermal decomposition, do not overheat.  
Protect against direct sun radiation.**10.5. Incompatible materials**

Oxidizing agents, Amines, Acids and bases.

**10.6. Hazardous decomposition products**No hazardous decomposition products known.  
Fire may produce:  
Carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>) and nitrogen oxides (NO<sub>x</sub>)  
ammonia**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**Based on available data, the classification criteria are not met.  
No toxicological data available.**Irritation and corrosivity**Causes severe skin burns and eye damage.  
Causes serious eye damage.**Sensitising effects**

May cause an allergic skin reaction. (4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine; Xylylenediamine; Fatty acids, C18 unsaturated, trimers, reaction products with triethylenetetramine)

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Additional information on tests**

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

**11.2. Information on other hazards**





## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### REMAFIX 111 COMP. B

Revision date: 11.05.2021

Product code: 00359-1277

Page 9 of 13

#### Endocrine disrupting properties

No data available

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecological data are not available.  
Harmful to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

Not readily biodegradable.

#### 12.3. Bioaccumulative potential

No data available

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

#### 12.6. Endocrine disrupting properties

No data available

#### 12.7. Other adverse effects

Hazardous water pollutant.

#### Further information

Do not flush into surface water or sanitary sewer system.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Where possible recycling is preferred to disposal.  
Can be incinerated, when in compliance with local regulations.

##### List of Wastes Code - residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

##### Contaminated packaging

Contaminated packagings are to be treated like the product itself.  
Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.  
Packaging that cannot be cleaned should be disposed of like the product.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

##### 14.1. UN number:

UN 2735

##### 14.2. UN proper shipping name:

AMINES, LIQUID, CORROSIVE, N.O.S. (4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine)

##### 14.3. Transport hazard class(es):

8

##### 14.4. Packing group:

II

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## REMAFIX 111 COMP. B

Revision date: 11.05.2021

Product code: 00359-1277

Page 10 of 13

Hazard label:

8



Classification code:

C7

Special Provisions:

274

Limited quantity:

1 L / 30 kg

Excepted quantity:

E2

Transport category:

2

Hazard No:

80

Tunnel restriction code:

E

### Inland waterways transport (ADN)

**14.1. UN number:**

UN 2735

**14.2. UN proper shipping name:**

AMINES, LIQUID, CORROSIVE, N.O.S. (4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine)

**14.3. Transport hazard class(es):**

8

**14.4. Packing group:**

II

Hazard label:

8



Classification code:

C7

Special Provisions:

274

Limited quantity:

1 L / 30 kg

Excepted quantity:

E2

### Marine transport (IMDG)

**14.1. UN number:**

UN 2735

**14.2. UN proper shipping name:**

AMINES, LIQUID, CORROSIVE, N.O.S. (4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine)

**14.3. Transport hazard class(es):**

8

**14.4. Packing group:**

II

Hazard label:

8



Marine pollutant:

No

Special Provisions:

274

Limited quantity:

1 L / 30 kg

Excepted quantity:

E2

EmS:

F-A, S-B

Segregation group:

18 - alkalis

### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:**

UN 2735

**14.2. UN proper shipping name:**

AMINES, LIQUID, CORROSIVE, N.O.S. (4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine)

**14.3. Transport hazard class(es):**

8

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### REMAFIX 111 COMP. B

Revision date: 11.05.2021

Product code: 00359-1277

Page 11 of 13

#### **14.4. Packing group:**

II

Hazard label:

8



Special Provisions:

A3 A803

Limited quantity Passenger:

0.5 L

Passenger LQ:

Y840

Excepted quantity:

E2

IATA-packing instructions - Passenger:

851

IATA-max. quantity - Passenger:

1 L

IATA-packing instructions - Cargo:

855

IATA-max. quantity - Cargo:

30 L

#### **14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

#### **14.6. Special precautions for user**

Handle in accordance with good industrial hygiene and safety practice.

#### **14.7. Maritime transport in bulk according to IMO instruments**

The transport takes place only in approved and appropriate packaging.

### SECTION 15: Regulatory information

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3

2004/42/EC (VOC):

0 %

Information according to 2012/18/EU  
(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

##### **National regulatory information**

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

2 - obviously hazardous to water

#### **15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

### SECTION 16: Other information

#### **Changes**

This data sheet contains changes from the previous version in section(s): 2,3,6,7,8,9,10,11,12,14,15.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**REMAFIX 111 COMP. B**

Revision date: 11.05.2021

Product code: 00359-1277

Page 12 of 13

**Abbreviations and acronyms**

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
IMDG = International Maritime Code for Dangerous Goods  
IATA/ICAO = International Air Transport Association / International Civil Aviation Organization  
MARPOL = International Convention for the Prevention of Pollution from Ships  
IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
REACH = Registration, Evaluation, Authorization and Restriction of Chemicals  
CAS = Chemical Abstract Service  
EN = European norm  
ISO = International Organization for Standardization  
DIN = Deutsche Industrie Norm  
PBT = Persistent Bioaccumulative and Toxic  
vPvB = Very Persistent and very Bio-accumulative  
LD = Lethal dose  
LC = Lethal concentration  
EC = Effect concentration  
IC = Median immobilisation concentration or median inhibitory concentration

**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

**Relevant H and EUH statements (number and full text)**

H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H336 May cause drowsiness or dizziness.  
H351 Suspected of causing cancer.  
H361d Suspected of damaging the unborn child.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.  
EUH071 Corrosive to the respiratory tract.  
EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

**Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.  
The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### REMAFIX 111 COMP. B

Revision date: 11.05.2021

Product code: 00359-1277

Page 13 of 13

The delivery specifications are contained in the corresponding product sheet.  
This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.  
(n.a. = not applicable; n.d. = not determined)

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*