

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Asplit® OC Powder

Revision date: 09.02.2024

Product code: 00359-1200

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Asplit® OC Powder

Art.-No.

592 0660

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Filler

1.3. Details of the supplier of the safety data sheet

| | | | |
|-------------------------|---|----------|--------------------|
| Company name: | TIP TOP Oberflächenschutz Elbe GmbH | | |
| Street: | Heuweg 4 | | |
| Place: | D-06886 Wittenberg | | |
| Telephone: | +49(0)3491/635-50 | Telefax: | +49(0)3491/635-552 |
| Responsible Department: | Responsible for the safety data sheet: sds@gbk-ingelheim.de | | |

1.4. Emergency telephone number: INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)
Public Poisons Information Line: +353 (0) 1 809 2166 (8am-10pm 7 days a week)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements**Additional advice on labelling**

The product does not require a hazard warning label in accordance with EC directives/the relevant national laws.

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Dust may form explosive mixture in air.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Mixture of inorganic compounds

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Asplit® OC Powder

Revision date: 09.02.2024

Product code: 00359-1200

Page 2 of 8

Hazardous components

| CAS No | Chemical name | | | Quantity |
|------------|----------------------------|----------|------------------|----------|
| | EC No | Index No | REACH No | |
| | GHS Classification | | | |
| 14808-60-7 | Quartz (SiO ₂) | | | < 5 % |
| | 238-878-4 | | 01-2120770509-45 | |
| | | | | |

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Remove and wash contaminated clothing before re-use.

After inhalationMove to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.
In the event of symptoms refer for medical treatment.**After contact with skin**

Wash with water and soap as a precaution.

After contact with eyesRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
If eye irritation persists, consult a specialist.**After ingestion**

In the event of symptoms refer for medical treatment.

4.2. Most important symptoms and effects, both acute and delayedWhen dust is produced, slight irritations of eyes and mucous membranes are possible.
Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptoms.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Product does not burn, fire-extinguishing activities according to surrounding.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Dust may form explosive mixture in air.

5.3. Advice for firefightersIn case of fire, wear suitable respiratory equipment with positive air supply.
Protective suit.**Additional information**Cool containers at risk with water spray jet.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Asplit® OC Powder

Revision date: 09.02.2024

Product code: 00359-1200

Page 3 of 8

General advice

Avoid the formation and deposition of dust.
Ensure adequate ventilation.
Keep away noninvolved persons.

For non-emergency personnel

Do not breathe dust.
Avoid contact with skin, eyes and clothing.

For emergency responders

In case of respirable dust, use a self-contained breathing apparatus.
Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up**For containment**

Avoid the formation and deposition of dust.

For cleaning up

Pick up mechanically, avoiding dust, and provide disposal in suitable recipients.
Where possible recycling is preferred to disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).
Informations for disposal look up chapter 13.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Keep container tightly closed.
Avoid the formation and deposition of dust.
Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

Advice on protection against fire and explosion

Dust may form explosive mixture in air.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed in a dry, cool and well-ventilated place.

Hints on joint storage

No materials to be especially mentioned.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Filler

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Occupational exposure limits**

| CAS No | Substance | ppm | mg/m ³ | fib/cm ³ | Category | Origin |
|------------|--|-----|-------------------|---------------------|-----------|--------|
| 7782-42-5 | Graphite (all forms except fibres) (Respirable Fraction) | - | 2 | | TWA (8 h) | |
| 14808-60-7 | Quartz, respirable dust (crystalline silica) | - | 0.1 | | TWA (8 h) | |

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Asplit® OC Powder

Revision date: 09.02.2024

Product code: 00359-1200

Page 4 of 8

Additional advice on limit values

Obey TLV for common dust, if applicable.

8.2. Exposure controls**Appropriate engineering controls**

Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

Protective and hygiene measures

Do not inhale dust.

Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Remove and wash contaminated clothing before re-use.

Eye/face protection

Safety goggles with side protection (EN 166).

Hand protection

Chemical protective gloves made of nitrile, nitrile/cotton, butyl or neoprene, with a minimum thickness of 0.7 mm, permeation time of approx. 480 minutes.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Pls. find examples in the protective gloves database under: <http://bestglove.com/site/chemrest/>**Skin protection**

Long sleeved clothing (DIN EN ISO 6530)

Respiratory protection

Dust mask (EN 149)

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | | |
|-----------------|-----------|------|
| Physical state: | Powder | |
| Colour: | Black | |
| Odour: | Odourless | |
| pH-Value: | | n.a. |

Changes in the physical state

| | |
|---|---------------------------|
| Melting point/freezing point: | n. d. |
| Boiling point or initial boiling point and boiling range: | n. d. |
| Sublimation point: | n.a. |
| Softening point: | n. d. |
| Flash point: | n.a. |
| Sustaining combustion: | Not sustaining combustion |

Flammability

Solid/liquid: Not combustible.

Explosive properties

The product is considered non-explosive; nevertheless explosive dust/air mixture can be generated

| | |
|----------------------------|-------|
| Lower explosion limits: | n. d. |
| Upper explosion limits: | n. d. |
| Auto-ignition temperature: | n. d. |

Self-ignition temperature

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Asplit® OC Powder

Revision date: 09.02.2024

Product code: 00359-1200

Page 5 of 8

| | |
|--|------------------------------|
| Solid: | n. d. |
| Gas: | n.a. |
| Decomposition temperature: | n. d. |
| Oxidizing properties | |
| Not oxidising. | |
| Vapour pressure: | n.a. |
| Density: | n. d. |
| Bulk density: | 900 - 1000 kg/m ³ |
| Water solubility: (at 20 °C) | More or less insoluble |
| Solubility in other solvents | |
| n. d. | |
| Partition coefficient n-octanol/water: | n. d. |
| Viscosity / dynamic: | n.a. |
| Viscosity / kinematic: | n.a. |
| Flow time: | n.a. |
| Relative vapour density: | n.a. |
| Evaporation rate: | n. d. |
| Solvent separation test: | n.a. |
| Solvent content: | 0 % |

9.2. Other information

| | |
|----------------|-------|
| Solid content: | 100 % |
|----------------|-------|

SECTION 10: Stability and reactivity**10.1. Reactivity**

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoidAvoid the formation and deposition of dust.
Dust may form explosive mixture in air.**10.5. Incompatible materials**

No materials to be especially mentioned.

10.6. Hazardous decomposition products

Fire may produce: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**Based on available data, the classification criteria are not met.
No toxicological data available.**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Asplit® OC Powder

Revision date: 09.02.2024

Product code: 00359-1200

Page 6 of 8

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

11.2. Information on other hazards**Endocrine disrupting properties**

No data available

Other information

When dust is produced, slight irritations of eyes and mucous membranes are possible.

Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.

SECTION 12: Ecological information**12.1. Toxicity**

Ecological data are not available.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no component meets the criteria.

12.7. Other adverse effects

Slightly water hazardous.

Further information

Ecological injuries are not known or expected under normal use.

Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations.

Where possible recycling is preferred to disposal.

List of Wastes Code - residues/unused products

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Asplit® OC Powder

Revision date: 09.02.2024

Product code: 00359-1200

Page 7 of 8

080299 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of other coatings (including ceramic materials); wastes not otherwise specified

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Directive 2004/42/EC on VOC in paints and varnishes: 0 %

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Asplit® OC Powder

Revision date: 09.02.2024

Product code: 00359-1200

Page 8 of 8

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 2,6,7,8,9,11,12.

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
IMDG = International Maritime Code for Dangerous Goods
IATA/ICAO = International Air Transport Association / International Civil Aviation Organization
MARPOL = International Convention for the Prevention of Pollution from Ships
IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals
REACH = Registration, Evaluation, Authorization and Restriction of Chemicals
CAS = Chemical Abstract Service
EN = European norm
ISO = International Organization for Standardization
DIN = Deutsche Industrie Norm
PBT = Persistent Bioaccumulative and Toxic
vPvB = Very Persistent and very Bio-accumulative
LD = Lethal dose
LC = Lethal concentration
EC = Effect concentration
IC = Median immobilisation concentration or median inhibitory concentration

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product (s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

"(n.a. = not applicable; n.d. = not determined)"

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)