

according to Regulation (EC) No 1907/2006

Asplit <sup>®</sup> VEL Powder	
--------------------------------	--

Revision date: 09.02.2024

Product code: 00359-1185

Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Asplit® VEL Powder

## Art.-No. 592 0720

592 U

310-127-6

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Filler

## 1.3. Details of the supplier of the safety data sheet

Company name:	TIP TOP Oberflaechenschutz Elbe GmbH		
Street:	Heuweg 4		
Place:	D-06886 Wittenberg		
Telephone:	+49(0)3491/635-50	Telefax:	+49(0)3491/635-552
Responsible Department:	Responsible for the safety data sheet: sds@gbk-ingelheim.de		
<u>1.4. Emergency telephone</u> number:	INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a) Public Poisons Information Line: +353 (0) 1 809 2166 (8am-10pm 7 days a week)		

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

This substance is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

## 2.2. Label elements

### Additional advice on labelling

The product does not require a hazard warning label in accordance with EC directives/the relevant national laws.

### 2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

This substance does not have endocrine disrupting properties with respect to non-target organisms. Dust may form explosive mixture in air.

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

#### Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	GHS Classification			
	Natural graphite		100 %	
	310-127-6			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures		



according to Regulation (EC) No 1907/2006

## Asplit® VEL Powder

Revision date: 09.02.2024

Product code: 00359-1185

Page 2 of 8

## 4.1. Description of first aid measures

### **General information**

Remove and wash contaminated clothing before re-use.

## After inhalation

Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. In the event of symptoms refer for medical treatment.

#### After contact with skin

Wash with water and soap as a precaution. Consult a doctor if skin irritation persists.

#### After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

### After ingestion

Rinse out mouth and give plenty of water to drink. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

## 4.2. Most important symptoms and effects, both acute and delayed

Product dust may be irritating to eyes, skin and respiratory system. Inhalation of dust may cause irritations of mucous membranes, cough and shortness of breath.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Fire-extinguishing activities according to surrounding.

Unsuitable extinguishing media

Full water jet.

## 5.2. Special hazards arising from the substance or mixture

Dust may form explosive mixture in air. Fire may produce:

carbon monoxide and carbon dioxide

## 5.3. Advice for firefighters

In case of fire, wear suitable respiratory equipment with positive air supply. Protective suit.

## Additional information

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

## General advice

Avoid the formation and deposition of dust. Ensure adequate ventilation. Keep away noninvolved persons.

## For non-emergency personnel

Do not breathe dust.

Avoid contact with skin, eyes and clothing.



## according to Regulation (EC) No 1907/2006

## Asplit® VEL Powder

Revision date: 09.02.2024

Product code: 00359-1185

Page 3 of 8

## For emergency responders

In case of respirable dust, use a self-contained breathing apparatus. Use personal protective clothing.

### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

## 6.3. Methods and material for containment and cleaning up

For containment

Avoid the formation and deposition of dust.

#### For cleaning up

Pick up mechanically, avoiding dust, and provide disposal in suitable recipients. Where possible recycling is preferred to disposal.

### 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8). Informations for disposal look up chapter 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Keep container tightly closed. Avoid the formation and deposition of dust. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

### Advice on protection against fire and explosion

Dust may form explosive mixture in air.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

#### Hints on joint storage

Incompatible with oxidizing agents.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

## 7.3. Specific end use(s)

Filler

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Additional advice on limit values

Obey TLV for common dust, if applicable.

### 8.2. Exposure controls

### Appropriate engineering controls

Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

### Protective and hygiene measures

Do not inhale dust.

Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Remove and wash contaminated clothing before re-use.

### Eye/face protection

Safety goggles with side protection (EN 166). Eye wash bottle with pure water (EN 15154).



## according to Regulation (EC) No 1907/2006

## Asplit® VEL Powder

Revision date: 09.02.2024

Product code: 00359-1185

Page 4 of 8

## Hand protection

Chemical protective gloves made of nitrile, nitrile/cotton, butyl or neoprene, with a minimum thickness of 0.7 mm, permeation time of approx. 480 minutes.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Pls. find examples in the protective gloves database under: http://bestglove.com/site/chemrest/

#### Skin protection

Long sleeved clothing (DIN EN ISO 6530)

## **Respiratory protection**

Breathing apparatus (particle filter) only if dust is formed. [Particle filter P1]

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Colour:	Powder Black	
Odour:	Odourless	
pH-Value:	Neutral	
Changes in the physical state		
Melting point/freezing point:	3550 °C	
Boiling point or initial boiling point and boiling range:	n.a.	
Sublimation point:	3750 °C	
Softening point:	n. d.	
Flash point:	n.a.	
Flammability Solid/liquid:	n. d.	
Explosive properties The product is considered non-explos	ive; nevertheless explosive dust/air mixture can be genera	ated
Lower explosion limits:	n.a.	
Upper explosion limits:	n.a.	
Auto-ignition temperature:	approx. 600 °C	
Self-ignition temperature		
Solid:	n.a.	
Gas:	n.a.	
Oxidizing properties Not oxidising.		
Vapour pressure:	n.a.	
Density (at 20 °C):	2,26 g/cm³	
Bulk density:	n. d.	
Water solubility: (at 20 °C)	More or less insoluble	
Solubility in other solvents n. d.		
Viscosity / dynamic:	n.a.	



## according to Regulation (EC) No 1907/2006

Asplit® VEL Powder			
Revision date: 09.02.2024	Product code: 00359-1185	Page 5 of 8	
Flow time:	n.a.		
Relative vapour density:	n.a.		
Evaporation rate:	n.a.		
Solvent separation test:	n.a.		
Solvent content:	0 %		
9.2. Other information			
Solid content:	100 %		

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No decomposition if stored and applied as directed.

### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Reactions with oxidising agents.

#### 10.4. Conditions to avoid

Avoid the formation and deposition of dust. Dust may form explosive mixture in air.

### 10.5. Incompatible materials

Strong oxidizing agents

### 10.6. Hazardous decomposition products

No hazardous decomposition products known. Fire may produce:

Carbon monoxide and carbon dioxide

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met. LD50/oral/rat: > 2000 mg/kg (OECD 401) LC50/inhalativ/rat: > 2000 mg/m<sup>3</sup> (OECD 403)

### Irritation and corrosivity

Based on available data, the classification criteria are not met. Skin irritation (rabbit): Non-irritant (OECD 404) Eyes irritation (rabbit): Non-irritant (OECD 405)

## Sensitising effects

Based on available data, the classification criteria are not met. Local lymph node assay (LLNA)/mouse: Non-sensitising (OECD 429)

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. Mutagenicity: Chromosomal aberration test: Negative Reproductive toxicity: NOAEL oral/Rat = 813 mg/kg (OECD 422)

### STOT-single exposure

Based on available data, the classification criteria are not met.



## according to Regulation (EC) No 1907/2006

## Asplit® VEL Powder

Revision date: 09.02.2024

Product code: 00359-1185

Page 6 of 8

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met. NOAEL oral/Rat = 813 mg/kg (OECD 422) NOAEL Inhalation/Rat => 2000 mg/m<sup>3</sup> (OECD 412)

### Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

### 11.2. Information on other hazards

Endocrine disrupting properties

No data available

### Other information

Product dust may be irritating to eyes, skin and respiratory system. Inhalation of dust may cause irritations of mucous membranes, cough and shortness of breath.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

LC50/Danio rerio/96 h > 100 mg/kg [OECD 203] EC50/Daphnia magna/48 h > 100 mg/kg [OECD 202] IC50/Pseudokirchneriela subcapitata/72 h > 100 mg/kg [OECD 201]

## 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

There is no indication of bioaccumulation potential.

## 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

#### 12.7. Other adverse effects

No data available

## Further information

Do not flush into surface water or sanitary sewer system.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

## **Disposal recommendations**

It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations. Where possible recycling is preferred to disposal.

#### List of Wastes Code - residues/unused products

080299 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of other coatings (including ceramic materials); wastes not otherwise specified

### Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal. Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.



according to Regulation (EC) No 1907/2006

## Asplit® VEL Powder

Revision date: 09.02.2024

Product code: 00359-1185

Page 7 of 8

Packaging that cannot be cleaned should be disposed of like the product.

## SECTION 14: Transport information

Land transport (ADR/RID)	No development and in course of this furnished with the sould time	
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Inland waterways transport (ADN)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
No dangerous good in sense of this tra		
14.7. Maritime transport in bulk according t		
No dangerous good in sense of this tra	ansport regulation.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	ulations/legislation specific for the substance or mixture	
EU regulatory information		
Directive 2004/42/EC on VOC in	0 %	
paints and varnishes:		
Information according to Directive	Not subject to 2012/18/EU (SEVESO III)	
2012/18/EU (SEVESO III):		
National regulatory information		
Water hazard class (D):	non-hazardous to water	
15.2. Chemical safety assessment		
For this substance a chemical safety assessment has not been carried out.		

**SECTION 16: Other information** 

## Changes

This data sheet contains changes from the previous version in section(s): 2,6,7,9,11,12.



according to Regulation (EC) No 1907/2006

## Asplit® VEL Powder

Revision date: 09.02.2024

Product code: 00359-1185

Page 8 of 8

## Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

- RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
- ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation
- intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

- MARPOL = International Convention for the Prevention of Pollution from Ships
- IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

## **Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product (s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

"(n.a. = not applicable; n.d. = not determined)"