



according to Regulation (EC) No 1907/2006

TIP TOP CHEMONIT 20 KTW unv.

Revision date: 11.04.2025 Product code: 00359-1374 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

TIP TOP CHEMONIT 20 KTW unv.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Corrosion protection rubber

1.3. Details of the supplier of the safety data sheet

Company name: TIP TOP Oberflaechenschutz Elbe GmbH

Street: Heuweg 4

Place: D-06886 Wittenberg

Telephone: +49(0)3491/635-50 Telefax: +49(0)3491/635-552

Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

1.4. Emergency telephone INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

number: Public Poisons Information Line: +353 (0) 1 809 2166 (8am-10pm 7 days a

week)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Irrit. 2; H315 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H315 Causes skin irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P273 Avoid release to the environment.

Special labelling of certain mixtures

EUH208 Contains Zinc di(benzothiazol-2-yl) disulphide. May produce an allergic reaction.

Additional advice on labelling

According to Regulation (EC) No 1272/2008 Annex I section 1.3.4 [Metals in massive form, alloys, mixtures containing polymers, mixtures containing elastomers] this product is not subject to labelling.

As an article the product does not need to be labelled in accordance with EC-regulations or respective national laws.

2.3. Other hazards





according to Regulation (EC) No 1907/2006

TIP TOP CHEMONIT 20 KTW unv.

Revision date: 11.04.2025 Product code: 00359-1374 Page 2 of 9

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Crude rubber with antioxidant and accelerator

Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)	•	
7704-34-9	sulfur			< 30 %
	231-722-6	016-094-00-1	01-2119487295-27	
	Skin Irrit. 2; H315			
1314-13-2	Zinc oxide			< 1 %
	215-222-5	030-013-00-7	01-2119463881-32	
	Aquatic Acute 1, Aquatic Chronic 1; H400 H410			
155-04-4	Zinc di(benzothiazol-2-yl) disulphide			
	205-840-3		01-2119493020-50	
	Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H317 H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

e per inice en la lactione and the			
CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	Limits, M-factors and ATE	
7704-34-9	231-722-6	sulfur	< 30 %
	oral: LD50 = > 5000 mg/kg		
1314-13-2	215-222-5	Zinc oxide	< 1 %
	Aquatic Acute 1	; H400: M=1	
	Aquatic Chronic	: 1; H410: M=1	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No hazards which require special first aid measures.

After inhalation

Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

After contact with skin

Wash with water and soap as a precaution.

After ingestion

Ingestion is not considered a potential route of exposure.

4.2. Most important symptoms and effects, both acute and delayed

May cause sensitization of susceptible persons by skin contact.

4.3. Indication of any immediate medical attention and special treatment needed





according to Regulation (EC) No 1907/2006

TIP TOP CHEMONIT 20 KTW unv.

Revision date: 11.04.2025 Product code: 00359-1374 Page 3 of 9

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable. Fire-extinguishing activities according to surrounding.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Fire may produce:

Carbon monoxide, carbon dioxide, sulphur oxides and nitrogen oxides (NOx).

5.3. Advice for firefighters

Use breathing apparatus with independent air supply.

Protective suit.

Additional information

Collect contaminated firefighting water separately, must not be discharged into the drains.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Ensure adequate ventilation.

Keep away noninvolved persons.

For non-emergency personnel

Avoid contact with skin, eyes and clothing.

For emergency responders

Use personal protection equipment.

In case of vapour formation use respirator.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For containment

No special measures required.

For cleaning up

Take up mechanically and collect in suitable container for disposal.

Where possible recycling is preferred to disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Informations for disposal look up chapter 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe vapours.

Avoid contact with the skin and the eyes.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

The product is flammable but not readily ignited.



TIP TOP Oberflaechenschutz Elbe GmbH

Safety Data Sheet

according to Regulation (EC) No 1907/2006

TIP TOP CHEMONIT 20 KTW unv.

Revision date: 11.04.2025 Product code: 00359-1374 Page 4 of 9

Advice on general occupational hygiene

Wash hands before breaks and immediately after handling the product.

When using do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a dry, cool place.

Hints on joint storage

Incompatible with:

Nitrous acid and other nitrosating agents.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Corrosion protection rubber

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
1314-13-2	Zinc oxide, fume (Respirable Fraction)	-	2		TWA (8 h)	
		_	10		STEL (15 min)	

Additional advice on limit values

This product does not contain any substances for which a Workplace Exposure Limit has been set in concentrations above the limits.

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/face protection

No eye / face protection normally required.

Hand protection

Protective gloves

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Skin protection

Long sleeved clothing (DIN EN ISO 6530)

Respiratory protection

In case of respirable dust and/or fumes, use a self-contained breathing apparatus.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Solid
Colour: Various
Odour: Characteristic

Changes in the physical state

Melting point/freezing point: n.a.



according to Regulation (EC) No 1907/2006

Revision date: 11.04.2025 Product code: 00359-1374 Page 5 of 9	TIP TO	OP CHEMONIT 20 KTW unv.	
boiling range: Sublimation point: Softening point: In. d. Flash point: In. a. Flammability Solid/liquid: Inot highly flammable Explosive properties The product is not explosive. Lower explosion limits: In. a. Auto-ignition temperature: Solid: Salf-ignition temperature: Solid: Gas: In percomposition temperature: In. a. Decomposition temperature: In. a. Decomposition temperature: In. a. Viscosity / dynamic: Viscosity / kinematic: In. a. Flow time: In. a. Water solubility: Insoluble (at 20 °C) Solubility in other solvents In. d. Partition coefficient n-octanol/water: In. a. Vapour pressure: In. a. Partition coefficient n-octanol/water: In. a. Vapour pressure: In. a. Partition coefficient n-octanol/water: In. a. Relative vapour density: In. a. Solid: Information with regard to physical hazard classes Oxidizing properties Not oxidising. Other safety characteristics Solvent separation test: O % Solvent separation test: O	Revision date: 11.04.2025	Product code: 00359-1374	Page 5 of 9
Softening point: n. d. Flash point: n.a. Flammability Solid/liquid: not highly flammable Explosive properties The product is not explosive. Lower explosion limits: n.a. Luper explosion limits: n.a. Auto-ignition temperature: n.a. Self-ignition temperature: n.a. Self-ignition temperature: n. d. Solid: The product is not self-igniting. Gas: n.a. Decomposition temperature: n. d. pH-Value: n.a. Viscosity / dynamic: n.a. Viscosity / kinematic: n.a. Flow time: n.a. Water solubility: Insoluble (at 20°C) Solubility in other solvents n. d. Partition coefficient n-octanol/water: n.a. Vapour pressure: n.a. Partition coefficient n-octanol/water: n.a. Partition coefficient n-octanol/water: n.a. Vapour pressure: n.a. Partition coefficient n-octanol/water: n.a. Partitio	boiling range:		
Flash point: n.a. Flammability Solid/liquid: not highly flammable Explosive properties The product is not explosive. Lower explosion limits: n.a. Upper explosion limits: n.a. Auto-ignition temperature: n.a. Self-ignition temperature Solid: The product is not self-igniting. Gas: n.a. Decomposition temperature: n. d. pH-Value: n.a. Viscosity / dynamic: n.a. Viscosity / dynamic: n.a. Viscosity / kinematic: n.a. Flow time: n.a. Water solubility: interesticy (at 20 °C) Solubility in other solvents n. d. Partition coefficient n-octanol/water: n.a. Unesty (at 23 °C): approx. 1,565 g/cm² Bulk density: n.a. Relative vapour density: n.a. Relative vapour density: n.a. Soly Cold formation Information with regard to physical hazard classes Oxidizing properties Not oxidising. Other safety characteristics Solvent content: 0 %			
Flammability Solid/liquid: not highly flammable Explosive properties The product is not explosive. Lower explosion limits: n.a. Upper explosion limits: n.a. Auto-ignition temperature: n.a. Solf-ignition temperature Solid: The product is not self-igniting. Gas: n.a. Decomposition temperature: n.d. PH-Value: n.a. Viscosity / dynamic: n.a. Viscosity / kinematic: n.a. Viscosity / kinematic: n.a. Flow time: n.a. Water solubility: insoluble (at 20 °C) Solubility in other solvents n. d. Partition coefficient n-octanol/water: n.a. Density (at 23 °C): approx. 1,565 g/cm³ Bulk density: n.a. Relative vapour density: n.a. Relative vapour density: n.a. Solvent information Information with regard to physical hazard classes Oxidizing properties Not oxidising. Other safety characteristics Solvent separation test: 0 % Solvent separation test: 0 % Solvent separation test: 0 % Solvent content: 0 % Solvent content: 0 % Solvent content: 0 % Solvent content: 0 %			
Solid/liquid: not highly flammable Explosive properties The product is not explosive. Lower explosion limits: n.a. Upper explosion limits: n.a. Auto-ignition temperature: n.a. Self-ignition temperature Solid: The product is not self-igniting. Gas: n.a. Decomposition temperature: n. d. pH-Value: n.a. Viscosity / dynamic: n.a. Viscosity / kinematic: n.a. Flow time: n.a. Water solubility: Insoluble (at 20 °C) Solubility in other solvents n. d. Partition coefficient n-octanol/water: n.a. Density (at 23 °C): approx. 1,565 g/cm³ Bulk density: n.a. Density (at 23 °C): approx. 1,565 g/cm³ Bulk density: n.a. Partition coefficient mortandor Information with regard to physical hazard classes Oxidizing properties Not oxidising. Other safety characteristics Solvent separation test: 0 % Solvent separation test: 0 % Solvent content: 0 %		II.a.	
The product is not explosive. Lower explosion limits: n.a. Upper explosion limits: n.a. Auto-ignition temperature: n.a. Self-ignition temperature Solid: The product is not self-igniting. Gas: n.a. Decomposition temperature: n. d. pH-Value: n.a. Viscosity / dynamic: n.a. Viscosity / kinematic: n.a. Flow time: n.a. Water solubility: Insoluble (at 20 °C) Solubility in other solvents n. d. Partition coefficient n-octanol/water: n.a. Density (at 23 °C): approx. 1,565 g/cm³ Bulk density: n.a. Density (at 23 °C): approx. 1,565 g/cm³ Bulk density: n.a. Partition coefficient n-octanol/water: n.a. Solubility in order solvents Not oxidising. Other information with regard to physical hazard classes Oxidizing properties Not oxidising. Other safety characteristics Solvent separation test: 0 % Solvent content: 0 %		not highly flammable	
Upper explosion limits: Auto-ignition temperature: Self-ignition temperature Solid: The product is not self-igniting: Gas: n.a. Decomposition temperature: n. d. pH-Value: n.a. Viscosity / dynamic: n.a. Viscosity / kinematic: n.a. Flow time: n.a. Water solubility: Insoluble (at 20 °C) Solubility in other solvents n. d. Partition coefficient n-octanol/water: n.a. Vapour pressure: n.a. Density (at 23 °C): approx. 1,565 g/cm³ Bulk density: n.a. Relative vapour density: n.a. 92. Other information Information with regard to physical hazard classes Oxidizing properties Not oxidising. Other safety characteristics Solvent separation test: 0 % Solvent separation test: 0 % Solvent separation test: 0 % Solvent content: 0 % Solvent content: 0 % Solvent content: 0 % Solvent content: 0 %			
Auto-ignition temperature: Self-ignition temperature Solid: The product is not self-igniting. Gas: n.a. Decomposition temperature: n. d. pH-Value: n.a. Viscosity / dynamic: n.a. Viscosity / kinematic: n.a. Flow time: n.a. Water solubility: Insoluble (at 20 °C) Solubility in other solvents n. d. Partition coefficient n-octanol/water: n.a. Vapour pressure: n.a. Density (at 23 °C): approx. 1,565 g/cm² Bulk density: n.a. Relative vapour density: n.a. 9.2. Other information Information with regard to physical hazard classes Oxidizing properties Not oxidising. Other safety characteristics Solvent content: 0 %	•	n.a.	
Self-ignition temperature Solid: The product is not self-igniting. Gas: n.a. Decomposition temperature: n. d. pH-Value: n.a. Viscosity / dynamic: n.a. Viscosity / kinematic: n.a. Flow time: n.a. Water solubility: Insoluble (at 20 °C) Solubility in other solvents n. d. Partition coefficient n-octanol/water: n.a. Vapour pressure: n.a. Density (at 23 °C): approx. 1,565 g/cm³ Bulk density: n.a. Relative vapour density: n.a. 92. Other information Information with regard to physical hazard classes Not oxidising. Other safety characteristics Solvent separation test: 0 % Solvent content: 0 %	Upper explosion limits:	n.a.	
Solid: The product is not self-igniting. Gas: n.a. Decomposition temperature: n. d. pH-Value: n.a. Viscosity / dynamic: n.a. Viscosity / kinematic: n.a. Flow time: n.a. Water solubility: Insoluble (at 20 °C) Solubility in other solvents n. d. Partition coefficient n-octanol/water: n.a. Vapour pressure: n.a. Density (at 23 °C): approx. 1,565 g/cm² Bulk density: n.a. Relative vapour density: n.a. 92. Other information Information with regard to physical hazard classes Oxidizing properties Not oxidising. Other safety characteristics Solvent separation test: 0 % Solvent content: 0 %	Auto-ignition temperature:	n.a.	
pH-Value: Viscosity / dynamic: Viscosity / kinematic: Ina. Viscosity / kinematic: Insoluble (at 20 °C) Solubility in other solvents Ina. Vapour pressure: Ina. Vapour pressure: Ina. Density (at 23 °C): Bulk density: Ina. Relative vapour density: Ina. P2. Other information Information with regard to physical hazard classes Oxidizing properties Not oxidising. Other safety characteristics Solvent separation test: Solvent separation test: Solvent content: O % Solvent content: O % Solvent content: Insoluble	Solid:		
Viscosity / dynamic: Viscosity / kinematic: n.a. Viscosity / kinematic: n.a. Flow time: n.a. Water solubility: (at 20 °C) Solubility in other solvents n. d. Partition coefficient n-octanol/water: n.a. Vapour pressure: n.a. Density (at 23 °C): Bulk density: n.a. Relative vapour density: n.a. Relative vapour density: n.a. 9.2. Other information Information with regard to physical hazard classes Oxidizing properties Not oxidising. Other safety characteristics Solvent separation test: Solvent content: Solid content: 100 % Solid content: 100 %	Decomposition temperature:	n. d.	
Viscosity / kinematic: Flow time: Nater solubility: (at 20 °C) Solubility in other solvents n. d. Partition coefficient n-octanol/water: n.a. Vapour pressure: Density (at 23 °C): Bulk density: Relative vapour density: n.a. Partition with regard to physical hazard classes Oxidizing properties Not oxidising. Other safety characteristics Solvent separation test: Solvent content: Solid content: 10 % Solid content: 10 %	pH-Value:	n.a.	
Flow time: Water solubility: (at 20 °C) Solubility in other solvents n. d. Partition coefficient n-octanol/water: Nance Density (at 23 °C): Bulk density: Relative vapour density: n.a. 9.2. Other information Information with regard to physical hazard classes Oxidizing properties Not oxidising. Other safety characteristics Solvent separation test: Solvent content: Solid content: 100 %	Viscosity / dynamic:	n.a.	
Water solubility: (at 20 °C) Solubility in other solvents n. d. Partition coefficient n-octanol/water: n.a. Vapour pressure: n.a. Density (at 23 °C): approx. 1,565 g/cm³ Bulk density: n.a. Relative vapour density: n.a. 9.2. Other information Information with regard to physical hazard classes Oxidizing properties Not oxidising. Other safety characteristics Solvent separation test: 0 % Solvent content: 0 % Solid content: 100 %	Viscosity / kinematic:	n.a.	
(at 20 °C) Solubility in other solvents n. d. Partition coefficient n-octanol/water: Na. Vapour pressure: Density (at 23 °C): Bulk density: Relative vapour density: n.a. Relative vapour density: Information Information Information with regard to physical hazard classes Oxidizing properties Not oxidising. Other safety characteristics Solvent separation test: Solvent content: Solid content: 100 %	Flow time:	n.a.	
n. d. Partition coefficient n-octanol/water: Vapour pressure: Density (at 23 °C): Bulk density: Relative vapour density: Relative vapour density: Information Information with regard to physical hazard classes Oxidizing properties Not oxidising. Other safety characteristics Solvent separation test: Solvent content: Solid content: n.a. n.a. 1,565 g/cm³ n.a. 1,565 g/cm³ n.a. 1,565 g/cm³ n.a. 2 Approx. 1,565 g/cm³ n.a. 9.2. Other safety characteristy: 1,565 g/cm³ 1,565		Insoluble	
Vapour pressure: Density (at 23 °C): Bulk density: Relative vapour density: Relative rapproxuble regard to physical hazard classes Oxidizing properties Not oxidising. Other safety characteristics Solvent separation test: Solvent content: Solid content: 100 %	=		
Density (at 23 °C): Bulk density: Relative vapour density: n.a. Relative vapour density: n.a. 9.2. Other information Information with regard to physical hazard classes Oxidizing properties Not oxidising. Other safety characteristics Solvent separation test: Solvent content: Solid content: 100 %	Partition coefficient n-octanol/water:	n.a.	
Bulk density: n.a. Relative vapour density: n.a. 9.2. Other information Information with regard to physical hazard classes Oxidizing properties Not oxidising. Other safety characteristics Solvent separation test: 0 % Solvent content: 0 % Solid content: 100 %	Vapour pressure:	n.a.	
Relative vapour density: 9.2. Other information Information with regard to physical hazard classes Oxidizing properties Not oxidising. Other safety characteristics Solvent separation test: Solvent content: Solvent content: 100 %		approx. 1,565 g/cm³	
9.2. Other information Information with regard to physical hazard classes Oxidizing properties Not oxidising. Other safety characteristics Solvent separation test: Solvent content: Solid content: 100 %	•		
Information with regard to physical hazard classes Oxidizing properties Not oxidising. Other safety characteristics Solvent separation test: Solvent content: Solid content: 100 %		n.a.	
Oxidizing properties Not oxidising. Other safety characteristics Solvent separation test: Solvent content: 0 % Solid content: 100 %	<u> </u>		
Solvent separation test: Solvent content: 0 % Solid content: 100 %	Oxidizing properties	ses	
Solvent content: 0 % Solid content: 100 %	Other safety characteristics		
Solid content: 100 %	Solvent separation test:	0 %	
	Solvent content:	0 %	
Evaporation rate: n.a.		100 %	
	Evaporation rate:	n.a.	

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.





according to Regulation (EC) No 1907/2006

TIP TOP CHEMONIT 20 KTW unv.

Revision date: 11.04.2025 Product code: 00359-1374 Page 6 of 9

10.3. Possibility of hazardous reactions

Reacts with:

Nitrous acid and other nitrosating agents.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

Nitrous acid and other nitrosating agents.

10.6. Hazardous decomposition products

An inappropriate handling, for instance major amounts of product combined with strong heat and nitrosating agents, renders possible a cleavage of nitrosamines in traces.

Fire may produce:

Carbon monoxide, carbon dioxide, sulphur oxides, and nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

No toxical dates available.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains Zinc di(benzothiazol-2-yl) disulphide. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

May cause sensitization of susceptible persons by skin contact.

SECTION 12: Ecological information

12.1. Toxicity



according to Regulation (EC) No 1907/2006

TIP TOP CHEMONIT 20 KTW unv.

Revision date: 11.04.2025 Product code: 00359-1374 Page 7 of 9

Ecological dates are not available.

Because of the low solubility a toxicity to aquatic organisms is not to be expected.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

Further information

Do not flush into surface water or sanitary sewer system.

Ecological injuries are not known or expected under normal use.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Can be incinerated, when in compliance with local regulations.

Where possible recycling is preferred to disposal.

List of Wastes Code - residues/unused products

191204

WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE; wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified; plastic and rubber

Contaminated packaging

Land transport (ADR/RID)

Empty containers should be taken for local recycling, recovery or waste disposal.

SECTION 14: Transport information

14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.	14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.4. Packing group:No dangerous good in sense of this transport regulation.Inland waterways transport (ADN)No dangerous good in sense of this transport regulation.14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.	14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.	14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.	14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.	Inland waterways transport (ADN)	
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.	14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
	14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.	14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
	14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

a	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)





according to Regulation (EC) No 1907/2006

TIP TOP CHEMONIT 20 KTW unv.

Revision date: 11.04.2025 Product code: 00359-1374 Page 8 of 9

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

0 %

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Directive 2004/42/EC on VOC in

paints and varnishes:

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration





according to Regulation (EC) No 1907/2006

TIP TOP CHEMONIT 20 KTW unv.

Revision date: 11.04.2025 Product code: 00359-1374 Page 9 of 9

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains Zinc di(benzothiazol-2-yl) disulphide. May produce an allergic reaction.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product (s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

"(n.a. = not applicable; n.d. = not determined)"

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)