

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## TIP TOP COROFLAKE KTW-W Primer Comp. B

Revision date: 22.06.2022

Product code: 00359-1345

Page 1 of 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

TIP TOP COROFLAKE KTW-W Primer Comp. B

**Art.-No.**

590 2200

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of the substance/mixture**

Coating

#### 1.3. Details of the supplier of the safety data sheet

Company name: TIP TOP Oberflächenschutz Elbe GmbH

Street: Heuweg 4

Place: D-06886 Wittenberg

Telephone: +49(0)3491/635-50

Telefax: +49(0)3491/635-552

Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

#### 1.4. Emergency telephone number:

INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)  
Public Poisons Information Line: +353 (0) 1 809 2166 (8am-10pm 7 days a week)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**Regulation (EC) No 1272/2008**

Acute Tox. 4; H302

Skin Corr. 1B; H314

Eye Dam. 1; H318

Skin Sens. 1; H317

Repr. 2; H361f

Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

**Regulation (EC) No 1272/2008****Hazard components for labelling**

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with trimethylhexane-1,6-diamine

3-Aminomethyl-3,5,5-trimethylcyclohexylamine

4-tert-butylphenol

Formaldehyde, oligomeric reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine and

4-tert-butylphenol

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine

**Signal word:**

Danger

**Pictograms:****Hazard statements**

H302

Harmful if swallowed.

H314

Causes severe skin burns and eye damage.

H317

May cause an allergic skin reaction.



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## TIP TOP COROFLAKE KTW-W Primer Comp. B

Revision date: 22.06.2022

Product code: 00359-1345

Page 2 of 12

H361f Suspected of damaging fertility.  
H410 Very toxic to aquatic life with long lasting effects.

### Precautionary statements

P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P391 Collect spillage.

### 2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Hardener based on aliphatic polyamines

#### Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	GHS Classification			
153195-44-9	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with trimethylhexane-1,6-diamine			< 30 %
	500-332-0		01-2120781950-47	
	Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H314 H318 H400 H410			
2855-13-2	3-Aminomethyl-3,5,5-trimethylcyclohexylamine			< 25 %
	220-666-8	612-067-00-9	01-2119514687-32	
	Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1A; H302 H314 H318 H317			
98-54-4	4-tert-butylphenol			< 20 %
	202-679-0	604-090-00-8	01-2119489419-21	
	Repr. 2, Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 1; H361f H315 H318 H410			
111411-00-8	Formaldehyde, oligomeric reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine and 4-tert-butylphenol			< 15 %
	500-300-6		01-2120781761-48	
	Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Skin Sens. 1, Aquatic Chronic 3; H312 H302 H314 H317 H412			
25513-64-8	2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine			< 10 %
	247-063-2		01-2119569598-25	
	Acute Tox. 4, Skin Corr. 1B, Skin Sens. 1, Aquatic Chronic 3; H302 H314 H317 H412			

Full text of H and EUH statements: see section 16.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**TIP TOP COROFLAKE KTW-W Primer Comp. B**

Revision date: 22.06.2022

Product code: 00359-1345

Page 3 of 12

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
153195-44-9	500-332-0	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with trimethylhexane-1,6-diamine	< 30 %
		M acute; H400: M=1 M chron.; H410: M=1	
2855-13-2	220-666-8	3-Aminomethyl-3,5,5-trimethylcyclohexylamine	< 25 %
		oral: ATE 1030 mg/kg Skin Sens. 1A; H317: >= 0,001 - 100	
98-54-4	202-679-0	4-tert-butylphenol	< 20 %
		M chron.; H410: M=1	
111411-00-8	500-300-6	Formaldehyde, oligomeric reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine and 4-tert-butylphenol	< 15 %
		dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg	
25513-64-8	247-063-2	2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine	< 10 %
		oral: LD50 = 910 mg/kg	

**Further Information**

SVHC substance [Regulation (EC) No 1907/2006, Article 57]  
4-tert-butylphenol

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Remove contaminated soaked clothing immediately.  
Call a physician immediately.

**After inhalation**

Move to fresh air in case of accidental inhalation of vapours.  
If patient is not breathing, apply artificial respiration. In case of breathing difficulties give oxygen.  
In the event of symptoms refer for medical treatment.

**After contact with skin**

In case of contact with skin wash off immediately with plenty of water.  
Seek medical treatment immediately.

**After contact with eyes**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lens.  
Seek medical treatment by eye specialist.

**After ingestion**

Do not induce vomiting.  
Rinse out mouth and give plenty of water to drink.  
Never give anything by mouth to an unconscious person.  
Summon a doctor immediately.  
Induce vomiting only upon the advice of a physician.  
Attention. Beware, danger of aspiration.

**4.2. Most important symptoms and effects, both acute and delayed**

Harmful if swallowed.  
Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.  
Suspected of damaging fertility.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptoms.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TIP TOP COROFLAKE KTW-W Primer Comp. B

Revision date: 22.06.2022

Product code: 00359-1345

Page 4 of 12

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

###### **Suitable extinguishing media**

Alcohol-resistant foam, dry chemical, carbon dioxide (CO<sub>2</sub>), water-spray.

###### **Unsuitable extinguishing media**

Full water jet.

##### 5.2. Special hazards arising from the substance or mixture

Fire may produce:

Carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>) and nitrogen oxides (NO<sub>x</sub>).

##### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

###### **Additional information**

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

###### **General advice**

Ensure adequate ventilation.

Keep away noninvolved persons.

###### **For non-emergency personnel**

Do not breathe vapours.

Avoid contact with skin, eyes and clothing.

###### **For emergency responders**

In case of vapour formation use respirator.

Use personal protective clothing.

##### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

Do not discharge into the subsoil/soil.

##### 6.3. Methods and material for containment and cleaning up

###### **For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers).

###### **For cleaning up**

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

Clean contaminated surface thoroughly.

##### 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Informations for disposal look up chapter 13.

#### SECTION 7: Handling and storage

##### 7.1. Precautions for safe handling

###### **Advice on safe handling**

Keep container tightly closed.

Handle and open container with care.

Use only in thoroughly ventilated areas.

Avoid contact with skin, eyes and clothing.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TIP TOP COROFLAKE KTW-W Primer Comp. B

Revision date: 22.06.2022

Product code: 00359-1345

Page 5 of 12

#### Advice on protection against fire and explosion

No special protective measures against fire required.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.  
Do not use zinc, aluminium or copper containers.

##### Hints on joint storage

Incompatible with:  
Oxidizing agents  
Acids and bases.

##### Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

#### 7.3. Specific end use(s)

Coating

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Additional advice on limit values

To date, no national critical limit values exist.

#### 8.2. Exposure controls

##### Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

##### Protective and hygiene measures

Wash hands before breaks and immediately after handling the product.  
When using do not eat, drink or smoke.  
Avoid contact with skin, eyes and clothing.  
Remove and wash contaminated clothes before re-use.

##### Eye/face protection

Tightly fitting goggles (EN 166).  
Eye wash bottle with pure water (EN 15154).

##### Hand protection

Chemical protective gloves made of nitrile, nitrile/cotton, butyl or neoprene, with a minimum thickness of 0.7 mm, permeation time of approx. 480 minutes.  
This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.  
Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.  
Pls. find examples in the protective gloves database under: <http://bestglove.com/site/chemrest/>

##### Skin protection

Long sleeved clothing (DIN EN ISO 6530)

##### Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Viscous
Colour:	Colourless
Odour:	Amine like

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**TIP TOP COROFLAKE KTW-W Primer Comp. B**

Revision date: 22.06.2022

Product code: 00359-1345

Page 6 of 12

**Test method**

pH-Value: 8 - 11 Calculated

**Changes in the physical state**

Melting point/freezing point: n. d.

Boiling point or initial boiling point and boiling range: &gt; 200 °C

Sublimation point: n.a.

Softening point: n. d.

Flash point: 120 °C Calculated

**Flammability**

Solid/liquid: n.a.

Gas: n.a.

**Explosive properties**

The product is not explosive.

Lower explosion limits: n. d.

Upper explosion limits: n. d.

Auto-ignition temperature: n. d.

**Self-ignition temperature**

Solid: n.a.

Gas: n.a.

Decomposition temperature: n. d.

**Oxidizing properties**

Not oxidising.

Vapour pressure:  
(at 50 °C) < 5 hPaDensity (at 20 °C): 0,97 g/cm<sup>3</sup>

Bulk density: n.a.

Water solubility:  
(at 20 °C) Immiscible**Solubility in other solvents**

n. d.

Partition coefficient n-octanol/water: n. d.

Viscosity / dynamic:  
(at 25 °C) 2300 mPa·s

Viscosity / kinematic: n. d.

Flow time:  
(at 25 °C) n. d.

Relative vapour density: n. d.

Evaporation rate: n. d.

Solvent separation test: 0 %

Solvent content: 0 %

**9.2. Other information**

No data available

**SECTION 10: Stability and reactivity**



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TIP TOP COROFLAKE KTW-W Primer Comp. B

Revision date: 22.06.2022

Product code: 00359-1345

Page 7 of 12

#### **10.1. Reactivity**

No decomposition if stored and applied as directed.

#### **10.2. Chemical stability**

Stable under normal conditions.

#### **10.3. Possibility of hazardous reactions**

Reactions with acids, alkalies and oxidising agents.

#### **10.4. Conditions to avoid**

To avoid thermal decomposition, do not overheat.  
Protect against direct sun radiation.

#### **10.5. Incompatible materials**

Oxidizing agents  
Acids and bases.

#### **10.6. Hazardous decomposition products**

No hazardous decomposition products known.  
Fire may produce:  
Carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>) and nitrogen oxides (NO<sub>x</sub>)  
Ammonia

### **SECTION 11: Toxicological information**

#### **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

##### **Acute toxicity**

Harmful if swallowed.  
No toxic data available.  
ATEmix/oral: ~ 1800 mg/kg  
ATEmix/dermal: > 5000 mg/kg

##### **ATEmix calculated**

ATE (oral) 1868,7 mg/kg

##### **Irritation and corrosivity**

Causes severe skin burns and eye damage.  
Causes serious eye damage.

##### **Sensitising effects**

May cause an allergic skin reaction. (3-Aminomethyl-3,5,5-trimethylcyclohexylamine; Formaldehyde, oligomeric reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine and 4-tert-butylphenol; 2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine)

##### **Carcinogenic/mutagenic/toxic effects for reproduction**

Suspected of damaging fertility. (4-tert-butylphenol)  
Germ cell mutagenicity: Based on available data, the classification criteria are not met.  
Carcinogenicity: Based on available data, the classification criteria are not met.

##### **STOT-single exposure**

Based on available data, the classification criteria are not met.

##### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

##### **Aspiration hazard**

Based on available data, the classification criteria are not met.

##### **Additional information on tests**

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

#### **11.2. Information on other hazards**

##### **Endocrine disrupting properties**

No data available





## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TIP TOP COROFLAKE KTW-W Primer Comp. B

Revision date: 22.06.2022

Product code: 00359-1345

Page 8 of 12

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecological data are not available.

Very toxic to aquatic life with long lasting effects.

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine

LC50/Leuciscus idus melanotus/72 h = 174 mg/l

EC50/Scenedesmus subspicatus/72 h = 29,5 mg/l

3-Aminomethyl-3,5,5-trimethylcyclohexylamine

EC50/Daphnia magna/48 h = 23 mg/l

EbC50/Scenedesmus subspicatus/72 h = 37 mg/l

4-tert-butylphenol

LC50/Leuciscus idus/48 h = 1,6 mg/l

EbC50/Scenedesmus subspicatus/48 h = 3,9 -6,7 mg/l

EC50/Pseudokirchneriella subcapitata/72 h = 14 - 22,7 mg/l

### 12.2. Persistence and degradability

Not readily biodegradable.

### 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

Hazard to waters.

### Further information

Do not flush into surface water or sanitary sewer system.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Where possible recycling is preferred to disposal.

Can be incinerated, when in compliance with local regulations.

#### List of Wastes Code - residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

#### Contaminated packaging

Contaminated packagings are to be treated like the product itself.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## TIP TOP COROFLAKE KTW-W Primer Comp. B

Revision date: 22.06.2022

Product code: 00359-1345

Page 9 of 12

### SECTION 14: Transport information

#### Land transport (ADR/RID)

**14.1. UN number:** UN 2735  
**14.2. UN proper shipping name:** AMINES, LIQUID, CORROSIVE, N.O.S.  
(3-Aminomethyl-3,5,5-trimethylcyclohexylamine,  
Trimethylhexane-1,6-diamine)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
Hazard label: 8



Classification code: C7  
Limited quantity: 1 L / 30 kg  
Excepted quantity: E2  
Transport category: 2  
Hazard No: 80  
Tunnel restriction code: E

#### Inland waterways transport (ADN)

**14.1. UN number:** UN 2735  
**14.2. UN proper shipping name:** AMINES, LIQUID, CORROSIVE, N.O.S.  
(3-Aminomethyl-3,5,5-trimethylcyclohexylamine,  
Trimethylhexane-1,6-diamine)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
Hazard label: 8



Classification code: C7  
Limited quantity: 1 L / 30 kg  
Excepted quantity: E2

#### Marine transport (IMDG)

**14.1. UN number:** UN 2735  
**14.2. UN proper shipping name:** AMINES, LIQUID, CORROSIVE, N.O.S.  
((3-Aminomethyl-3,5,5-trimethylcyclohexylamine,  
Trimethylhexane-1,6-diamine, tert.-butylphenol)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
Hazard label: 8



Marine pollutant: Yes  
Limited quantity: 1 L / 30 kg  
Excepted quantity: E2  
EmS: F-A, S-B

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TIP TOP COROFLAKE KTW-W Primer Comp. B

Revision date: 22.06.2022

Product code: 00359-1345

Page 10 of 12

#### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number:</b>	UN 2735
<b>14.2. UN proper shipping name:</b>	AMINES, LIQUID, CORROSIVE, N.O.S. (3-Aminomethyl-3,5,5-trimethylcyclohexylamine, Trimethylhexane-1,6-diamine)
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8



Limited quantity Passenger:	0.5 L
Passenger LQ:	Y840
Excepted quantity:	E2
IATA-packing instructions - Passenger:	851
IATA-max. quantity - Passenger:	1 L
IATA-packing instructions - Cargo:	855
IATA-max. quantity - Cargo:	30 L

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

#### 14.7. Maritime transport in bulk according to IMO instruments

The transport takes place only in approved and appropriate packaging.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):  
4-tert-butylphenol

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): 0 %  
Information according to 2012/18/EU (SEVESO III): E1 Hazardous to the Aquatic Environment

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

### SECTION 16: Other information

#### Changes

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**TIP TOP COROFLAKE KTW-W Primer Comp. B**

Revision date: 22.06.2022

Product code: 00359-1345

Page 11 of 12

This data sheet contains changes from the previous version in section(s): 1,2,6,7,9,10,11,12,14,15.

**Abbreviations and acronyms**

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
Repr. 2; H361f	Calculation method
Aquatic Chronic 1; H410	Calculation method

**Relevant H and EUH statements (number and full text)**

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product (s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TIP TOP COROFLAKE KTW-W Primer Comp. B

Revision date: 22.06.2022

Product code: 00359-1345

Page 12 of 12

warranty regulations.

"(n.a. = not applicable; n.d. = not determined)"

---

*'The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.'*