

according to Regulation (EC) No 1907/2006

### **REMAXX LUBRICANT-SE**

Revision date: 15.10.2024 Product code: 00156-0071 Page 1 of 9

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

REMAXX LUBRICANT-SE

Art.-No.

593 0388, 593 5620

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Agent to fit on tyres

# 1.3. Details of the supplier of the safety data sheet

Company name: REMA TIP TOP AG
Street: Gruber Strasse 65
Place: D-85586 Poing

Telephone: +49 (0) 8121 / 707 - 100

Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

<u>1.4. Emergency telephone</u> INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a) <u>number:</u> Public Poisons Information Line: +353 (0) 1 809 2166 (8am-10pm 7 days a

week)

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

# Regulation (EC) No 1272/2008

# Hazard components for labelling

Sodium alkylbenzenesulfonates

Alcohols, C12-16, ethoxylated, sulfates, sodium salts

Decylalcohol, ethoxylated

Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl)

Signal word: Danger

Pictograms:



# **Hazard statements**

H315 Causes skin irritation.
H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

### **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Print date: 15.10.2024



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **REMAXX LUBRICANT-SE**

Revision date: 15.10.2024 Product code: 00156-0071 Page 2 of 9

P273

Avoid release to the environment.

# 2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Chemical characterization**

Aqueous cleansing agent with surfactants

### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
68411-30-3	Sodium alkylbenzenesulfonates			< 15 %
	270-115-0		01-2119489428-22	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H302 H315 H318 H412			
68891-38-3	Alcohols, C12-16, ethoxylated, sulfates, sodium salts			< 5 %
	500-234-8		01-2119488639-16	
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H315 H318 H412			
26183-52-8	Decylalcohol, ethoxylated			< 5 %
	500-046-6			
	Eye Dam. 1; H318			
68155-07-7	Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl)			< 5 %
	931-329-6		01-2119490100-53	
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 2; H315 H318 H411			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
68411-30-3	270-115-0	Sodium alkylbenzenesulfonates	< 15 %
	oral: ATE = 500 mg/kg		
68891-38-3	500-234-8	Alcohols, C12-16, ethoxylated, sulfates, sodium salts	< 5 %
	Eye Dam. 1; H318: >= 30 - 100		

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# General information

Remove contaminated soaked clothing immediately.

If you feel unwell, seek medical advice.

### After inhalation

Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

If you feel unwell, seek medical advice.



according to Regulation (EC) No 1907/2006

### **REMAXX LUBRICANT-SE**

Revision date: 15.10.2024 Product code: 00156-0071 Page 3 of 9

### After contact with skin

Wash off with soap and plenty of water.

Consult a doctor if skin irritation persists.

### After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Seek medical treatment by eye specialist.

### After ingestion

Do not provoke vomiting. Consult physician. Attention in case of vomiting - acute danger of suffocating, produced by foaming ingredients. Rinse mouth. Make drink some glasses of water. The decision whether to provoke vomiting is to be taken by a physician.

### 4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye damage.

Causes skin irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.

### Unsuitable extinguishing media

Full water jet.

### 5.2. Special hazards arising from the substance or mixture

Fire may produce:

Carbon monoxide, carbon dioxide, sulphur oxides and nitrogen oxides (NOx).

# 5.3. Advice for firefighters

Use breathing apparatus with independent air supply.

Protective suit.

### **Additional information**

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Attention. Hazard of skidding.

# For non-emergency personnel

Avoid contact with skin, eyes and clothing.

# For emergency responders

Use personal protective clothing.

### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

### 6.3. Methods and material for containment and cleaning up

### For containment

No special measures required.

### For cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.



according to Regulation (EC) No 1907/2006

### **REMAXX LUBRICANT-SE**

Revision date: 15.10.2024 Product code: 00156-0071 Page 4 of 9

### 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8). Informations for disposal look up chapter 13.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Avoid contact with skin, eyes and clothing

### Advice on protection against fire and explosion

No special protective measures against fire required.

# Advice on general occupational hygiene

Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Take off immediately all contaminated clothing.

Avoid contact with skin, eyes and clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

### Hints on joint storage

Incompatible with oxidizing agents.

# Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

# 7.3. Specific end use(s)

Agent to fit on tyres

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Additional advice on limit values

This product does not contain any substances for which a Workplace Exposure Limit has been set in concentrations above the limits.

### 8.2. Exposure controls

# Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

### Individual protection measures, such as personal protective equipment

# Eye/face protection

Safety goggles with side protection (EN 166).

Eye wash bottle with pure water (EN 15154).

### Hand protection

Protective gloves resistant to chemicals made off natural-rubber latex, Minimum coat thickness 0.6 mm, Permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove <Lapren 706> made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

### Skin protection

Long sleeved clothing (DIN EN ISO 6530)



according to Regulation (EC) No 1907/2006

### **REMAXX LUBRICANT-SE**

Revision date: 15.10.2024 Product code: 00156-0071 Page 5 of 9

# Respiratory protection

No personal respiratory protective equipment normally required.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: White Odour: Soapy

### Test method

# Changes in the physical state

Melting point/freezing point: n. d. approx. 100 °C Boiling point or initial boiling point and

boiling range:

Sublimation point: n.a. Softening point: n. d. Flash point: n.a.

**Flammability** 

Solid/liquid: n.a.

### **Explosive properties**

The product is not explosive.

Lower explosion limits: n.a. Upper explosion limits: n.a. Auto-ignition temperature: n.a.

Self-ignition temperature

Solid: n.a. Gas: n.a. Decomposition temperature: n. d.

pH-Value: 7-8 (5%)

Viscosity / dynamic: 2200 mPa·s

(at 20 °C)

Viscosity / kinematic: n. d. Flow time: n. d. Water solubility: Completely miscible

(at 15 °C)

### Solubility in other solvents

n. d.

Partition coefficient n-octanol/water: n. d. 23 hPa Vapour pressure: Density (at 20 °C): 1,04 g/cm<sup>3</sup> Bulk density: n.a. Relative vapour density: n. d.

### 9.2. Other information

# Information with regard to physical hazard classes

Sustaining combustion: Not sustaining combustion



according to Regulation (EC) No 1907/2006

### **REMAXX LUBRICANT-SE**

Revision date: 15.10.2024 Product code: 00156-0071 Page 6 of 9

### Oxidizing properties

Not oxidising.

### Other safety characteristics

Solvent separation test: 0 %
Solvent content: 0 %
Evaporation rate: n. d.

### **Further Information**

No data available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No decomposition if stored and applied as directed.

### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Reactions with oxidising agents.

### 10.4. Conditions to avoid

Not known.

### 10.5. Incompatible materials

Oxidizing agents

### 10.6. Hazardous decomposition products

No hazardous decomposition products known.

Fire may produce:

Carbon monoxide, carbon dioxide, sulphur oxides, and nitrogen oxides (NOx).

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### **Acute toxicity**

Based on available data, the classification criteria are not met.

No toxical dates available.

### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

# Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

### Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

Print date: 15.10.2024



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **REMAXX LUBRICANT-SE**

Revision date: 15.10.2024 Product code: 00156-0071 Page 7 of 9

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

### 11.2. Information on other hazards

### **Endocrine disrupting properties**

No data available

### Other information

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

Watch out. Beware, hazard of foam aspiration.

### **SECTION 12: Ecological information**

### **12.1. Toxicity**

Ecological dates are not available.

Harmful to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No data available

#### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

Hazard to waters.

### Further information

This concentrate is not allowed to be released into the sewerage, surface water or groundwater.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Where possible recycling is preferred to disposal.

Can be landfilled or incinerated, when in compliance with local regulations.

# List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

### Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)



according to Regulation (EC) No 1907/2006

### **REMAXX LUBRICANT-SE**

Revision date: 15.10.2024 Product code: 00156-0071 Page 8 of 9

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Directive 2004/42/EC on VOC in

0 %

paints and varnishes:

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 2,6,7,8,9,10,11,12.



according to Regulation (EC) No 1907/2006

### **REMAXX LUBRICANT-SE**

Revision date: 15.10.2024 Product code: 00156-0071 Page 9 of 9

### Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method
Aquatic Chronic 3; H412	Calculation method

### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

# **Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product (s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

"(n.a. = not applicable; n.d. = not determined)"

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)