

according to Regulation (EC) No 1907/2006

#### REMAXX WAX H

Revision: 15.07.2025

Product code: 00156-0062

Page 1 of 8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

REMAXX WAX H

#### Art.-No.

593 0553, 593 1507, 593 1569

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Paste to fit on tyres

#### 1.3. Details of the supplier of the safety data sheet

Company name:	REMA TIP TOP AG
Street:	Gruber Strasse 65
Place:	D-85586 Poing
Telephone:	+49 (0) 8121 / 707 - 100
Responsible Department:	Responsible for the safety data sheet: sds@gbk-ingelheim.de
<u>1.4. Emergency telephone</u> number:	INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a) Public Poisons Information Line: +353 (0) 1 809 2166 (8am-10pm 7 days a week)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

#### 2.2. Label elements

#### Regulation (EC) No 1272/2008

#### Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

#### 2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Chemical characterization

Soap-like preparation without silicone oils or mineral oils

#### Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
111-46-6	2,2' -Oxybisethanol		< 10 %	
	203-872-2	603-140-00-6	01-2119457857-21	
	Acute Tox. 4; H302			

Full text of H and EUH statements: see section 16.

according to Regulation (EC) No 1907/2006

#### **REMAXX WAX H**

Revision: 15.07.2025

Product code: 00156-0062

Page 2 of 8

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
111-46-6	203-872-2	2,2' -Oxybisethanol	< 10 %
	dermal: LD50 = 11890 mg/kg; oral: LD50 = 12600 mg/kg		

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Remove contaminated soaked clothing immediately.

In the event of persistent symptoms receive medical treatment.

#### After inhalation

Move to fresh air in case of accidental inhalation of vapours or decomposition products.

#### After contact with skin

Wash off with soap and plenty of water.

#### After contact with eyes

Rinse immediately with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

#### After ingestion

Allow the affected person to vomit themselve, if necessary. If a person vomits when lying on his back, turn over on his side. Consult a physician. Induce vomiting only upon the advice of a physician.

# 4.2. Most important symptoms and effects, both acute and delayed

Inhalation of vapours may cause mild irritation to the mucous membrane.

Repeated or prolonged exposure may cause irritation of eyes and skin.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, dry chemical, carbon dioxide (CO2), water-spray.

# Sand

Unsuitable extinguishing media

Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

Fire may produce:

carbon monoxide and carbon dioxide

#### 5.3. Advice for firefighters

Use breathing apparatus with independent air supply. Protective suit.

FIOLECLIVE SUIL.

#### Additional information

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Page 3 of 8



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

### REMAXX WAX H Product code: 00156-0062

Revision: 15.07.2025

#### **General advice**

Ensure adequate ventilation. Keep away noninvolved persons.

#### For non-emergency personnel

Do not breathe vapours. Avoid contact with skin, eyes and clothing.

#### For emergency responders

In case of vapour formation use respirator. Use personal protective clothing.

#### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

No special measures required.

#### For cleaning up

Clean with detergents. Avoid solvents. Shovel into suitable container for disposal.

#### 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8). Informations for disposal look up chapter 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Keep container tightly closed. Avoid contact with the skin and the eyes.

# Advice on protection against fire and explosion

No special protective measures against fire required.

# Advice on general occupational hygiene

Avoid contact with eyes and skin. Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

#### Hints on joint storage

Incompatible with strong acids and oxidizing agents.

#### Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

#### 7.3. Specific end use(s)

Paste to fit on tyres

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters



according to Regulation (EC) No 1907/2006

#### **REMAXX WAX H**

Revision: 15.07.2025

Product code: 00156-0062

Page 4 of 8

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
111-46-6	Diethylene glycol	23	100		TWA (8 h)	
57-55-6	Propane-1,2-diol, total (vapour and particulates)	150	470		TWA (8 h)	

#### 8.2. Exposure controls

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Safety goggles with side protection (EN 166).

#### Hand protection

Protective gloves resistant to chemicals made off natural-rubber latex, Minimum coat thickness 0.6 mm, Permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove <Lapren 706> made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

#### Skin protection

Long sleeved clothing (DIN EN ISO 6530)

#### **Respiratory protection**

No personal respiratory protective equipment normally required.

#### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

1. Information on basic physical and che	emical properties	
Physical state:	Pasty	
Colour:	Red	
Odour:	Mild	
Changes in the physical state		
Melting point/freezing point:		50 - 55 °C
Boiling point or initial boiling point and boiling range:		n. d.
Sublimation point:		n.a.
Softening point:		n. d.
Flash point:		n.a.
Flammability Solid/liquid:		n.a.
Explosive properties The product is not explosive.		
Lower explosion limits:		n. d.
Upper explosion limits:		n. d.
Auto-ignition temperature:		n. d.
Self-ignition temperature		
Solid:		n.a.
Gas:		n.a.
Decomposition temperature:		n. d.
pH-Value:		10,5



# according to Regulation (EC) No 1907/2006

Revision: 15.07.2025	REMAXX WAX H Product code: 00156-0062	Page 5 of a
Viscosity / dynamic:	n. d.	
Viscosity / kinematic:	n. d.	
Flow time:	n. d.	
Water solubility: (at 20 °C)	Completely miscible	
Partition coefficient n-octanol/water:	n. d.	
Vapour pressure:	n. d.	
Density (at 20 °C):	1 g/cm³	
Bulk density:	n.a.	
Relative vapour density:	n. d.	
9.2. Other information		
Information with regard to physical	l hazard classes	
Oxidizing properties Not oxidising.		
C C		
Other safety characteristics Solvent separation test:	0 %	
Solvent separation test.	< 5 %	
Evaporation rate:	n. d.	
Further Information	n. u.	
No data available		
SECTION 10: Stability and reactivity	ty	
10.1. Reactivity		
No decomposition if stored and a	applied as directed.	
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reaction	IS	
Reactions with acids and strong		
<b>10.4. Conditions to avoid</b> To avoid thermal decomposition, Heating can release vapours whi	do not overheat.	
10.5. Incompatible materials Strong acids and oxidizing agent	s	
10.6. Hazardous decomposition produce: No hazardous decomposition pro Fire may produce: Carbon monoxide and carbon did	oducts known.	
SECTION 11: Toxicological information	ation	
11.1. Information on hazard classes as	defined in Regulation (EC) No 1272/2008	
Acute toxicity Based on available data, the clas No toxical dates available.		
ATEmix calculated	ermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalati	ion

dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

#### **REMAXX WAX H**

Revision: 15.07.2025

Product code: 00156-0062

Page 6 of 8

### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

#### 11.2. Information on other hazards

#### Endocrine disrupting properties

No data available

#### Other information

Inhalation of vapours may cause mild irritation to the mucous membrane.

Repeated or prolonged exposure may cause irritation of eyes and skin.

Liver and renal damage is possible.

Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecological dates are not available.

#### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

## No data available

12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Hazard to waters.

Further information

Do not flush into surface water or sanitary sewer system.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods



according to Regulation (EC) No 1907/2006

#### **REMAXX WAX H**

Revision: 15.07.2025

Product code: 00156-0062

Page 7 of 8

#### **Disposal recommendations**

Can be incinerated, when in compliance with local regulations. Where possible recycling is preferred to disposal.

#### List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

#### **Contaminated packaging**

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): 14.4. Packing group: No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: Marine transport (IMDG) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): 14.4. Packing group: No dangerous good in sense of this transport regulation. 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.6. Special precautions for user No dangerous good in sense of this transport regulation. 14.7. Maritime transport in bulk according to IMO instruments No dangerous good in sense of this transport regulation. **SECTION 15: Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information	
Restrictions on use (REACH, annex XVII):	
Entry 75	
Directive 2004/42/EC on VOC in paints and varnishes:	< 5 %
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)



according to Regulation (EC) No 1907/2006

Revision: 15.07.2025

Product code: 00156-0062

Page 8 of 8

#### National regulatory information

Water hazard class (D):

2 - obviously hazardous to water

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,6,7,10,11,12.

#### Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

- RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
- ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
- IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

- MARPOL = International Convention for the Prevention of Pollution from Ships
- IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

- EN = European norm
- ISO = International Organization for Standardization
- DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

#### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
EUH210	Safety data sheet available on request.

#### **Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product (s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

"(n.a. = not applicable; n.d. = not determined)"

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)