

according to Regulation (EC) No 1907/2006

Revision date: 10.11.2022

REMA REPCOAT SL COMP A Product code: 00359-1130

Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

REMA REPCOAT SL COMP A

#### Art.-No.

590 2610, 590 2611

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Coating component for anti-wear protection

#### 1.3. Details of the supplier of the safety data sheet

Company name:	TIP TOP Oberflaechenschutz El	be GmbH
Street:	Heuweg 4	
Place:	D-06886 Wittenberg	
Telephone:	+49(0)3491/635-50	Telefax:+49(0)3491/635-552
Responsible Department:	Responsible for the safety data s	sheet: sds@gbk-ingelheim.de
1.4. Emergency telephone	INTERNATIONAL: +49 - (0) 613	2 - 84463, GBK GmbH (24h - 7d/w - 365d/a)
<u>number:</u>	Public Poisons Information Line:	+353 (0) 1 809 2166 (8am-10pm 7 days a
	week)	

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

#### 2.2. Label elements

## Regulation (EC) No 1272/2008

## Special labelling of certain mixtures

EUH204	Contains isocyanates. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

#### 2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

With hypersensitive people, reactions as cough or difficulty of breathing may appear even with tiny concentrations of isocyanates; therefore keep room aerated and ventilated.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## Chemical characterization

Reaction product from polyether and toluene-2,4-diisocyanate



according to Regulation (EC) No 1907/2006

## **REMA REPCOAT SL COMP A**

Revision date: 10.11.2022

Product code: 00359-1130

Page 2 of 9

#### Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No REACH No		
	GHS Classification			
584-84-9	4-Methyl-m-phenylene diisocyanate		< 0,1 %	
	209-544-5	615-006-00-4	01-2119486974-18	
Carc. 2, Acute Tox. 2, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT SE 3, Aquatic Chronic 3; H351 H330 H315 H319 H334 H317 H335 H412				

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
584-84-9	209-544-5	4-Methyl-m-phenylene diisocyanate	< 0,1 %
inhalation: LC50 = 0,1 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 = >19000 mg/kg; oral: LD50 = 5800 mg/kg Resp. Sens. 1; H334: >= 0,1 - 100			

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Remove contaminated soaked clothing immediately. If you feel unwell, seek medical advice.

#### After inhalation

Move to fresh air in case of accidental inhalation of vapours or decomposition products. Consult a physician.

#### After contact with skin

Wash off with soap and plenty of water. Consult a doctor if skin irritation persists.

#### After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek medical treatment by eye specialist.

#### After ingestion

Do not induce vomiting. Summon a doctor immediately. Rinse out mouth thoroughly with water. Induce vomiting only upon the advice of a physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

May cause eye/skin irritation. May cause sensitization of susceptible persons by skin contact. May cause sensitization of susceptible persons by inhalation. With hypersensitive people, reactions as cough or difficulty of breathing may appear even with tiny concentrations of isocyanates; therefore keep room aerated and ventilated.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

water spray jet, ABC powder



according to Regulation (EC) No 1907/2006

## **REMA REPCOAT SL COMP A**

Revision date: 10.11.2022

Product code: 00359-1130

Page 3 of 9

## Unsuitable extinguishing media

Full water jet.

## 5.2. Special hazards arising from the substance or mixture

#### Fire may produce:

Carbon monoxide, nitrogene oxides, isocyanates and traces of hydrocyanic acid.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

#### Additional information

Cool containers at risk with water spray jet.

Collect contaminated firefighting water separately, must not be discharged into the drains.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Ensure adequate ventilation.

# Keep away noninvolved persons.

# For non-emergency personnel

Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing.

## For emergency responders

In case of vapour formation use respirator. Use personal protective clothing.

#### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

## 6.3. Methods and material for containment and cleaning up

#### For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

Container can be pressurized by carbon dioxide due to reaction with humid air and/or water. Clean contaminated surface thoroughly.

## 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8). Informations for disposal look up chapter 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Keep container tightly closed. Avoid contact with the skin and the eyes. Use only in thoroughly ventilated areas.

## Advice on protection against fire and explosion

No special protective measures against fire required.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place. Do not use receptacles, lines etc. made of copper, copper alloys or having galvanised surfaces.



according to Regulation (EC) No 1907/2006

# **REMA REPCOAT SL COMP A**

Revision date: 10.11.2022

Product code: 00359-1130

Page 4 of 9

## Hints on joint storage

Incompatible with: Strong oxidizing agents, Water, amines, alcohols

#### Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

## 7.3. Specific end use(s)

No data availableCoating component for anti-wear protection

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
584-84-9	Toluene-2,4-diisocyanate (as -NCO) (Inhalable Fraction and Vapour)	0.001	-		TWA (8 h)	
		0.003	-		STEL (15 min)	

#### 8.2. Exposure controls

## Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

#### Protective and hygiene measures

Avoid contact with eyes and skin.

Wash hands before breaks and immediately after handling the product.

When using do not eat, drink or smoke.

Take off immediately all contaminated clothing.

#### Eye/face protection

Tightly fitting goggles (EN 166).

#### Hand protection

Chemical protective gloves made of nitrile, nitrile/cotton, butyl or neoprene, with a minimum thickness of 0.7 mm, permeation time of approx. 480 minutes.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Pls. find examples in the protective gloves database under: http://bestglove.com/site/chemrest/

#### Skin protection

Long sleeved clothing (DIN EN ISO 6530)

## **Respiratory protection**

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	Highly viscous
Colour:	Whitish - Cloudy
Odour:	Erthy

pH-Value:

## Changes in the physical state

Test method

n.a.



according to Regulation (EC) No 1907/2006

Revision date: 10.11.2022	MA REPCOAT SL COMP A Product code: 00359-1130	Page 5 of 9
Melting point/freezing point:	n. d.	
Boiling point or initial boiling point and boiling range:	n. d.	
Sublimation point:	n.a.	
Softening point:	n. d.	
Flash point:	> 200 °C	Closed cup
Flammability Solid/liquid: Gas:	n.a. n.a.	
Explosive properties The product is not explosive.		
Lower explosion limits:	n.a.	
Upper explosion limits:	n.a.	
Auto-ignition temperature:	n. d.	
Self-ignition temperature Solid: Gas:	n.a. n.a.	
Decomposition temperature:	n. d.	
Oxidizing properties Not oxidising.		
Vapour pressure:	n. d.	
Density (at 25 °C):	1,02 - 1,04 g/cm³	
Bulk density:	n.a.	
Water solubility: (at 20 °C)	Slightly miscible	
Solubility in other solvents n. d.		
Partition coefficient n-octanol/water:	n. d.	
Viscosity / dynamic: (at 25 °C)	14000 - 17000 mPa·s	
Viscosity / kinematic:	n. d.	
Flow time:	n. d.	
Relative vapour density:	n. d.	
Evaporation rate:	n. d.	
Solvent separation test:	0 %	
Solvent content:	0 %	
9.2. Other information		
No data available		
SECTION 10: Stability and reactivity		

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

No decomposition if stored and applied as directed.

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions



according to Regulation (EC) No 1907/2006

# **REMA REPCOAT SL COMP A**

Revision date: 10.11.2022

Product code: 00359-1130

Page 6 of 9

Reacts with: Water, amines, alcohols Acids and bases

#### 10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat. Container can be pressurized by carbon dioxide due to reaction with humid air and/or water.

#### 10.5. Incompatible materials

Strong oxidizing agents, Water, amines, alcohols

#### 10.6. Hazardous decomposition products

No hazardous decomposition products known. Fire may produce: Carbon monoxide, nitrogene oxides, isocyanates and traces of hydrocyanic acid.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

No toxical dates available.

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### **Sensitising effects**

Contains isocyanates. May produce an allergic reaction.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

#### Endocrine disrupting properties

No data available

#### Other information

May cause eye/skin irritation.

May cause sensitization of susceptible persons by skin contact.

May cause sensitization of susceptible persons by inhalation.

With hypersensitive people, reactions as cough or difficulty of breathing may appear even with tiny concentrations of isocyanates; therefore keep room aerated and ventilated.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

#### Ecological dates are not available.

12.2. Persistence and degradability

## No data available

## 12.3. Bioaccumulative potential

No data available

## 12.4. Mobility in soil

## No data available



according to Regulation (EC) No 1907/2006

# **REMA REPCOAT SL COMP A**

Revision date: 10.11.2022

Product code: 00359-1130

Page 7 of 9

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

## No data available

#### **Further information**

Do not flush into surface water or sanitary sewer system.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## **Disposal recommendations**

Can be incinerated, when in compliance with local regulations. Where possible recycling is preferred to disposal.

#### List of Wastes Code - residues/unused products

080412 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); adhesive and sealant sludges other than those mentioned in 08 04 11

#### Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal. Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

<u>14.1. UN number:</u>	Ν
14.2. UN proper shipping name:	Ν
<u>14.3. Transport hazard class(es):</u>	Ν
14.4. Packing group:	N
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	Ν
14.2. UN proper shipping name:	Ν
<u>14.3. Transport hazard class(es):</u>	Ν
14.4. Packing group:	Ν
Marine transport (IMDG)	
<u>14.1. UN number:</u>	Ν
14.2. UN proper shipping name:	Ν
<u>14.3. Transport hazard class(es):</u>	Ν
14.4. Packing group:	Ν
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number:</u>	Ν
14.2. UN proper shipping name:	Ν
<u>14.3. Transport hazard class(es):</u>	Ν
14.4. Packing group:	N
Pavision No: 1.3 - Replaces version: 1.2	

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

## **REMA REPCOAT SL COMP A**

Revision date: 10.11.2022

Product code: 00359-1130

Page 8 of 9

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 74 2004/42/EC (VOC): 0 % Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III) (SEVESO III): National regulatory information Water hazard class (D): 3 - highly hazardous to water

## 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,2,6,7,9,10,11,12,13,14,15.

#### Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

- RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
- ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
- IMDG = International Maritime Code for Dangerous Goods
- IATA/ICAO = International Air Transport Association / International Civil Aviation Organization
- MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration



according to Regulation (EC) No 1907/2006

# **REMA REPCOAT SL COMP A**

Revision date: 10.11.2022

#### Product code: 00359-1130

Page 9 of 9

## Re

elevant H and	EUH statements (number and full text)
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H412	Harmful to aquatic life with long lasting effects.
EUH204	Contains isocyanates. May produce an allergic reaction.
EUH210	Safety data sheet available on request.
urther Informa	tion
Data of items	4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing
(in this sense	consult information on use and on product), but to liberation of major amounts in

## Fu

ploying of the product ints in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product (s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

"(n.a. = not applicable; n.d. = not determined)"

'The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)